



CERTIFICATE OF PRODUCT CONFORMITY

Dubai Central Laboratory Department (DCLD) of Dubai Municipality
hereby attests that the product(s)

Low Emitting Materials

(Details as per the attached Scope of Certification)

manufactured by:

ANCHOR ALLIED FACTORY L.L.C. BRANCH 3

P.O. Box 21152, Emirates Industrial City, Sajjah, Sharjah, UAE

have been assessed in accordance with DCLD Document Ref. No. DM-DCLD-RD-DP21-2001 (IC) "General Rules for DM third party product certification system through factory assessment" and the relevant Specific Rules, and were found in conformity with the standard specification:

2023 AL SA'FAT DUBAI GREEN BUILDING SYSTEM

Accordingly, DCLD hereby authorizes the above manufacturer
to affix the DCL Product Conformity Mark on the above-mentioned product(s).

ENG. MAJED AL SHAMSI

Certification and Quality Control of Products Section's Manager
Dubai Central Laboratory Department-Dubai Municipality



Certificate No: CL18020574
Valid Until: 14/04/2026



Current Issue Date: 15/04/2025
Original Issue Date: 15/04/2018



The attached Scope of Certification bearing the same Certificate Number forms an integral part of this Certificate.
This Certificate is an electronic document subject to the Terms and Conditions of the Product Certification System and shall not be reproduced except in full.

DUBAI CENTRAL LABORATORY DEPARTMENT DCLD-CQPS PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION FOR CERTIFICATE NO. CL18020574

Certificate Issued To: **ANCHOR ALLIED FACTORY L.L.C. BRANCH 3**
P.O. Box 21152, Emirates Industrial City, Sajjah, Sharjah, UAE

Applicable Standard Specification: Al Sa'fat – Dubai Green Building System -2nd Edition, January 2023.

Applicable Specific Rules: DM-DCLD-RD-DP21-2180-(IC): Certification of Low Emitting Materials as per Al Sa'fat – Dubai Green Building System and Dubai Building Code.

S/N	PRODUCT DESCRIPTION	BRAND NAME	PRODUCT DETAILS
THE PRODUCTS PRODUCED IN “ANCHOR ALLIED FACTORY - L.LC - BRANCH 3”, SHARJAH			
1.	ARCHITECTURAL SEALANT	ASMACO GOLD UNIVERSAL MULTI FOAM B1 GRADE	Sealant for Specific Application VOC (Al Sa’fat DGBS limit is Max 250 g/l)
		ASMACO GOLD UNIVERSAL MULTI FOAM B2 GRADE	
		ASMACO GOLD UNIVERSAL MULTI FOAM	
		ASMACO G2100 PU FOAM	
		Asmaco - Universal Multi Foam	
THE PRODUCTS PRODUCED IN “ANCHOR ALLIED FACTORY - L.LC”, RAS AL KHAIMAH (External/Outsourced Production Facility)			
1.	ONE PACK PERFORMANCE COATING (SUB-CATEGORY: 9)	ASMACOAT WP 900 (<i>White Color</i>)	Solvent Base Coatings for Interior/Exterior intermediate coatings Applications (Coating - Other Types)
		ASMACOAT WP 810	VOC (Al Sa’fat DGBS limit is Max.500 g/l)

DUBAI CENTRAL LABORATORY DEPARTMENT
DCLD-CQPS PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL18020574

	ONE PACK PERFORMANCE COATING (SUB-CATEGORY: 9)	ASMACOAT WP 936	SRI (Result of sample tested is ≥ 78) (See Note 4)
		ASMACOAT WP 600 (White Color)	Water Base Coatings for Exterior applications (Roof Coating) VOC (Al Sa'fat DGBS limit is max.140g/l) Formaldehyde < 10 mg/kg SRI (Result of sample tested is ≥ 78) (See Note 4)
		ASMACO AMP WATERPROOFING (White Color)	Water Base Coatings for Interior / Exterior applications (Wall, Roof, Floor) VOC (Al Sa'fat DGBS limit is max.140g/l) Formaldehyde < 10 mg/kg SRI (Result of sample tested is ≥ 78) (See Note 4)
2.	TWO PACK PERFORMANCE COATING (SUB-CATEGORY: 10)	ASMACO FLOOR FC 160 CP	Solvent Free Coatings for Interior / Exterior applications (Wall, Floor) VOC (Al Sa'fat DGBS limit is max.140g/l)
		ASMACO FLOOR FC 150	
		ASMACO POXY 90 FC	
		ASMACO POXY 95	
3.		ASMACO 2670	
		ASMACO GLASS	
		ASMACO FIRESTOP SILICONE	

DUBAI CENTRAL LABORATORY DEPARTMENT
DCLD-CQPS PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL18020574

	ARCHITECTURAL SEALANT	ASMCO INTUMESCENT ACRYLIC SEALANT ASMCO PU 90 NEOFLEX PU 25LM ASMACRYL 47 ASMACRYL 52 GYPROC SEALANT CRAYCOAT ACRYLIC DUCT SEALANT "Asianpaints Berger" Brand SMARTCARE UNYVERSEAL NEUTRAL "Asianpaints Berger" Brand SMARTCARE ACRYLMAX "Asianpaints Berger" Brand SMARTCARE UNYVERSEAL PU "Asianpaints Berger" Brand SMARTCARE UNYVERSEAL "Asianpaints Berger" Brand SMARTCARE UNYVERSEAL ANCHORSEAL 963 PG ANCHORSEAL 963 GG Alpha Duct Acrylic Sealant ASMCO POXY 90 FC ASMCO POXY 95 Asmaco Crystal Clear- Classic fix Asmaco 2800 silicone sealant Awazel PU flex joint sealant PUF 40	Sealant for Specific Application VOC (Al Sa'fat DGBS limit is Max 250 g/l)
	ARCHITECTURAL SEALANT	Polybit Polyseal 1 PU (Polyurethane sealant)	Sealant for Specific Application VOC (Al Sa'fat DGBS limit is Max 250 g/l)
4.		ASMCO 2500	
		ASMCO GP	

DUBAI CENTRAL LABORATORY DEPARTMENT
DCLD-CQPS PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL18020574

	SEALANT OTHERS	ASMACO 2540 "Asianpaints Berger" Brand SMARTCARE UNYVERSEAL "Asianpaints Berger" Brand SMARTCARE UNYVERSEAL GP Asmaco 2860 structural Glazing Silicone Sealant Asmaco All in 1 Hybrid Sealant Asmacryl 55 fire stop acrylic sealant Asmaco 4400 All-weather sealant ASMACO 4450 Construction & Concrete Hybrid Sealant Asmaco 2650 S-2200 Silicone Sealant Asmaco Instant Grab Adhesive sealant Asmaco 2200 silicone sealant Asmaco GP Fast Silicone Sealant Asmaco PU 90 SP-UAE Asmaco High Temp RTV silicone sealant Asmaco 2680 FG Silicone Sealant UAE	VOC (Al Sa'fat DGBS limit is Max 420 g/l)
	SEALANT OTHERS	Asmaco 2860 Silicone Sealant Asmaco 2880 Silicone Sealant Masterseal 121 sanitary sealant Masterseal 10WB gap filler sealant Masterseal 123 NS sealant Masterseal NP 473 U sealant	VOC (Al Sa'fat DGBS limit is Max 420 g/l)
5.	ADHESIVE-SPECIALTY APPLICATIONS	ASMACO GOLD CONTACT ADHESIVE	(Sheet Applied Rubber Lining Operations)

DUBAI CENTRAL LABORATORY DEPARTMENT
DCLD-CQPS PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL18020574

		Weldfix UPVC cement P 917 UPVC cement	VOC (Al Sa'fat DGBS limit is Max 850 g/l)
		Weldfix CPVC cement C 914 CPVC cement	
		Asmaco P914 UPVC cement	
		Asmaco fix P917 UPVC cement	
6.	ADHESIVE-MULTI-PURPOSE CONSTRUCTION	ASMACO POXY 90 FC	VOC (Al Sa'fat DGBS limit is Max 70 g/l)
		ASMACO POXY 95	
		Asmaco PUR Glue	
		Asmaco all-purpose Pipe Lubricant & Adhesive	
		Asmaco Crystal Clear- Classic fix	
		Asmaco Profile glue	

DUBAI CENTRAL LABORATORY DEPARTMENT
DCLD-CQPS PRODUCT CONFORMITY CERTIFICATION SCHEME

SCOPE OF CERTIFICATION
FOR CERTIFICATE NO. CL18020574

- NOTE 1: This document forms an integral part of the Certificate of Product Conformity bearing the same certificate number.
- NOTE 2: The above product shall bear the DCLD Conformity Mark.
- NOTE 3: As applicable, other properties in the product standard specification which were excluded in the specific rules as approved by the certification body authorized personnel are to be verified by the end user of the product (if needed).
- NOTE 4: The above SRI value is just for information. The user (owner, contractor and/or consultant) shall be fully responsible for ensuring that the correct SRI value is followed according to the requirements of the applicable clause in the standard specification. Acceptance limit shall be as per these values for each application of the product.

Original Issue Date: 15 -04- 2018

Current Issue Date: 15-04-2025

Valid Until: 14 -04- 2026



ENG. MAJED AL SHAMSI
CERTIFICATION AND QUALITY CONTROL OF PRODUCTS SECTION'S MANAGER



رقم الترخيص : 2013-3-42258

سنة الترخيص : 2024

عدد التراخيص : 1

ترخيص مصنع لمعدات و أجهزة و مواد الوقاية و مكافحة الحريق

تم إصدار الترخيص استناداً إلى القرار الوزاري رقم (24) لسنة 2012 ، في شأن تنظيم خدمات الدفاع المدني

الاسم التجاري للمنشأة	مصنع انكور الايد - ذ.م.م - استثمار اجنبي	رقم الرخصة	3617	رقم السجل	2013-3-42258
اسم صاحب الترخيص	احمد على حسين نالاوالا	الجنسية	سانت كيتس ونيفس	منطقة النشاط	الشارقة
نوع النشاط	صناعي	رقم الفاكس	21152	ص.ب	21152
رقم الهاتف	0505342091	عنوان الشركة	شبرات انكور - شارع المليحه , الصناعية 15 , الشارقة الشارقة	تاريخ الانتهاء	12/10/2025
الموقع و البريد الإلكتروني	20/07/1993	تاريخ الإصدار	06/11/2024	عدد المعدات و الأجهزة المراد ترخيصها	5
تاريخ تأسيس المنشأة	عدد المهندسين المعتمدين	عدد الفنيين المعتمدين	0	تم تسديد الرسوم بإيصال رقم (10408520115573365788)	





رقم الترخيص : 42258-3-2013

الاسم التجاري للمنشأة : مصنع انكور الايد - ذ.م.م - استثمار اجنبي مباشر

سنة الترخيص : 2024

عدد التراخيص : 1

م	اسم المعدة/المواد/النظام	الاسم التجاري	رقم شهادة السلامة	اسم المختبر الصادر للشهادة
1	الطلائع والمواد المانعة من انتشار الحريق : مواد مانعة لإنتشار الحريق - التسريب	Asmacryl-55 Firestop Acrylic Sealant	ESL- 24- 11590 issue 01	معامل الامارات للسلامة ذ.م.م
رقم الموديل : Asmacryl-55 Firestop Acrylic Sealant				
2	الطلائع والمواد المانعة من انتشار الحريق : مواد مانعة لإنتشار الحريق - التسريب	ASMACO Gold Universal Multi-Foam Fire Retardant B2	ESL -24- 11581 Issue 01	معامل الامارات للسلامة ذ.م.م
رقم الموديل : ASMACO Gold Universal Multi-Foam Fire Retardant B2				
3	الطلائع والمواد المانعة من انتشار الحريق : مواد مانعة لإنتشار الحريق - التسريب	ASMACO Gold Universal Multi-Foam Fire Retardant B1	ESL- 24 - 11581 Issue 01	معامل الامارات للسلامة ذ.م.م
رقم الموديل : ASMACO Gold Universal Multi-Foam Fire Retardant B1				

1 . يعتبر المصنع مرخص من قبل الإدارة العامة للدفاع المدني - الشارقة و يحق له مزاولة نشاطه في إمارة الشارقة فقط، استنادا إلى قرار مجلس الوزاري رقم (24) لسنة 2012 في شأن تنظيم خدمات الدفاع المدني للائحة التنفيذية رقم (213) لسنة 2017 ، و لا يحق له مزاولة أنشطته في باقي الإمارات إلا بعد استخراج ترخيص موزع من قبل الإدارات العامة ذات ملاحظة: الاختصاص بكل إمارة.

2 . إبلاغ الإدارة العامة للدفاع المدني في حالة تغيير أو تعديل في البيانات المتعلقة في الترخيص الصادر من قبل الإدارة العامة للدفاع المدني.





رقم الترخيص : 42258-3-2013
سنة الترخيص : 2024
عدد التراخيص : 1
الاسم التجاري للمنشأة : مصنع انكور الايد - ذ.م.م - استثمار اجنبي مباشر

م	اسم المعدة/المواد/النظام	الاسم التجاري	رقم شهادة السلامة	اسم المختبر الصادر للشهادة
4	الطلائع والمواد المانعة من انتشار الحريق : مواد مانعة لإنتشار الحريق - التسريب	ASMACO intumescent acrylic sealant	ESL-24-11590 Issue 01	معامل الامارات للسلامة ذ.م.م
رقم الموديل : ASMACO intumescent acrylic sealant				
5	الطلائع والمواد المانعة من انتشار الحريق : مواد مانعة لإنتشار الحريق - التسريب	ASMACO FIRESTOP SILICONE SEALANT	ESL-24-11590 issue 01	معامل الامارات للسلامة ذ.م.م
رقم الموديل : ASMACO FIRESTOP SILICONE SEALANT				

1 . يعتبر المصنع مرخص من قبل الإدارة العامة للدفاع المدني - الشارقة و يحق له مواولة نشاطه في إمارة الشارقة فقط، استنادا إلى قرار مجلس الوزاري رقم (24) لسنة 2012 في شأن تنظيم خدمات الدفاع المدني للائحة التنفيذية رقم (213) لسنة 2017 ، و لا يحق له مواولة أنشطته في باقي الإمارات إلا بعد استخراج ترخيص موزع من قبل الإدارات العامة ذات الملاحظة: الاختصاص بكل إمارة.

2 . إبلاغ الإدارة العامة للدفاع المدني في حالة تغيير أو تعديل في البيانات المتعلقة في الترخيص الصادر من قبل الإدارة العامة للدفاع المدني.

