



## PRODUCT CATALOGUE



**ANCHOR ALLIED FACTORY L.L.C.**

An ISO 9001:2015 Certified Company

[www.anchorallied.com](http://www.anchorallied.com)



+971 6 534 2091

[info@anchorallied.com](mailto:info@anchorallied.com)

[f](#) [@](#) [v](#) [in](#) [anchoralliedfactoryllc](http://anchoralliedfactoryllc)

## ABOUT US

**Anchor Allied Factory L.L.C.**, established in **1995** in Sharjah, U.A.E., Anchor Allied Factory L.L.C. has evolved from a small manufacturing unit into a leading name in the Middle East's industrial and construction chemical sector.

Our extensive product portfolio includes Silicone Sealants, PU Sealants, PU Foam, Spray Paints, Aerosol Products, and Adhesive Tapes, as well as Two-part Spray-Applied PU Foam for insulation, Waterproof Coatings, Epoxy resin-based products, Repair Mortars, Floor coatings, Self-levelling Epoxy Flooring, Epoxy Screeds, and a wide range of Allied industrial solutions.

Driven by innovation and supported by a dedicated in-house R&D team, Anchor Allied integrates advanced global technologies to ensure top-tier product quality. Its state-of-the-art manufacturing facility complies with international standards, making its products benchmarks in global markets.

With exports to over **84\*** countries and a strong presence across the Middle East, Africa, Asia, CIS, Europe, South America and USA, the company also operates regional offices in Saudi Arabia, Egypt, Ukraine, Latin America, India, and the USA, ensuring efficient service and dedicated local support for its global customer base.



## PRODUCTS

Silicone Sealant | PU Sealant | Polysulphide Sealant | Hybrid Sealant | Acrylic & Duct Sealant

Polyurethane Foam | Spray Paint | Lubricating Spray

Penetrating Oils | Butane gas | Lighter gas | Contact Adhesive | Super Glue

Steel Epoxy | PVC Cement

Crepe Paper Masking Tape | Aluminium Foil Tape

P.E Protection Tape | PVC Pipe Wrapping Tape | Silver Cloth Duct Tape

Waterproofing Coating | Epoxy Flooring

Paint Removers | Stainless Steel | Furniture Polish | Auto Care Products

Automatic Dispenser - Sanitizer Spray | Automatic Dispenser - Air freshener

Domestic Insect Killer | Room Airfreshener | Deodorant



# SEALANTS

## Silicone

Highly flexible and weather-resistant  
Ideal for glass, metal, and ceramic surfaces  
Used in bathrooms, kitchens, and windows.

## Polyurethane


Strong adhesion and high abrasion resistance  
Often used in construction and automotive applications.

## Acrylic

Easy to apply and paintable  
Best for indoor use and low-movement joints.

## Hybrid

High Adhesion, Flexible & Elastic, Weather & UV Resistant, Paintable, Solvent-Free, Non-Bubbling Cure, Low VOC.







## S2200 SILICONE SEALANT

### GENERAL PURPOSE

S 2200 is a versatile single-component acetic cure silicone sealant designed to cure when exposed to moisture in the air at room temperature, forming a flexible elastomeric seal. Ideal for various construction and glazing applications, it boasts ease of application and superior adhesion to nonporous surfaces like glass, glazed ceramic tiles, and aluminum. Additionally, it demonstrates resilience against temperature fluctuations, making it a reliable choice for diverse sealing needs.



UV  
Resistant



ecolabel  
ENVIRONMENTAL SUSTAINABILITY



LOW  
VOC



DCL APPROVED

Color : White / Clear / Black  
Packaging : 240 g x 24 pcs / box



## ASMCO 2200 SILICONE SEALANT

### GENERAL PURPOSE

ASMCO 2200 is a single-component acetic cure silicone sealant crafted to cure in response to ambient air moisture, creating a flexible elastomeric seal. It is engineered for a wide array of construction and glazing tasks, boasting effortless application and superior adhesion to nonporous surfaces like glass, glazed ceramic tiles, and aluminum. Its robust composition ensures resilience to temperature fluctuations, making it a dependable choice for diverse sealing needs.



UV  
Resistant



ecolabel  
ENVIRONMENTAL SUSTAINABILITY



LOW  
VOC



DCL APPROVED

Color : White / Clear / Black / Grey / Beige / Cream / Brown  
Packaging : 280 g x 24 pcs / box



## G2100 SILICONE SEALANT

### GENERAL PURPOSE

G2100 is a versatile single-component acetic cure silicone sealant that cures when exposed to moisture in the air at room temperature, forming a flexible elastomeric seal. It is ideal for a wide range of construction and glazing applications, offering excellent adhesion to nonporous substrates like glass, glazed ceramic tiles, and aluminum. With its ease of application and suitability for all temperatures, G2100 is a reliable choice for various projects.



UV  
Resistant



Antifungal



ecolabel  
ENVIRONMENTAL SUSTAINABILITY



LOW  
VOC

Color : White / Clear / Black  
Packaging : 280 g x 24 pcs / box



## ASMCO 2500 SILICONE SEALANT

### GENERAL PURPOSE

ASMCO 2500 is a high-performance, single-component acetic cure silicone sealant designed for construction and glazing applications. Upon exposure to moisture, it forms a flexible elastomeric seal, offering excellent adhesion to nonporous substrates such as glass, ceramic tiles, and aluminum, it ensures long-lasting durability in various environmental conditions.



UV  
Resistant



MEETS ASTM  
C 920 S



DCL APPROVED



ecolabel  
ENVIRONMENTAL SUSTAINABILITY



LOW  
VOC

Color : White / Clear / Black  
Packaging : 280 g x 24 pcs / box



## ASMCO 2540 SILICONE SEALANT

### ANTIFUNGAL

ASMCO 2540 represents the pinnacle of silicone sealant technology. This single-component, acetic-cure silicone sealant transforms upon exposure to moisture in the air, forming a highly flexible elastomeric seal. This remarkable product finds its place in a wide range of construction and glazing applications, making it a top choice for professionals and DIY enthusiasts alike. You can trust it to withstand the elements, as it is resistant to ozone, ultraviolet radiation, and temperature fluctuations.



Antifungal



Permanently  
Flexible



ecolabel  
ENVIRONMENTAL SUSTAINABILITY



DCL APPROVED

Color : White / Clear / Black / Grey / Beige / Brown / Cream / Chocolate Brown  
Packaging : 280 ml x 24 pcs / box, 85 g x 12 pcs x 12 doz / box



## ASMCO GP SILICONE SEALANT

### ANTIFUNGAL

ASMCO GP is a versatile one-part acetoxysilicone sealant suitable for a wide range of applications. Its ready-to-use nature eliminates the need for mixing, and the acetoxysilicone curing mechanism ensures a quick and strong seal. This silicone sealant is known for its flexibility, durability, and resistance to environmental factors, making it ideal for sealing joints and gaps in construction and household settings.



Premium  
Grade



For Cladding &  
Composite Panels



DCL APPROVED



ecolabel  
ENVIRONMENTAL SUSTAINABILITY



LOW  
VOC

Color : White / Clear / Black / Grey / Beige / Brown / Cream / Chocolate Brown  
Packaging : 280 ml x 24 pcs / box





## ASMACO GP FAST SILICONE SEALANT FAST SEALANT

ASMACO GP FAST Sealant is a premium single-component sealant, utilizing high-grade acetic cure silicone technology. Upon exposure to ambient moisture at room temperature, it forms a flexible elastomeric seal suitable for a wide array of construction and glazing applications. With its user-friendly application and superior adhesion to nonporous surfaces such as glass, glazed ceramic tiles, and aluminum, ASMACO GP FAST ensures reliable performance.



Auto Glass  
Fixing



Double  
Glazing



For Cladding  
& Composite Panels

Color : White / Clear / Black  
Packaging : 280 ml x 24 pcs / box



## ASMACO GLASS SILICONE SEALANT GLASS SEALANT

ASMACO GLASS is a high-quality, single-component acetic cure silicone sealant designed for construction and glazing applications. It cures with moisture at room temperature to form a flexible, durable seal. The sealant bonds well to nonporous surfaces like glass, glazed ceramic, and aluminum, and offers resistance to ozone, UV rays, and extreme temperatures. It's ideal for use in aquariums and cladding, providing easy application and strong adhesion.



Glass  
Fixing



Glazing



Fish Tank  
Assembling

Color : White / Clear / Black  
Packaging : 280 ml x 24 pcs / box



## ASMACO 2781 SILICONE SEALANT GLAZING / WEATHER SEALANT

ASMACO 2781 is a high-performance, single-component silicone sealant that cures with moisture at room temperature, forming a flexible and durable seal. It bonds well to nonporous surfaces like glass, ceramic tiles, and aluminum, making it ideal for construction and glazing. Resistant to UV rays, ozone, and extreme temperatures, it is also suitable for sanitary and cladding applications, offering easy application and long-lasting adhesion.



MEETS ASTM  
C 920



ISO 11600  
Standard



Color : White / Clear / Black  
Packaging : 280 ml x 24 pcs / box



## ASMACO 2680 FG (FOOD GRADE) SILICONE SEALANT NEUTRAL-CURE

ASMACO 2680 FG is a single-component, neutral-cure silicone sealant designed for applications requiring contact with food and potable water. It is ideal for both indoor and outdoor use, offering high bonding strength and medium flexibility. The sealant adheres to a wide range of porous and non-porous substrates, including glass, metals, coated and painted metals, plastics, wood, and concrete. It is waterproof and resistant to ozone, UV, temperature extremes, mold, and mildew, making it suitable for environments with high humidity and moisture. This product ensures durable and long-lasting performance in challenging conditions.



Food Grade  
Application



Color : White / Clear / Black  
Packaging : 280 ml x 24 pcs / box



## ASMACO MIRROR SILICONE SEALANT NEUTRAL-CURE

ASMACO MIRROR silicone sealant is a high-performance, neutral-cure adhesive specifically designed for bonding mirrors to various surfaces. It ensures that mirrors are securely fixed without damaging the reflective backing of the mirror.

- Bonding Mirrors to surfaces such as concrete, plaster, tiles, wood, or metal in residential and commercial environments.
- Sealing joints between mirrors and other construction elements like walls, tiles, and frames for a seamless, aesthetic finish.
- Installing mirrors in bathrooms, gyms, elevators, salons, or commercial buildings, ensuring secure attachment even in moisture-prone areas.



Premium  
Grade



100 %  
Silicone



Color : Clear  
Packaging : 280 ml x 24 pcs / box



## ASMACO 2650 SILICONE SEALANT NEUTRAL-CURE, SINGLE - COMPONENT

ASMACO 2650 is a versatile, single-component silicone sealant with a neutral curing process, ideal for a range of applications. Its user-friendly design ensures a quick, reliable seal, while its flexibility and durability provide strong resistance to environmental factors. This makes it an excellent choice for sealing joints and gaps in both construction and household projects.



Neutral  
Cure



Weather  
Resistant



Color : White / Clear / Black  
Packaging : 280 ml x 24 pcs / box





## ASMACO 2670 SILICONE SEALANT ALL WEATHER SEALANT

ASMACO 2670 is designed for use as a weather seal in applications. A single component neutral curing low modulus silicone sealant with good mechanical resistance and adhesion to most porous and non-porous substrates. It has excellent weathering characteristics and will not stain most common substrates. It has a high degree of joint movement accommodation, anticipated such as in structurally glazed curtain wall or aluminum cladding. It can also be used as a premium grade sealant in general applications such as expansion joints and external perimeter joints in concrete, block work & brick works.



MEETS ASTM C 920 S, Type S,  
Grade NS Class 50,  
ISO 11600 LM 25



Color : White / Clear / Black / Grey  
Packaging : 280 ml x 24 pcs / box & 600 ml x 20 pcs / box



## ASMACO 2677 SILICONE SEALANT NEUTRAL-CURE, INSULATION GLASS

ASMACO 2677 is a single-component, neutral-cure silicone sealant designed for both indoor and outdoor applications. It provides high bonding strength and durable adhesion to a wide range of porous and non-porous substrates, including glass, metals, coated and painted metals, plastic, wood, and concrete. It is ideal as a secondary sealant for dual-sealed insulating glass units, ensuring a strong bond and weather-resistant performance.



Glass  
Insulation



Weather  
Resistant



Color : Black  
Packaging : 280 g x 24 pcs / box



## ASMACO 2800 SILICONE SEALANT CONSTRUCTION JOINT SEALANT

ASMACO 2800 is a single-component, low-odor, neutral-cure silicone sealant that works well for both indoor and outdoor applications. It is known for its high bonding strength and low modulus, offering long-lasting adhesion across various porous and non-porous materials such as masonry, brick, aluminium, U-PVC, polycarbonates, polyacrylate, wood, glass, and glazed surfaces.

Asmaco 2800 provides excellent resistance to environmental factors such as ozone, UV rays, additionally, it is designed to inhibit mold and mildew growth, making it ideal for areas with high humidity and temperature fluctuations.



UV  
Resistant



Color : White / Grey / Black  
Packaging : 280 ml x 24 pcs / box

## ASMACO 2860 SILICONE SEALANT STRUCTURAL SEALANT

ASMACO 2860 is a single-component, low-odor neutral-cure silicone sealant specifically designed for structural glazing and cladding applications. This high-bonding sealant provides durable adhesion to a wide range of construction materials, including both porous and non-porous surfaces such as glass, metals, and most plastics. The product is non-corrosive and exhibits excellent resistance to ozone, UV exposure, and temperature extremes, ensuring long-lasting performance in various environmental conditions.



Structural Glazing



Color : Black  
Packaging : 600 ml X 20 pcs / box



## ASMACO 2880 SILICONE SEALANT STRUCTURAL GLAZING

ASMACO 2880 is a single-component, low-odor, neutral-cure silicone sealant designed for structural glazing and cladding applications. This high-bonding sealant provides durable adhesion to a wide range of construction materials, both porous and non-porous, including glass, metals, and most plastics. The product is non-corrosive and highly resistant to ozone, UV rays, and temperature extremes, ensuring lasting performance in diverse environmental conditions.



MEETS ASTM C  
1184-18E1, Type S



Color : Black  
Packaging : 280 ml x 24 pcs / box & 600 ml x 20 pcs / box



## ASMACO 2890 SL SILICONE SEALANT SELF LEVELING, NEUTRAL CURE

ASMACO 2890 SL is a single-component, low-odour, neutral-cure, self-leveling liquid silicone sealant designed for sealing concrete and concrete-to-asphalt pavement joints. It provides strong adhesion to both porous and non-porous materials and offers long-lasting performance in extreme conditions. The product is non-corrosive and resistant to ozone, UV, and a wide range of temperatures. Upon exposure to atmospheric moisture, Asmaco 2890-SL cures to form an ultra-low modulus, flexible silicone rubber that can withstand extreme temperatures (-30°C to 185°C). The sealant's ultra-low modulus formulation is essential for minimizing strain on asphaltic substrates, which typically have low tensile strength.



Neutral  
Cure



UV  
Resistant



Color : Grey  
Packaging : 200 Litre Drum





## ASMACO HI-TEMP RTV SILICONE HIGH TEMPERATURE

ASMACO HI-TEMP RTV Silicone is a high-performance, single-component, non-sagging, 100% RTV (Room Temperature Vulcanizing) silicone sealant. It cures at room temperature when exposed to moisture in the air, forming a durable, rubbery solid. Engineered for high-temperature environments, it withstands continuous temperatures up to 300°C, making it well-suited for a range of demanding sealing and bonding applications. This versatile silicone adheres to many surfaces, ensuring strong bonds and seals in areas where heat resistance, flexibility, and durability are critical. Its non-corrosive, high-temperature formula makes it ideal for automotive, industrial, and general-purpose applications requiring reliable performance under extreme conditions.



Hi Temp  
UP TO 300°C



ENVIRONMENTAL SUSTAINABILITY



DCL APPROVED

Color : Grey / Red  
Packaging : 280 ml x 24 pcs



## ASMACRYL 55 GUN GRADE SEALANT B2-FIRE RETARDANT

ASMACRYL-55 is a single-component gun-grade sealant, formulated with fire-resistant acrylic emulsions. Designed to be partially flexible, it serves the specific purpose of fire sealing applications. This sealant is meticulously crafted with special additives and chemicals, ensuring fire resistance, ease of application, and effective joint sealing between construction parts under moderate stress. ASMACRYL-55 expands efficiently, providing a reliable seal against fire, smoke, and gas. Its properties above +120°C make it an ideal choice for achieving up to 2 hours of fire-resistant sealing in filled joints.



Fire Rating  
Up to 120 min



CIVIL  
DEFENCE  
APPROVED



DCL APPROVED

Color : White / Grey  
Packaging : 280 ml x 24 pcs



## ASMACO FIRESTOP SILICONE SEALANT

ASMACO FIRESTOP SILICONE SEALANT is a reliable, fire-rated, low modulus sealant with neutral curing and strong adhesion to various construction materials, including stone, steel, masonry, and wood, without priming. Ideal for weather-sealing facades, fire-rated expansion joints, and secure sealing of pipes and cables in fire-rated walls, it provides durable fire protection in critical applications.



Fire Stop  
Up to 240 min



CIVIL  
DEFENCE  
APPROVED



DCL APPROVED

Color : White  
Packaging : 280 ml x 12 pcs / box & 600 ml x 20 pcs / box



## ASMACO INTUMESCENT ACRYLIC SEALANT

ASMACO INTUMESCENT ACRYLIC SEALANT is a one-part, fire-rated intumescent acrylic sealant designed for the internal perimeter pointing of fire-rated door and window frames. The sealant is fire-resistant, easy to apply, and effectively seals joints between construction parts subjected to moderate stress. The intumescent property allows it to expand when exposed to fire, making it an efficient fire-stop sealant.



Fire Retardant  
Acrylic Up to  
240 min



CIVIL  
DEFENCE  
APPROVED



DCL APPROVED

Color : Red  
Packaging : 280 ml x 12 pcs / box & 600 ml x 20 pcs / box



## ASMACRYL 47 ACRYLIC DUCT SEALANT ACRYLIC CAULK

ASMACRYL 47 stands as a versatile acrylic sealant designed for indoor applications. It undergoes curing upon exposure to the atmosphere, creating a flexible seal without requiring a primer on surfaces like concrete, stone, marble, and aluminium. This adaptable sealant excels on porous surfaces such as brick, concrete, and wood, making it well-suited for tasks like gap filling in concrete & concrete blocks. With its efficacy in filling cracks and joints, ASMACRYL 47 offers a reliable solution. The flexibility of the cured sealant allows it to accommodate surface movement, ensuring a durable and long-lasting sealing outcome across various applications.



20% Joint  
Movement  
Capacity



ENVIRONMENTAL SUSTAINABILITY



DCL APPROVED

Color : White / Black / Grey  
Packaging : 280 ml x 24 pcs / box , 5 kg & 20 kg Bucket



## ASMACRYL 52 SILICONIZED DUCT SEALANT ACRYLIC

ASMACRYL-52 is a single-component gun-grade sealant formulated with acrylic emulsions and special ingredients to enable easy application and efficient sealing of joints between construction components under moderate stress levels. It is designed for immediate use and adopt at sealing both internal and external joints in porous substrates like concrete, asbestos, cement, brickwork, and wood. Additionally, it exhibits compatibility with galvanized sheet steel (both PVC coated and bare), stainless steel, or aluminum sheets. ASMACRYL-52 is particularly well-suited for effectively sealing low movement joints.



Antibacterial



ENVIRONMENTAL SUSTAINABILITY



DCL APPROVED

Color : White / Grey  
Packaging : 280 ml x 24 pcs





## ASMACO INSTANT GRAB ADHESIVE SEALANT WATERPROOF

ASMACO INSTANT GRAB is a high-strength, waterproof adhesive and sealant that offers quick and reliable bonding, sealing, and repair capabilities. Its instant grab feature secures objects in place without additional support, with a curing time of 24-48 hours and full strength achieved in 7 days. The unique I-Tech Sealant formulation allows for excellent performance, even underwater, making it ideal for sealing water leaks without the need to drain the area. This product is perfect for a wide range of applications.



Hybrid Technology



ecolabel  
ENVIRONMENTAL SUSTAINABILITY



LOW VOC



DCL APPROVED

Color : White / Grey / Black  
Packaging : 280 ml x 12 pcs / box



## ASMACO ALL IN ONE HYBRID SEALANT ELASTOMERIC

ASMACO ALL-IN-1 High-Tech Sealant is a versatile, elastomeric product that functions as both a powerful adhesive and waterproof sealant, ideal for construction, automotive, and home repair applications. This high-strength sealant is easy to apply and adheres well to various surfaces, curing within 24 to 48 hours and reaching full bonding strength in 7 days. Designed for durability, it forms a resilient, flexible barrier that resists moisture, temperature changes, and environmental stress, ensuring lasting performance across a wide range of uses.



Hi Tech Sealant



ecolabel  
ENVIRONMENTAL SUSTAINABILITY



LOW VOC



DCL APPROVED

Color : White / Grey / Black  
Packaging : 280 ml x 24 pcs / box



## ASMACO N3 KIT GRAB ADHESIVE NO NEED NAILS

ASMACO N3 KIT – No Need Nails is a versatile, solvent-based high-strength adhesive designed for bonding a wide range of materials in both interior and exterior applications. This adhesive provides strong, reliable adhesion to almost any substrate, making it an ideal choice for demanding construction and renovation projects.



All Purpose Quality Adhesive



LOW VOC

Color : Beige  
Packaging : 280 ml x 12 pcs / box



## ASMACO ANCHORSEAL AUTOMATE ADHESIVE SEALANT

ANCHORSEAL AUTOMATE adhesive is a single-component, high-modulus sealant that utilizes advanced silane-terminated polymer technology. Upon exposure to moisture, it cures to form a strong, flexible rubber with excellent initial tack, impressive green strength, and a rapid drive-away time, making it ideal for applications requiring durability and efficiency.



Wind Screen



For BUS & Body

Color : White / Grey / Black  
Packaging : 280 ml x 12 pcs / box



## ASMACO CRYSTAL CLEAR CLASSIC FIX SEALANT (ONE COMPONENT)

ASMACO CRYSTAL CLEAR CLASSIC FIX is a high-quality, one-component MS hybrid sealant and adhesive made with advanced MS Polymer Technology. This transparent, multipurpose adhesive offers strong initial grab and is ideal for bonding and sealing a wide range of construction materials. It performs reliably in hot and tropical climates, making it suitable for various indoor and outdoor applications.



100% Clear



High Strength



ecolabel  
ENVIRONMENTAL SUSTAINABILITY



DCL APPROVED

Color : Clear  
Packaging : 280 ml x 12 pcs / box



## ASMACO ANCHORSEAL CRYSTAL CLEAR SEALANT

ASMACO ANCHORSEAL CRYSTAL CLEAR. This is a one-component multipurpose adhesive based on high-tech polymer technology, specially designed for bonding and sealing applications across various fields. It creates a flexible and colorless joint, making it suitable for a wide range of assembly and finishing tasks in both construction and DIY applications.



Strong Bonding



High Strength

Color : Clear  
Packaging : 280 ml x 12 pcs / box





## ASMACO 4400 HYBRID SEALANT

### ALL WEATHER

ASMACO 4400 is a technology that combines the unique features of high modulus sealing and bonding material based on advanced hybrid polymer technology. A totally neutral "hybrid" sealant for use in areas requiring a tough elastic rubber joint or as an adhesive with superior bonding strength and "NON" bubbling.



Antibacterial



UV Resistant



ENVIRONMENTAL SUSTAINABILITY



DCL APPROVED

Color : White / Grey / Black  
Packaging : 280 ml x 24 pcs / box



## ASMACO 4450 HYBRID SEALANT

### CONSTRUCTION / ALL WEATHER

ASMACO 4450 is an innovative product that integrates the specialized properties of a high modulus sealing and bonding material, utilizing advanced hybrid polymer technology. This "hybrid" adhesive is completely neutral, designed for applications where a durable, elastic rubber joint is needed, or as an adhesive that offers exceptional bonding strength without producing bubbles.



Antibacterial



UV Resistant



ENVIRONMENTAL SUSTAINABILITY



DCL APPROVED

Color : White / Grey / Black  
Packaging : 280 ml x 24 pcs / box



## ASMACO PU 72 WINDSCREEN SEALANT SINGLE COMPONENT

ASMACO PU 72 is a top-tier, non-sagging, single-component polyurethane adhesive designed for high-performance applications. It boasts excellent flexibility and cures when exposed to atmospheric moisture, resulting in a tough and durable bond suitable for various materials. This adhesive is non-conductive, making it particularly suitable for bonding glass that incorporates radio antennas or additional electrical equipment. Its reliable adhesion ensures compatibility with sensitive electronic components, making it ideal for automotive, marine, and construction uses where strength and durability are essential.



PU Sealant Wind Screen

Color : Black  
Packaging : Alu.Catridge 12pcs / box, Sausage 20 pcs/box



## ASMACO PU 81 POLYURETHANE SEALANT HEAVY- DUTY

ASMACO PU 81 sealant is a high-performance polyurethane-based sealant designed for heavy-duty industrial applications, particularly in transportation sectors such as buses, trucks, and rail systems. Its formulation ensures strong adhesion to metals, fiberglass, and certain plastics, delivering a flexible and durable seal that withstands extreme weather, UV exposure, vibrations, and dynamic loads. Fast-curing and paintable once set, ASMACO PU 81 maintains elasticity, allowing for joint movement without cracking, making it ideal for sealing body panels, joints, and structural components in high-stress environments where reliability and long-lasting performance are essential.



PU Sealant



For BUS & Body, Truck, Rail

Color : White / Grey  
Packaging : Alu.Catridge 12pcs / box, Sausage 20 pcs/box

## ASMACO PU 90 POLYURETHANE SEALANT CONSTRUCTION JOINT

ASMACO PU 90 is a high-performance, single-component polyurethane sealant that cures upon exposure to atmospheric humidity. Engineered for flexible and durable sealing, it is suitable for both indoor and outdoor applications, providing dependable joint sealing and weatherproofing against harsh environmental factors. Additionally, ASMACO PU 90 forms an acoustically efficient barrier, reducing sound transmission through sealed joints, making it ideal for use in noise-sensitive environments.



Construction Joint Sealant



ENVIRONMENTAL SUSTAINABILITY



DCL APPROVED

Color : Grey / Beige / White / Black / Cream  
Packaging : 600 ml x 20 pcs / box

## ASMACO PU 90 SP POLYURETHANE SEALANT CONSTRUCTION JOINT

ASMACO PU 90 SP stands as a top-tier, high-performance sealant, boasting advanced polyurethane technology. This premium-grade, moisture-cured, 1-component formulation is characterized by exceptional elasticity and durability. With its non-sag property, it allows easy application on vertical surfaces while maintaining robust sealing capabilities. Versatile across a range of applications, this elastomeric sealant sets a superior standard for reliable and enduring sealing solutions. Notably, it cures upon exposure to atmospheric humidity, enhancing its convenience and effectiveness in various environmental conditions.



Construction Joint Sealant



ENVIRONMENTAL SUSTAINABILITY



ENVIRONMENTAL SUSTAINABILITY



DCL APPROVED

Color : Grey / Beige / White / Black / Cream  
Packaging : 600 ml x 20 pcs / box

# ASMACO ANCHORSEAL 963 PG & GG

## POLYSULPHIDE SEALANT

ANCHORSEAL 963 PG & GG are two-part Polysulphide Sealant which cures once the two components are mixed to give a flexible rubber seal. It has good adhesion to concrete and many other common building substrates.



Color : Black  
 Packaging : 4 litres set x 4 pcs / box & 2.5 litres set x 6 pcs / box



# ASMACO ANCHOR PRIME P1

## PRIMING SYSTEM

ANCHOR PRIME P1 is a low viscosity one component solvent based priming system for concrete joints prior to the installation of ANCHORSEAL 963 joint sealants.

- ANCHOR PRIME P1 is used to prime prepared concrete joint edges prior to the installation of ANCHORSEAL 963 PG/GG Pouring Grade / Gun Grade polysulphide joint sealants.
- If the joints are to be immersed or subject to long term moisture, then consult technical department of ANCHOR ALLIED FACTORY for special priming recommendations.
- Fast drying - enables sealant work to progress
- Single component - no mixing required.



Color : Clear  
 Packaging : 500 ml Tin



# ASMACO

## ANCHORSEAL WATER STOP

ANCHORSEAL WATER STOP is easy to use, rubberized protective coating designed to seal leaks & cracks. Provides a watertight, flexible seal prevents moisture penetration & corrosion. Excellent for chimneys, roof leak, boat, metal, concrete masonry, fiberglass, skylights, gutters, kitchen sink & much more.



Color : Black / White / Grey / Terracotta  
 Packaging : 400 ml x 12 pcs / box & 100 ml x 24 pcs / box





# POLYURETHANE FOAM

## Flexible PU FOAM

Commonly used in furniture, mattresses, automotive seating, and packaging. Provides excellent comfort, resilience, and support.

## Rigid PU FOAM

Used for thermal insulation in appliances, buildings, and cold chain logistics.

Offers high thermal resistance (low thermal conductivity).

## Sprayable PU FOAM

Applied as an expanding spray for sealing and insulating walls, roofs, and gaps. Acts as both insulation and air barrier.







## G2100 UNIVERSAL PU FOAM SINGLE COMPONENT

G2100 UNIVERSAL MULTIFOAM is a single component, Economy grade, moisture-curing & self-expanding aerosol Polyurethane Foam for sealing of insulation sheets, filling of joints & cavities in walls & ceilings. Closed cell structure, resistant to water absorption. Excellent thermal insulation characteristics & very good acoustic characteristics. Suitable for sealing high volume low movement gaps.



CFC FREE



DCL APPROVED

Type : Hand Grade  
Packaging : 750 ml x 12 pcs / box



## ASMCO GP UNIVERSAL MULTI FOAM TRIPLE EXPANDING

ASMCO UNIVERSAL MULTI FOAM TRIPLE EXPANDING PU FOAM : One component & ready to use moisture curing polyurethane foam mainly used for sealing of insulation sheets, filling of joints & cavities in walls & ceilings. Closed cell structure, resistant to water absorption. Excellent thermal insulation characteristics & very good acoustic characteristics. Suitable for sealing high volume low movement gaps.



Triple Expanding Foam



CFC FREE



DCL APPROVED

Type : Hand Grade / Gun Grade  
Packaging : 330 ml / 500 ml / 750 ml x 12 pcs / box



## ASMCO GOLD UNIVERSAL PU FOAM PREMIUM

ASMCO GOLD UNIVERSAL MULTI FOAM is a single-component, moisture-curing, self-expanding aerosol polyurethane foam. It is designed for easy dispensing through the included straw gun. The foam is environmentally friendly, as it does not contain harmful gases like CFC and HCFC that damage the ozone layer.

Filling of Penetrations in Walls : •Suitable for sealing around pipes, cables, and other wall penetrations. Insulating Electrical Outlets and Water Pipes: •Prevents heat and sound transfer through openings. Multi-Purpose Adhesion and Fixation: •Versatile use in various construction and insulation applications.



CFC FREE




High Yield Foam



DCL APPROVED

Type : Hand Grade / Gun Grade  
Packaging : 750 ml x 12 pcs / box



## ASMCO PU ADHESIVE FOAM 60 SECONDS FAST ADHESIVE FOAM

ASMCO PU ADHESIVE FOAM 60 Seconds is a multi-purpose adhesive foam, which adheres firmly to most materials. Initial Adhesion starts after 60 seconds. Note that the drying effect of adhesive foam is related to the air humidity and temperature. In dry conditions, drying is slower and it can be enhanced by light water spray on surfaces. It is a professional, single component, moisture curing, and self-expanding aerosol polyurethane adhesive for bonding polystyrene panels with internal and external insulation, for sealing joints in insulation and adhesive and insulated wall panels. For fixing of light weight accessories like key hanger, decoration pieces, for fixing of photo frames and wherever fast curing needed.



Multi-Purpose Adhesive Foam

Type : Gun Grade  
Packaging : 750 ml x 12 pcs / box



## ASMCO PU ADHESIVE FOAM ETICS / EIFS ADHESIVE

ASMCO PU ADHESIVE FOAM - Bonding of thermal insulation panels on facades (ETICS systems - lightweight method) Bonding EPS boards in thermal insulation systems, bonding mineral wool in thermal insulation systems. Compatible with all ETICS (External Contact insulated Systems). Significantly reduce the risk of valve obstruction and increased gas tension, as the product of a long service life and usability is intended to provide both. Due to it's strong and lasting adhesion to polystyrene, it is widely used in construction materials.



Low Yield Adhesive Foam

Type : Gun Grade  
Packaging : 750 ml x 12 pcs / box



## ASMACO GOLD FIRE RETARDANT FOAM B1 240 MIN

ASMACO GOLD PU FIRE RETARDANT B1 FOAM is a quick setting single component polyurethane foam with fire rating properties up to 240 minutes. It provides a fire rated seal around window & door frames. It exhibits excellent adhesion to wood, metals door/window frames, glass, painted surfaces, some plastics, concrete, plasters etc after curing. Due to its closed cell structure, cured foam is resistant to water absorption. Cured foam dries rigid & can be trimmed, shaped & sanded . It has excellent thermal insulation characteristics & can be used for insulating hot /cold water piping, refrigerating systems etc.



Fire Rating  
Up to 240 min



Type : Hand Grade / Gun Grade, Packaging : 750 ml x 12 pcs / box

## ASMACO GOLD FIRE RETARDANT FOAM B2 120 MIN

ASMACO GOLD UNIVERSAL MULTIFOAM FIRE RETARDANT B2 is a premium quality, single-component, moisture-curing, self-expanding aerosol polyurethane foam with excellent bonding strength. It adheres to a wide range of construction material surfaces and is ideal for building insulation. This self-expanding, moisture-resistant foam effectively fills and seals spaces between roof tiles, wall cavities, drilled holes, and gaps around door and window frames.



Fire Rating  
Up to 120 min



Type : Hand Grade / Gun Grade, Packaging : 750 ml x 12 pcs / box



# AEROSOL PRODUCTS

## Spray Paint

Spray paint delivers a smooth, even coat of color or finish on various surfaces through an aerosol spray. Ideal for DIY, automotive, industrial, and artistic applications.

## Lubricant Spray

Lubricant sprays reduce friction, protect metal surfaces, and enhance the performance of mechanical parts. Suitable for home, industrial, and automotive maintenance.

## Rust Remover Spray

Rust remover sprays are formulated to dissolve and eliminate rust from metal surfaces, restoring functionality and appearance. Ideal for automotive, tools, and industrial use.







## ASMACO SPRAY PAINT ACRYLIC PROTECTIVE & DECORATIVE

SPRAY PAINTS (COLOURS OF YOUR CHOICE)- Quick Dry Acrylic Based Spray Paint, gives bright finish, makes surface smooth, good to use both for interior & exterior applications. Highly recommended for use on automobiles, cycles & steel surfaces, wooden furniture, plastic articles, blinds, & other similar objects. Available in various colours. ASMACO SPRAY PAINTS provide good hiding power, coverage & protection against corrosion.



General Purpose

\* With Press & Pull Cap



Color : Assorted  
Packaging : 400 ml x 12 pcs / box

\* With Press & Pull Cap



## ASMACO SPRAY PAINT HIGH TEMPERATURE

HIGH TEMP SPRAY PAINT has a very good thermal resistance ranging from 400°C - 600°C. The paint contains silicone resin along with high quality pigment. Quick drying, smooth finish. Ideal for Interior & exterior application. Most suitable for chimney, barbecues, engines & motorcycles, furnace, stove oven etc. The paint is non fading, non-yellowing, weather resistant & high coverage without running or excessive thickness. The product is CFC Free.



High Temperature



CFC FREE

\* With Press & Pull Cap

Color : 12 Color shades are available  
Packaging : 400 ml x 12 pcs / box



## ASMACO SPRAY PAINT STYROFOAM

ASMACO STYROFOAM SPRAY PAINT is a new product line that creates detail while educating, inspiring & driving innovation into schools, clubs, craft & hobby projects! It is easy to apply & can be used on many kinds of surfaces like styrofoam, foam board, paper, glass, wood, metal, leather, & ABS plastic. It is not suitable for rubber or flexible types of vinyl because it will not dry on these surfaces; it will remain tacky to the touch. It will not adhere to polyethylene or polypropylene. It has super flow & coverage. ASMACO Styrofoam foam spray paint is lead free.



Styrofoam

\* With Press & Pull Cap



Color : Assorted  
Packaging : 400 ml x 12 pcs / box



## ASMACO SPRAY PAINT GRAFFITI ARTISTIC

ASMACO GRAFFITI SPRAY PAINT with its exceptional size & manageability experimental initiative is designed for graffiti, sign painting & high precision general decoration, thanks to its low pressure & its valve. Made from acrylic base, with an incredibly fast drying time. Retains its colour when exposed to the elements due to the high quality of its components.



Graffiti Painting

\* With Press & Pull Cap

Color : Assorted  
Packaging : 400 ml x 12 pcs / box



## ASMACO SPRAY PAINT PRIMER

ASMACO SPRAY PAINT PRIMER for use as filler & as an adhesion promoter between surface & final coat. Coat able with air-drying acrylic, synthetic & nitro-combi lacquers. For metal, wood, ceramics, stone, carton & others. ASMACO spray paint primer is lead free.



\* With Press & Pull Cap

Color : White / Black / Red / Red Oxide / Grey  
Packaging : 400 ml x 12 pcs / box



## ASMACO SPRAY PAINT GLITTER SPARKLING

ASMACO GLITTER SPRAY PAINT offers an intense sparkling finish for any craft or decorative project. Asmaco Glitter paint also provides a full coverage of radiant shimmer for many surfaces including wood, metal, wicker, glass, ceramic, pottery, craft foam, paper, plastic & more. Provides full-coverage durability for indoor decorating & home décor.

- Ideal for scrapbook projects
- Buildable glitter paint offers a full, Multi surface paint resists stains & scratches, shake well before use to mix glitter pigment
- Interior use on accent pieces, holiday decorations & many more
- Formulated to create an intense sparkling finish over a base coat of similar colour



Glitter Paint

Color : 12 Color shades are available  
Packaging : 400 ml x 12 pcs / box



## ASMACO FIXATIVE SPRAY UV-CLEAR COAT PROTECTIVE

ASMACO FIXATIVE SPRAY is a UV-Resistant acrylic clear coat. It provides a permanent, protective coating which protects, art, crafts, & valuable against harmful light rays. It is moisture resistant & smudge proof. It is suitable for photography, artwork, painted surfaces, wood, metal, paper mache, plastic/ceramic, dried silk, flowers, paper, wicker etc. It will improve artwork & protects photos made off with pencil, water paints, oil paints, pastel, chalk, charcoal, crayon & ink.

- Long lasting protection, nonfading, none yellowing, weather resistant. CFC Free.
- UV Resistant, Acid-free /archival safe



Protective Coating



CFC FREE

\* With Press & Pull Cap

Color : Clear  
Packaging : 100 ml x 6 pcs / box & 400 ml x 12 pcs / box



## ASMACO TUB & TILE CERAMIC SPRAY CERAMIC RESTORATION

ASMACO TUB & TILE CERAMIC SPRAY is a one-step acrylic spray paint designed to provide excellent adhesion, durability and colour retention in high moisture areas. This smooth, glossy, waterproof finish is suitable for use on tiles, sinks and tubs. Ideal for restoration and coating of bath tubs, washbasins, kitchen sinks. Also usable on wood, metals, plastic, automotive applications etc. Quick drying & smooth finish formula is ideal for Interior and exterior application. Non-fading, non-yellowing, weather resistant and heat resistance up to 100°C & CFC Free.



Ceramic Paint



CFC FREE

\* With Press & Pull Cap

Color : White  
Packaging : 400 ml x 12 pcs / box



## ASMACO LINE MARKER SPRAY PAINT ACRYLIC

ASMACO LINE MARKER SPRAY PAINT is a high quality fast drying acrylic line marking paint. It will give clean & sharp lines & fit for all applications. Excellent line marking for grass, concrete, wood, tarmac & composites, even you can spray it anywhere and will get great colours, touch dry in minutes. Due to its high solid percentage giving it brighter & opaque finish.

PERMANENT : Intended for high-wear surfaces.

SEMI PERMANENT : Intended for medium-wear surfaces.

TEMPORARY : Natural grass. Eco-friendly to environment.



Friendly



Line Marker Paint

Color : White / Black / Red / Orange / Yellow / Blue / Green  
Packaging : 750 ml x 12 pcs / box



## ASMACO HAMMERTONE SPRAY HAMMERED FINISH

HAMMERTONE EFFECT SPRAY PAINT offers a hammered finish with a high level of protection lasting for years that can be applied in a matter of minutes. Hammered Paint is part of the extensive range of topcoat paints which brought to you in a spray can for quick and easy application. It is used as protective and decorative coating due to its antirust and hammer effect properties. Hammered finish paint as it is commonly referred to as, is a special coating with a surface that looks like hammered metal once it is dry.

\* With Press & Pull Cap

Color : Silver, Green, Blue, Brown, Grey, Purple  
Packaging : 500 ml x 12 pcs / box



## ASMACO ADHESIVE SPRAY MULTI-PURPOSE

ASMACO ADHESIVE SPRAY is a multipurpose aerosol adhesive. It is fast tacking & has a long tack range when applied to both surfaces. It is translucent adhesive for permanently attaching foils, carpeting, many lightweight foams, paper, plastics, cardboard, felt & cloth to painted or unpainted metals, wood, hardboard & other base materials.



Multi-Purpose Spray Adhesive

\* With Press & Pull Cap

Type : Adhesive  
Packaging : 500 ml x 12 pcs / box





## ASMACO PAINT REMOVER SPRAY

### ALL - PURPOSE

All-Purpose Paint Remover Spray is quickly and effectively removes old paint, varnish, lacquer, and coatings from a variety of surfaces. Ideal for use on wood, metal, brick, concrete, and more. This fast-acting formula softens and dissolves paint for easy removal, saving time and effort. Uses: Works on wood, metal, brick, concrete, and more. • Fast-Acting: Starts breaking down paint on contact. • Easy to Apply: Spray directly onto the surface and wipe off. • Safe and Efficient: Designed to be used with minimal fumes. • Versatile: Ideal for use in home, garage, or industrial projects.



Type : Paint Remover

Packaging : 400 ml x 12 pcs / box, 1 litre x 6 pcs / box, 1 gallon x 4 pcs / box



## AURA FURNITURE POLISH

### WAX FREE NON-ABRASIVE FORMULA

AURA FURNITURE POLISH is wax free formulation especially designed for the cleaning & protection of wood furniture. Aura furniture polish gives wood a deep & rich luster that enhances natural wood grain. Recommended for all types of wood surfaces, including antique wood furniture, tables, chairs, office/bedroom furniture cabinets, panels, & doors.



Furniture Protection

Color : Clear

Packaging : 300 ml x 24 pcs / box



## ASMACO AC CLEANER

### FOAMING SPRAY

ASMACO AC CLEANER Foaming Spray effectively eliminates odours at its source caused by bacteria & mildew in the system. Kills fungus & bacterias, removes bad smell causing contamination. It cleans & deodorize auto HVAC system including vents ducts evaporator core & drain pan & leave a clean fresh scent. Non-toxic, bio-degradable, non-corrosive proven safe formulation.



Antibacterial

Type : Cleaner

Packaging : 500 ml x 12 pcs / box



## ASMACO AIR DUSTER

### DUST & LINT REMOVER

ASMACO AIR DUSTER is a dry aerosol spray designed to physically remove superficial dirt, grime and other loosely adhering contaminants where "wet", or other normal chemical products are not permissible. Ideal for use on all types of isolated electrical equipment or electronic componentry, and other areas of difficult accessibility.

Benefits :

- High pressure discharge • Accurate and precise application with the integral extension tube
- Instantaneous action • Immediate evaporation
- Can be used inverted as a freezer spray/ chewing gum remover.



Cleans & Protects

\* With Press & Pull Cap

Color : Clear

Packaging : 400 ml x 12 pcs / box



## ASMACO STAINLESS STEEL POLISH

### PROTECTS SURFACE

ASMACO STAINLESS STEEL POLISH CLEANER is a new product in the line of home care which cleans, shines, polishes, & protects steel surface, chrome, architectural aluminium & other metal surface. It is used for other hard washable surface such as laminated plastics enamel & ceramic.



Excellent Gloss Finish

Color : Clear

Packaging : 450 ml x 12 pcs / box



## ASMACO ZINC RICH SPRAY COLD GALVANIZING SPRAY

ZINC RICH COLD GALVANIZING SPRAY-Quick dry spray with special zinc dust, containing 99% pure zinc. Galvanic protection against thermal & chemical corrosion. Resists salty & other corrosive atmospheres. Gives semi glossy finish & resistance up to 550°C temperature without degrading & allowing it to be used on materials subject to be welded (except argon welding). Excellent finish with high coverage without running or excessive thickness. CFC free.



Cold Galvanizing Spray

\* With Press & Pull Cap

Color : Silver  
Packaging : 400 ml x 12 pcs / box



## ASMACO WHITE LITHIUM GREASE SPRAY LUBRICANT

ASMACO WHITE LITHIUM GREASE SPRAY is a premium quality, lithium based multipurpose aerosol lubricating paste designed to reduce friction between load bearing, moving metal surfaces & the combination of metal & plastic surfaces heavy-duty lubrication & protection against rust & corrosion are required. It provides long lasting lubrication for all metal-to-metal applications with wide service temperature range (- 15 to +150 °C) & will not splatter, melt, run, wash off or freeze.



Lubricating Grease Spray

Color : Clear  
Packaging : 400 ml x 12 pcs / box



## ASMACO LD 50 RUST REMOVER SILICONE FREE PENETRATING OIL

ASMACO LD+50 is a lubricating & penetrating oil suitable for marine, household, garage & maintenance purpose. It's water repellent formula protects metal surfaces & loosens rusty fittings. ASMACO LD+50 is a silicone free formula & hence paintable after cleaning.



Silicone Free Spray

Color : Clear  
Packaging : 235 ml x 24 pcs / box & 400 ml x 12 pcs / box



## ASMACO RS 20 PENETRATING OIL SILICONIZED

ASMACO RS 20 - RUST REMOVER / PENETRATING OIL silicone based, specially formulated solvents spray. Penetrates & stops squeaks. It lubricates springs, hinges, windows, doors, lock tapes, wheels & moving parts. Removes moisture from spark plugs, electrical contacts, switch gears, starter, motor engines, etc. Protects & cleans by dissolving grease, gums, dirt, adhesives & hard substances. Leaves protection on the surface thereby preventing corrosion.



Siliconized Spray

Color : Clear  
Packaging : 235 ml x 24 pcs / box & 400 ml x 12 pcs / box



## ASMACO RS 20 PRO PENETRATING OIL SILICONE FREE

ASMACO RS-20 PRO is a fast-acting Silicone Free Rust remover & lubricant which penetrates deep into cavities, threads & seams. It breaks the rust that holds stuck parts together. It has been specially formulated to offer quick & easy removal of seized & rusted components like nuts, bolts, threads, locks, chains etc. It cleans, lubricates, stops squeaks & leaves a protective coating against rust invasion. Frees sticky joints. It dissolves grease, tar, adhesive, salt deposit etc. ASMACO RS 20 Pro is suitable for marine, household, garage, industrial & maintenance applications.



Silicone Free Spray

Color : Clear  
Packaging : 480 ml x 24 pcs / box



## ASMACO ELECTRONIC CONTACT CLEANER

ASMACO ELECTRONIC CONTACT CLEANER is specially design for the cleaning of sensitive electrical /electronic parts. It is suitable for the removal of light contaminations, dirt, dust carbon, light oils & fingerprints with leaving no residue. Safe for most rubbers, plastics, & coatings.



Electronic Parts Cleaner



Electric Parts Cleaner

Color : Clear  
Packaging : 400 ml x 12 pcs / box





**ASMACO ANTI-CORROSIVE SPRAY**  
DUST & LINT REMOVER

ASMACO Anti-Corrosive Spray is a high-quality industrial maintenance product that provides long-lasting protection against rust and corrosion on metal surfaces. Its advanced formula creates a protective barrier that prevents moisture, salt, chemicals, and other corrosive elements from damaging metal structures, machinery, and equipment. This easy-to-apply spray is perfect for a wide range of industrial applications, from preserving the appearance of metal structures to protecting equipment in harsh environments. Anti-Corrosive spray is primarily used for corrosion and rust prevention.



Color : Clear  
Packaging : 300 ml x 12 pcs / box



**ASMACO UNIVERSAL VARNISH**  
ACRYLIC

UNIVERSAL ACRYLIC VARNISH : Dries quickly to form a water and weather resistant coat. For exterior and interior use. It has high coverage and resistance to fading. It contains special components that provide resistance of the coating to mechanical stress and abrasion. It has excellent adhesion to the applied surface and enhanced weather ability.  
APPLICATION AREA: Suitable for a variety of uses. It is designed to create a protective and decorative coating of metal, aluminium, wood, plastic and previously painted surfaces.

Color : Clear  
Packaging : 400 ml x 12 pcs / box



**ASMACO STICKER & LABEL REMOVER**

Special formula with a strong degumming function removes paper labels and residues. Asmaco Sticker & Label Remover is suitable for many surfaces such as glass, metal, wood, foil and plastic. Asmaco Label Remover easily and safely removes adhesive labels, price tags (e.g. incorrect labels), address and product stickers, identification labels, and label residues. It also removes adhesive residues from foil labels such as vignettes on car windshields. Safe on most surfaces. Facilitates clean and easy removal. Reduces the need for scraping. Reduces packing line blocking caused by labels and adhesive build-up Soluble in solvents, insoluble in water.



Degumming Function

Type : Remover  
Packaging : 450 ml x 12 pcs / box



**ASMACO FOAM CLEANER**  
MULTI-PURPOSE

ASMACO Multi-purpose Foam Cleaner uses its thick foaming action to lift dirt off even tough-to clean surfaces. It is safe for environment, biodegradable, free of phosphates and formaldehyde and contains no corrosive or caustic substances. ASMACO Multi-purpose Foam Cleaner works great on fabric upholstery, vinyl, floor mats, and carpets. While multi-Purpose Foam Cleaner is excellent in the garage, it can also be used to clean dirt and grime from surfaces in the home like painted walls, tiles and floors.

Color : Clear  
Packaging : 500 ml x 12 pcs / box



**ASMACO CHAIN LUBE SPRAY**  
PREMIUM QUALITY

ASMACO CHAIN LUBE SPRAY is a premium quality high performance penetrating oil that penetrates and lubricates all types of moving parts that have become difficult to operate due to increased friction from wear, corrosion or the buildup of sludge and grime. Its special formula does not contain wax, which leaves a sticky residue that can build up inside chain links and the drivetrain. Contains corrosion- inhibitors for optimal chain protection.

APPLICATIONS: • Metals •Chains & Sprockets • Chain links • O-Ring Chains • Chainsaws • Farm Equipment • Construction Equipment • Heavy Machinery.



Penetrates & Lubricates

Color : Clear  
Packaging : 250 ml x 12 pcs / box



**ASMACO CHAIN CLEANER**  
DEGREASING SPRAY

ASMACO CHAIN CLEANER SPRAY is a high-pressure chain cleaner with a strong degreaser. It is a single component degreasing spray for your drivetrain that leaves no residue. Ideal to prepare or clean your chain when using a chain wax or when switching between lubes. The cleaner acts as a degreaser that dissolves oil, grease, and other contaminants. Your chain will look new and is ready to be lubricated. Chain Cleaner can be used on all parts of your drivetrain including chains, rear cassettes, and derailleurs. Frequently cleaning and relubricating your chain will extend the lifetime of your drivetrain. APPLICATIONS: • Metals • Chains & Sprockets • Chain links • O-Ring Chains • Chainsaws • Farm Equipment • Construction Equipment • Heavy Machinery.



Effective & Strong

Color : Clear  
Packaging : 250 ml x 12 pcs / box



## ASMACO CARBURETOR CLEANER NON CHLORINATED

ASMACO CARBURETOR CLEANER is highly effective carburettor cleaner which quickly, carefully & effectively cleans throttle & air dampers, diffusers, jets & all other available internal surfaces of carburetors, as well as their external surfaces. It reduces fuel consumption (up to 5%) & exhaust gas toxicity. Applicable for cleaning motorcycle chains, timing chains, clutch parts, oil pumps, gears, crankshafts & other unpainted metal components & engine parts.



Non Chlorinated


Color : Clear

Packaging : 400 ml x 12 pcs / box



## ASMACO BRAKE CLEANER NON CHLORINATED

ASMACO BRAKE CLEANER is a universal cleaner for automotive industry which cleans, degreases & evaporates without leaving residues. It is used primarily for cleaning surfaces in vehicles & everyday life intended for subsequent processing (gluing, painting, coating, sealants, etc.) Brake Cleaner can be used on brakes (drum & disc brakes, brake pads, brake blocks, cylinders, springs & bushings), clutches (clutch linings & components) & on engine parts- extends their service life with regular use.



Auto Brake Cleaner

Color : Clear

Packaging : 500 ml x 12 pcs / box



## ASMACO MONTAGE CLEANER ENGINE, PARTS CLEANER

ASMACO MONTAGE CLEANER is highly effective cleaner for metal spare parts of a vehicle. It is applicable to brake shoes and discs, parts of the clutch and the transmission, tools etc. It removes dirt, oil, grease, brake fluid, other petrochemicals and burnt technical fluids. The cleaner is suitable for cleaning of bodyworks, oil filters, motorcycle chains, engines, tractors, lawn mowers and door hinges. Spray the cleaner on the dirty parts in their joints and let it drain. The product may damage some paints and plastics.



Engine Cleaner

Type : Cleaner

Packaging : 500 ml x 12 pcs / box



## ASMACO ULTRA ENGINE DEGREASER CLEANER

ASMACO ULTRA DEGREASER FOAM SPRAY - professional tool for regular cleaning of the engine compartment from oil stains, technical fluids and road dust, to normalize the heat transfer process, protect against rust. The composition is absolutely safe for plastic, rubber and other materials of the engine compartment. Effectively removes dirt even from vertical surfaces. APPLICATION: Shake the bottle thoroughly before use. Apply the composition liberally and leave for 15 minutes to act and then rinse with water. Recommended for automotive, marine, agricultural and industrial engines.



Effective & Strong

Type : Foam Spray

Packaging : 500 ml x 12 pcs / box



## ASMACO MOTOR STARTER SPRAY CLEANER

ASMACO MOTOR STARTER SPRAY is a special aerosol product designed to facilitate the start of diesel (including with pump injectors and common rail system) and gasoline (injection and carburetor) both two-and four - stroke engines of passenger cars, trucks, construction and agricultural machinery, motorcycles, mopeds, ATVs, snowmobiles, chainsaws, gas tools, garden equipment, as well as marine and boat engines of all types, compressor engines, etc. generators. Provides fast and reliable start-up in winter, even in extreme cold, high humidity, wet spark plugs, irregular fuel supply and a dead battery.



Starter



Type : Motor Starter

Packaging : 400 ml x 12 pcs / box



## ASMACO ANTIGRAVEL UNDER COAT

ASMACO ANTI GRAVEL AEROSOL is specially developed on the base of high polymer rubber and synthetic resin for the protection of automobiles and car body surface from gravel, rust, salt and stones. It can be used for threshold, spoilers, wheel arches, front and rear aprons, door bottoms and other parts. Compatible with all kinds of paints and lacquer. It reduces the noise which is created between the road and wheel.



Oversprayable

Type : Undercoat

Packaging : 500 ml x 12 pcs / box





### ASMACO SILICONE SPRAY RUSTPROOF

ASMACO SILICONE SPRAY is a combination of high grade silicone and antifriction agent based on organosilicon compound, having water repellent and sliding properties which prevents its adhesion to plastics, mould, metals, and tools. It is recommended for use where the use of lubricants containing petroleum products and fats is undesirable. PROPERTIES: Forms a solid transparent polymer layer of silicone molecules on the treated surface, which gives the surface excellent water dust repellent and antistatic properties. It reduces friction, prevents cracking, freezing, non-staining and non-corrosive. Protects surfaces against UV exposure and restores their shine. Restores the elasticity of rubber and plastic parts and protects them from drying and cracking.



Waterproof

Type : Non-Corrosive  
Packaging : 400 ml x 12 pcs / box



### ASMACO PLASTIC SPRAY PROTECTION

ASMACO PLASTIC SPRAY PAINT is specially designed to renew the appearance of indoor and outdoor plastics. No primer is required. These sprays are ideal for use on polypropylene, polystyrene, resin, PVC, fiberglass, and vinyl plastics such as chairs, garbage bin, tables, and planters. It is suitable for car bumpers, other accessories of automobiles. PROPERTIES: • No sanding or primer required • Bonds easily most of the plastic PVC, Resin, and many more • Resistant to temperature changes. • Excellent weather ability, strong hiding power, fast drying. • For interior and exterior applications.



High Durability & Fast Adhesion

Type : For Plastic  
Packaging : 400 ml x 12 pcs / box



### ASMACO WHEEL CLEANER SHINES LONG-LASTING

ASMACO WHEEL CLEANER AND POLISH SPRAY is especially used for alloying wheel rim. It is used for the cleaning of dirt, dust, and stains safely as it doesn't contain any material that makes the wheel rim frayed. Asmaco Wheel Cleaner & Polish protects your wheel from dirt and deposit and makes the rim shine bright as new. PROPERTIES: Doesn't include any material that makes wheel rim frayed. Using it periodically makes wheel rim bright and brilliant as new, while protecting against dirt and deposit. Especially use for alloying wheel rim. Clean up dirt, stains and filth which were taken from car braking.



Shines Long-Lasting

Type : Clean & Polish  
Packaging : 500 ml x 12 pcs / box



### ASMACO TIRE SHINE SPRAY WET SHINE

ASMACO TIRE SHINE SPRAY- Spray for giving a "wet" shine to car tires. PROPERTIES: Does not demand preliminary preparation; Forms a water and dirt-repellent film; Stops cracking and prevents aging of wheels; Visually renews tires, giving them a rich "wet" black colour. For best results: let stand 15 minutes. Re apply for maximum shine.



Extreme Shines

Type : Protects  
Packaging : 500 ml x 12 pcs / box



### ASMACO DASHBOARD WAX SPRAY

ASMACO DASHBOARD WAX SPRAY Ideal Spray Wax for Leather Material It uses an advanced formula. Use spray type wax to polish and protect tyres, dashboards, car seats and door panels. Also, It has the functions of antistatic, keep away from dirt, dust and deterioration. Assures glossy finish on rubber and plastic products.



Wax Spray

Type : Cleaner  
Packaging : 450 ml x 12 pcs / box



### ASMACO HELMET CLEANER INTERIOR CLEANER

ASMACO HELMET CLEANER foaming safely and easily loosens and removes dirt, grime and bungs from helmet interior and exterior.

BENEFICIAL FOR : • To keep helmet pleasant and fresh • Anti-bacterial • Anti-fungal • Hair and skin friendly • To remove sweaty smell • For all helmet • Quick drying formula



Quick Drying

Type : Cleaner  
Packaging : 250 ml x 12 pcs / box



# ADHESIVE

## Contact Adhesive

Bonds on contact—no clamping required, Resistant to heat, moisture, and aging, Excellent for bonding large surface areas, Available in brush-on or spray formats.

## CPVC Cement

Chemically fuses CPVC materials for leak-proof joints, Withstands high temperatures and pressure, Fast-setting with high bond strength

## UPVC Cement

Forms a strong, waterproof bond, Suitable for pressure and non-pressure systems, Non-flammable, low VOC options available, Conforms to ASTM D2564 and other international standards







**TOLUENE  
FREE**



**Strong Bonding**



**High Strength**



**DCL APPROVED**

## ASMCO CONTACT ADHESIVE RUBBER BASED ADHESIVE

ASMCO CONTACT ADHESIVE GOLD is a versatile, single-component, air-drying adhesive based on Polychloroprene rubber. It is formulated for bonding a wide variety of substrates, providing excellent initial strength and rapid bonding due to its fast crystallization rate. It exhibits strong adhesiveness to common substrates and is suitable for use in automotive decoration and repairs, upholstery, furniture, leather and footwear industries, metal and plastic fixing, general household and industrial maintenance, and DIY projects. After drying, the adhesive bond is resistant to heat and moisture and remains flexible at low temperatures.

**INDUSTRY USES :**

- Automotive: Used in automotive decoration and repairs.
- Upholstery: Suitable for upholstery work in furniture and automotive applications.
- Furniture: Ideal for various furniture assembly and repair tasks.
- Leather and Footwear Industries: Effective for bonding leather and components in the production, customization, and repair of leather goods and footwear, ensuring strong, flexible, and durable connections.

Packaging : 125 g x 144 pcs / box, 250 g x 24 pcs / box  
600 g x 12 pcs / box , 3 Ltr x 4 pcs / box, 13&15 kg can



**Strong Bonding**



**High Strength**

## ASMCO FAST CONTACT ADHESIVE AIR-DRYING ADHESIVE

ASMCO FAST CONTACT ADHESIVE is a versatile, air-drying adhesive made from synthetic rubber. It provides excellent initial strength and rapid bonding, making it ideal for various applications, including automotive repairs, upholstery, furniture, leather and footwear industries, and DIY projects. It bonds well with common substrates and remains flexible at low temperatures while being resistant to heat and moisture.

- Automotive: Used in automotive decoration and repairs.
- Upholstery: Suitable for upholstery work in furniture and automotive applications.
- Furniture: Ideal for various furniture assembly and repair tasks.
- Leather and Footwear Industries: Effective for bonding leather and components.
- DIY Applications: Perfect for various DIY projects and maintenance tasks.
- Metal and Plastic Fixing: Suitable for bonding metal and plastic materials.
- General Household Maintenance: Useful for everyday household repairs.
- Industrial Maintenance: Ideal for various industrial maintenance tasks

Packaging : 250 ml X 24 pcs / box , 600 ml x 12 pcs / box , 3 Ltr, 13 & 15 kg Can



## ASMCO HEATBOND HEATPROOF ADHESIVE

ASMCO HEAT BOND RUBBER ADHESIVE is a synthetic solvent-borne rubber-based adhesive that has been expertly formulated to possess outstanding heat resistance, with the ability to endure temperatures of up to 170°C. This adhesive stands out for its remarkable heat resistance and quick grab properties, making it an ideal choice for various applications. Notably, it exhibits a quick grab without the undesirable spring back action on curved surfaces, which is particularly advantageous for tasks involving vertical applications.



**Strong Bonding**



**Up to 170°C**

Type : Premium Adhesive  
Packaging : 650 ml x 12 pcs / box , 13 & 15 kg Can



## ASMCO CARPET ADHESIVE LOW ODOUR FORMULATION

ASMCO CARPET ADHESIVE appears to be a versatile and reliable solution for bonding carpets to various substrates. Its fast-drying time, excellent bonding properties, and resistance to heat and moisture make it suitable for a range of applications. Always follow the manufacturer's instructions and recommendations for the best results when using this adhesive.



**Strong Bonding**



Type : Premium Adhesive  
Packaging : 500 ml x 24 pcs / box & 750 ml x 12 pcs / box



## ASMACO PIR / PHENOLIC ADHESIVE DUCT WORK GLUE

ASMACO PIR PHENOLIC ADHESIVE Easy pre insulated duct adhesive is a multi-purpose single component air drying rubber-based adhesive, suitably formulated for bonding various types of substrates. It has excellent green strength & bonds rapidly due to its fast crystallization rate. This is a high solid, high viscosity contact adhesive & hence it is suitable for bonding porous substrates like foam, carpets, canvas, wood laminates, MDF laminates, etc.



Phenolic Duct Adhesive

Type : Adhesive  
Packaging : 750 ml x 12 pcs / box, 13 & 15 kg Can



## ASMACO RAPID FIX MATTRESS ADHESIVE

ASMACO RAPID FIX is a multi-substrate sprayable adhesive with a strong spray pattern & a variable spray width. Is prepared from synthetic rubber especially developed for Foam & Mattresses industries. The spray adhesive is suitable for permanent bonding of many different combinations of materials. It has fast track development property with high initial green strength. It has superior bonding properties on porous & nonporous substrates. changes. • Excellent weather ability, strong hiding power, fast drying. • For interior and exterior applications.



Ideal For Mattress & Foam

Type : Rubber Adhesive  
Packaging : 12 & 13 kg Can



## ASMACO 777 CONTACT ADHESIVE MULTI-PURPOSE

Asmaco CA 777 is a premium, rubber-based multipurpose adhesive designed for strong, durable bonding on materials like laminates, leather, rexine, rubber, foam & other multiple substrates. It offers excellent resistance to moisture, vibration, and heat, while leaving no residue and emitting low odour. Easy to apply by brush, roller, or spray for quick and clean results.

Packaging : 650 g x 12 pcs / box



## ASMACO SHOE ADHESIVE LEATHER & RUBBER ADHESIVE

ASMACO SHOE ADHESIVE is a high-quality polyurethane adhesive that has been specifically formulated for the purposes of manufacturing and repairing shoes, leather goods, and related products. This adhesive is versatile and can effectively bond a wide range of materials, including leather, PVC, PU, TR, and synthetic rubber soles to their respective uppers and other components. It boasts several advantageous features.

Type : Adhesive  
Packaging : 15 kg Can



## ASMACO CONTACT ADHESIVE CL5 STRONG BONDING

ASMACO CL 5 is a high-performance, synthetic rubber spray adhesive ideal for automotive industry as a high-performance trim adhesive. It dries to a tough, flexible film with excellent resistance to heat and aging, forming a strong, permanent bond between materials such as painted steel, plywood, chipboard, polyurethane foam, muslin, foam rubber, felt, supported PVC sheets, fabrics, and leather.

Packaging : 20 Kg Can



## ASMACO BITUFIX ADHESIVE

ASMACO BITUFIX adhesive is a top-tier solvent-based single component adhesive recognized for its outstanding heat resistance, rapid adhesion, superb tackiness, and suitability for vertical applications. Specifically engineered for bonding bituminous sheets to concrete surfaces and bitumen surfaces to bitumen surfaces, this adhesive guarantees durable bonding across a wide range of construction materials, such as adhesive extensively utilized for bonding bitumen fiber boards, bitumen felt, plastic, laminates, veneer boards, rubber and plastic edging strips, rubber, leather, linoleum, felt, cork, foam to wood, chipboard, concrete, stone, metals, and bitumen surfaces.

Type : Rubber Based Adhesive  
Packaging : 13 & 15 kg Can





## ASMACO GRANITE MARBLE ADHESIVE PROFESSIONAL

ASMACO GRANITE MARBLE ADHESIVE: Is a two-component unsaturated polyester resin based quick drying adhesive system specially formulated for fixing marble & natural stone. Also used for gluing repairing & filling up porous surfaces of the marble, travertine, natural stones, ceramic, brick & similar materials. Can be used both vertical & horizontal applications. Rapid cure time (3-5 min. at 25°C), low shrinkage during hardening, Excellent brightness after the use of grinding machines, superior resistance to wear of time, high reactivity & chemically inert & offers extended durability.

Type : Adhesive  
Packaging : 750 ml & 1 kg Can x 8 pcs / box & 20 kg Bucket



## ASMACO PUR ADHESIVE / PROFILE GLUE JOINING ADHESIVE

ASMACO PUR ADHESIVE / PROFILE GLUE is a single part reactive polyurethane-based adhesive which reacts with moisture in the atmosphere to form a strong & durable joint resistant to water & temperature. The adhesive can be applied directly from the container & the curing reaction begins as soon as it encounters moisture. ASMACO PUR ADHESIVE is best suited for all types of wood works, window & door assembly, staircase, plywood, rigid plastic foam, concrete & ceramic.



Quick Bonding

Type : PU Based Adhesive  
Packaging : 250 ml / 500 ml x 12 pcs / box



## ASMACO ALL PURPOSE PIPE LUBRICANT FOR ASSEMBLY OF PIPE JOINTS

ASMACO ALL PURPOSE PIPE LUBRICANT is an industrial, water-soluble lubricant for use in assembling gasketed pipe. It is designed for use with natural or synthetic rubber and plastic gasket seals in the joining of plastic or metal pipe using a push-on joint. Application: It include potable water, drain, waste, vent and sewer systems. It can be applied to wet or dry surfaces. It is non toxic, dose not support bacterial growth and dose not convey taste or odor to fluids. Apply it evenly over the entire surface. Avoid excess application and don't leave dry spots.



Pipe Lubricant



DCL APPROVED

Type: Lubricant  
Packaging : 950 ml Bucket



## ASMACO THREAD JOINT FILL AIR - HARDENING SEALANT

ASMACO THREAD JOINT FILL sealant is with specially selected paraffinic oils, additives & fillers. It is a fast-acting paste/ lubricant designed to seal pipes, fittings and threaded connections against leakage and loosening. Seals pressure to working rating of pipe in air, oil, gas and hydraulic systems. Lubricates threads for quick, easy assembly and disassembly. Prevents galling and corrosion. Will not tear or shred like tapes. Remains pliable through a wide temperature range and outperforms other pipe dopes.

- Easy to use
- Non drip formula
- Effective up to 5000 psi
- Good heat resistance
- Temperature range -65°F to +300°F (-54°C to +204°C)



Thread Joint Fill

Color : Beige, Type: Paste  
Packaging : 500 g 12 pcs / box & 1000 g x 6 pcs / box



## ASMACO PARQUET ADHESIVE - PQ 95 1K SINGLE COMPONENT ADHESIVE FOR WOOD

ASMACO PQ951K is a moisture curing, strong polyurethane wood adhesive, which is designed as a best suitable adhesive for bonding pre-finished, lamparquet, pin-wheels anhydrite screeds & jointed planks on cementitious screeds, different old wooden floors, ceramic, marble etc. The product is suitable to be used on heated floors.



Quick Bonding



Floor Adhesive

Type: PU Based  
Packaging : 4 Litre Bucket



## ASMACO UPVC CEMENTS P914

SOLVENT BASED ADHESIVE

ASMACO UPVC CEMENT 914 is specially formulated solvent-based adhesive used for cementing and joining pipes and pipe fittings made of Rigid PVC. It is medium viscosity penetrating adhesive ideal for waterproof bonding and prevents leakage at extreme pressures. Product meets the requirements of International Standards such as BS and ASTM. The characteristics features are - easy to use, safe for Drinking water after full cure & Strong, durable bond.



Fast bonding



Packaging : 118 ml X 24 pcs / box, 237 ml X 24 pcs / box  
473 ml X 12 pcs / box, 946 ml X 12 pcs / box



## WELDFIX UPVC P917 & CPVC C914 CEMENTS

SOLVENT BASED ADHESIVE

WELDFIX PVC CEMENT is specially formulated solvent based adhesive used for cementing and joining pipes and pipe fittings made of Rigid PVC (U-PVC) or CPVC. It is medium viscosity penetrating adhesive ideal for waterproof bonding and prevents leakage at extreme pressures. It is safe for drinking water pipes after complete curing. ASMACO WELDFIX meets the requirements of International Standards such as BS and ASTM.



Super-Fast bonding



Packaging : 118 ml X 24 pcs / box, 237 ml X 24 pcs / box  
473 ml X 12 pcs / box, 946 ml X 12 pcs / box



## ASMACO FIX UPVC CEMENTS P917 SOLVENT BASED ADHESIVE

ASMACO FIX is high quality specially designed solvent-based adhesive used for cementing & joining pipes & pipe fittings made of Rigid PVC (U-PVC). It is medium viscosity penetrating adhesive ideal for waterproof bonding & prevents leakage at extreme pressures. It is safe for drinking water after complete curing. ASMACOFIX meets the requirements of International Standard such as BS & ASTM. Suitable for use on PVC pipes & fittings up to 12 inches



High Strength



Bonding for Pipes  
Up to 12"



Fast bonding

Packaging : 118 ml X 24 pcs / box, 237 ml X 24 pcs / box  
473 ml X 12 pcs / box, 946 ml X 12 pcs / box



## ASMACO S2200 PVC PIPE ADHESIVE CONDUIT PIPE GLUE

Asmaco S 2200 is a solvent-based adhesive, specifically formulated for cementing and joining applications of pipes and pipe fittings made of Rigid PVC (U-PVC) in conduit and DWV electrical applications. With its medium viscosity, this adhesive penetrates efficiently, facilitating waterproof bonding and effectively preventing leakage even under high pressures.

Type : Solvent Based Adhesive  
Packaging : 473 ml x 12 pcs / box



## WELDFIX PVC CLEANER ALL PURPOSE

WELD FIX ALL PURPOSE CLEANER is specially formulated, low VOC emission, non-bodied, fast acting, aggressive cleaner for use on all classes of PVC & CPVC pipe & fittings. Aggressive cleaning action removes contaminants such as surface dirt, grease & grime as well as softens the pipe surface to allow for a fast, secure solvent weld of PVC & CPVC pipe & fittings. It is available in clear colour.



Surface Cleaner

Packaging : 118 ml X 24 pcs / box, 237 ml X 24 pcs / box  
473 ml X 12 pcs / box, 946 ml X 12 pcs / box



## WELDFIX PVC PRIMER SOLVENT BASED PRIMER

WELD FIX P 918 PRIMER is specially formulated, low VOC emission, non-bodied, fast acting, aggressive primer for use on all classes of PVC & CPVC pipe & fittings. Aggressive action of primer removes contaminants such as surface dirt, grease & grime as well as softens the pipe surface to allow for a fast, secure solvent weld of PVC & CPVC pipe & fittings. The benefit of this priming action is especially noticeable on parts being joined together in cold weather & visible verification that a primer has been used, which is ideal for areas where plumbing code require this proof. It is available in clear, blue & purple colours.



Better Adhesion

Packaging : 118 ml X 24 pcs / box, 237 ml X 24 pcs / box  
473 ml X 12 pcs / box, 946 ml X 12 pcs / box





## ASMACO DRYWALL JOINING TAPE FOR FIBER GLASS

DRYWALL JOINING TAPE is a Self-Sticking 100% fiberglass tape for fast & easy drywall joints. It eliminates pre-plastering & provides strong reinforcement. Mesh will not trap air that causes blisters & bubbles.

Type : Self Adhesive Tape  
Packaging : Customized sizes available



## ASMACO DOUBLE SIDE TAPE ADHESIVE TAPE

ASMACO DOUBLE SIDED ADHESIVE TAPES use non-woven tissue as carrier, coated with Rubber Resin adhesive on both sides, & protected with white colour double-sided PE coated silicone release paper. Suitable for general bonding, bag sealing, photos sticking, envelop sealing, shopping bag making, fabric / leather laminating, paper & film flying splicing, fabric positioning during computer embroidering, carpet fixing, foam laminating & die-cutting etc.

Color : White  
Packaging : Customized sizes available



## ASMACO CREPE PAPER MASKING TAPE GENERAL PURPOSE

CREPE PAPER MASKING TAPE Crepe Paper coated with natural rubber adhesive. Easy tear, UV Resistant Tape. Highly conformable crepe paper to give clean release after application. Ideal use for masking, packing, marking, bundling, splicing & general applications.




General Purpose

Type : Self Adhesive Tape  
Packaging : Customized sizes available



## ASMACO MASKING TAPE AUTOMOTIVE GRADE HIGH TEMP 80°C

Crepe Paper coated with natural rubber adhesive. Easy tear, UV Resistant Tape. Highly conformable crepe paper to give clean release after application. Ideal use for masking, packing, marking, bundling, splicing & general applications.



Auto Car Painting

Type : Self Adhesive Tape  
Packaging : Customized sizes available



## ASMACO COLOR MASKING TAPE HIGH TEMP 80°C

Crepe Paper coated with natural rubber adhesive. UV Resistant Tape. High Temperature resistance over long periods for critical Masking applications. Highly conformable crepe paper to give clean release after application. Ideal use for baking / stove masking applications & also auto painting, outdoor painting, masking, packing, marking, bundling, splicing & general applications.

Type : Self Adhesive Tape  
Packaging : Customized sizes available



## ASMACO FSK ALUMINIUM FOIL TAPE FIBER SCRIM KRAFT

FIBRE REINFORCED ALUMINIUM FOIL TAPE with a specially formulated rubber-based adhesive interleaved with a release liner designed to meet high strength, tear resistant sealing tape applications. This FSK tape is mainly used to seal & patch FSK duct boards & blankets. It's excellent adhesive system will perform in temperatures ranging from -30°C to 121°C.



Fibre Reinforced Tape

Type : Self Adhesive Tape  
Packaging : Customized sizes available




## ASMACO ALUMINIUM FOIL TAPE LONG LASTING

ASMACO ALUMINIUM FOIL TAPE - 25-micron (1.0 mil) high-tensile aluminium foil backing, combined with a high-performance synthetic rubber-resin adhesive and protected by easy-release silicone paper, offers versatile sealing and protection across various industries. Applications range from window glazing and flexographic printing plate sealing to vapor sealing for fiberglass duct boards, sheet metal ducts, and FSK systems. Key features include excellent moisture and chemical resistance, heat and light reflectivity, protection for plastic components, flame resistance, UV resistance, and durable outdoor performance, ensuring long-lasting reliability.



HVAC Application

Type : Self Adhesive Tape  
Packaging : Customized sizes available



## ASMACO ALUMINIUM GLASS TAPE GLASS REINFORCED

ALU GLASS TAPE: 10 x 10 mesh glass cloth backing with a high-performance flame-retardant, solvent-free acrylic adhesive, protected by easy-release silicone paper, makes this tape ideal for joining and sealing aluminium glass-laminated fiberglass blankets, duct board joints, industrial pipe insulation seams, and connections. Alu Glass Tape is highly temperature-resistant and flame-retardant, offering excellent heat and light reflection. Its low moisture vapor transmission rate ensures superior performance as an effective vapor barrier.



Temperature Resistant



Flame Retardant Tape

Type : Self Adhesive Tape  
Packaging : Customized sizes available



## ASMACO ALUMINIUM PET TAPE PET FOIL BACKING

ALU PET TAPE: A laminated PET-Foil backing (Polyester: 12 Microns / Foil: 7 Microns), combined with a high-performance solvent acrylic adhesive. PET-Foil backing provides excellent reflection of both heat & light. High quality adhesive with strong adhesion & holding power offers permanent sealing, lamination in air conditioning ducting systems, roofing application like flashing, joints & insulations. Low moisture vapor transmission rate offers excellent sealing & patching performance.



PE Laminated Aluminium Tape

Type : Self Adhesive Tape  
Packaging : Customized sizes available



## ASMACO DUCT TAPE INSULATION

DUCT TAPE - PE-Cloth Tape coated with a pressure sensitive rubber adhesive coating combined to provide a quality product having excellent adhesion & strength. Ideal for sealing, thermal insulation & metal duct seams. It is a good choice for bundling, heavy carton packing, general maintenance, pipe wrapping, carpet fixing, air-conditioning ducts seam & joint sealing etc.



Thermal Insulation

Type : Self Adhesive Tape, Grey & Other Colours  
Packaging : Customized sizes available

## ASMACO PVC PIPE WRAPPING TAPE UNDERGROUND PROTECTION

PVC PIPE WRAPPING TAPE - Features a stabilized, plasticized PVC film coated with non-corrosive, pressure-sensitive adhesive. It is moisture resistant anti-corrosive, & highly conformable. It has strong adhesions to metals & plastics. It is best suited for underground construction applications.



Underground Pipe Protection

Color : White , Black  
Packaging : 2" X 60 ft (60 pcs / box) 2" X 80 ft (60 pcs / box)  
3" X 60 ft (48 pcs / box)



## ASMACO ELECTRICAL INSULATION TAPE FIRE RETARDANT

ELECTRICAL INSULATION TAPE - PVC pressure sensitive, flame retardant electrical Insulation tape with a highly conformable backing used for insulating, splicing, & connecting, bare wires, for repair work & general industrial maintenance. Provides high dielectric strength & insulation resistance. Compliant to UL standard. Applications include electrical insulation & splicing, connecting bare wires, electrical repair work & general industrial maintenance.




Fire Retardant Tape



Protection & Insulation

Type : Black / White / Red / Green / Yellow / Blue / Yellowgreen  
Packaging : 19 mm x 10 yards - 500 pcs / box





## ASMACO PROTECTION TAPE

### LOW TACK

PROTECTION TAPE PE Film with, pressure sensitive rubber adhesive. Ideal for surface protection of coated and uncoated surfaces from abrasion, smearing or scaling.

- Low tack and evenly spread adhesive
- Protect against scratch, dirt & damage
- UV Resistant • Clean release after use
- Able to stand extreme temperature
- Usable on multiple surfaces
- High elongation and tear resistant



UV Resistant


Type : Blue / Black / Black & White

Packaging : Jumbo Roll : 1.0 x 1000M & Slit Roll in various customized sizes, 1250 x 55 yds, 1250 x 65 yds

## ASMACO BOPP PACKING TAPE

### PACKAGING

BOPP TAPE - Biaxially oriented polypropylene film coated with pressure sensitive water based acrylic adhesive. Printable & has excellent weather resistance. It is a good choice for bundling & strapping, heavy carton packing & standard packing applications.



Type : Tan / Clear, Packaging : Customized sizes available

## ASMACO CARPET TAPE

### DOUBLE SIDE CLOTH WEATHER RESISTANT

DOUBLE-SIDE CLOTH CARPET TAPE adopts cotton cloth carrier, coated with white or transparent rubber resin adhesive, and protected with brown color silicone glassine paper. Double side cloth carpet tape is suitable for fabric positioning during computer embroidering, carpet fixing etc.



Type : Weather Resistant

Packaging : 48 mm x 15 mtr x 24 pcs / box



### ASMACO CRYSTAL CLEAR EPOXY ADHESIVE

ASMACO CRYSTAL CLEAR is a 2K quick setting epoxy adhesive automatically dispenses two equal parts with one push. This adhesive is suitable for bonding glass, metal, ceramics, wood, tiles, fibre glass & some plastics. No mess, no spilling & no dried-out tube. Allows 4-5 minutes positioning time for parts.



High Bond Strength



Fast Drying

Type : Clear  
Packaging : 12 pcs X 12 Doz / box



### ASMACO EPOXY STEEL EPOXY ADHESIVE

EPOXY STEEL is a two-part ambient curing Epoxy adhesive suitable for general applications & repair works of metal parts. Best alternative to welding. A quick curing adhesive with a short pot life of 4 minutes. ASMACO Epoxy Steel develops it's 70% of strength in one hour. The cured product can be machined using common machining operations. It is resistant to gasoline, antifreeze & almost all solvents.



Superior Strength



4 Minutes Epoxy

Type : Quick curing adhesive  
Packaging : 2 X 28.5 g tube & 12 pcs X 18 Doz / box



### ASMACO RTV HIGH TEMP GASKET MAKER RTV SEALANT

SILICONE GASKET MAKER is one component, ready to use sealant designed for form-in-place gasketing where high temperature occurs. ASMACO RTV Silicone Gasket Maker cures to form an elastomeric and resilient silicone rubber gasket. The rubber-like seal formed after curing is highly resistant to weathering & UV exposure, is unaffected to high & low temperature & has excellent adhesion characteristics. Generally used for engine, gear box, motor flange, casing, water pump, oil pump, radiator, differential gear & other engine parts, boilers, water heaters as well as on wood, ceramics, glass, etc.



Engine Gasket



Color : Black / Red / Blue / Clear / Grey  
Packaging : 85 g X 12 pcs X 12 Doz / box



### ASMACO BOND FAST ADHESIVE MDF KIT

ASMACO BOND is a two-part adhesive, cyanoacrylate & an activator spray in aerosol can, that provides quick bonding. ASMACO Bond is best suited for fixing & repairing wooden parts, bonding MDF, wood, chip board, rubber, most of the plastics, leather, ceramic, metals, etc. It is excellent to use in the areas where quick curing of the glue is required. High bond strength, suitable to bond both horizontal & vertical areas, suitable for porous & uneven substrates.



High Bond Strength



Instant Bonding

Packaging : 200 ml x 24 pcs / box & 300 ml x 25 pcs / box  
400 ml x 12 pcs / box & 500 ml x 12 pcs / box



**ASMACO SUPER GLUE**  
 INSTANT ADHESIVE

SUPER GLUE is one part Cyanoacrylate adhesive suitable for general purpose applications & repair works of metal parts. This is a quick curing adhesive, strength development as fast as 5-30 seconds. It works faster & holds stronger on more surfaces than ordinary instant adhesives. The liquid formula works well on a variety of porous, non-porous surfaces & close-fitting repairs. It dries clear & sets without clamping. ASMACO Super Glue Liquid is resistant to moisture, most chemicals & freezing temperatures.



Type : General Purpose  
 Packaging : Standard Pack 3 g Tube - 288 pcs / box, Single Pack 3 g Tube - 12 pcs / box, 20 g Bottle - 24 pcs / box



**ASMACO ATTACK INSECT KILLER**  
 MULTI-PURPOSE

ATTACK® Special solvent-based formulation, which utilizes powerful pyrethroids to effectively kill & control crawling & flying insects. A combination of professional strength, high power solvents help this spray penetrate insect exoskeletons & instantly begin the delivery of active killing ingredients directly to the insect nervous system. It is effective against wide range of crawling insects such as cockroaches, ants & flying insects.



Packaging : 400 ml x 48 pcs / box



**ASMACO CAMPING GAS**  
 BUTANE PROPANE MIX

Extremely flammable gas. Keep out of reach of children. Keep away from the heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Leaking gas fire: Do not extinguish unless the leak can be stopped safely. In case of leakage, eliminate all ignition sources. Store in a cool dry and well-ventilated place. Protect from direct sunlight. Do not expose to temperature exceeding 50°C. This cartridge shall only be used with appliance category direct pressure butane complying with EN 521 (Centre boss valve 7/16). This cartridge complies with EN 417. Follow the instructions for use supplied with the appliance. Changing the cartridge: perform these operations in a well-ventilated area, free from ignitions sources. Close the appliance valve. Remove the cartridge from the appliance. Ensure that the cartridge is empty (shake for liquid content). Replace the connection seal if it is damaged or lost. Do not puncture, pierce or incinerate even after use. Discard in safe place.

Type : Purified Liquefying Petroleum Gas  
 Packaging : 100 g, 230 g, 450 g Cylinder

**ASMACO & ANCHOR BUTANE GAS**  
 CAMPING , COOKING

ASMACO BUTANE PORTABLE GAS can is cooking gas designed to use in portable gas stoves specially designed to be portable & lightweight, used in camping, picnicking, backpacking, or other use in remote locations where an easily transportable means of cooking or heating is needed. ASMACO Butane gas is ideal for portable stoves in diverse situations, such as for outdoor food service, catering & in-field hospitals.



This cartridge is certified by  
 MIRTEC SA / EBETAM A E

T0437



Type : Cooking Gas  
 Packaging : 227 g x 28 pcs / box

**ASMACO LIGHTER GAS**  
 REFILL BUTANE

ASMACO LIGHTER REFILL BUTANE GAS having high quality & ultra-refined butane gas in aerosol can. Due to its lower pressure, it's very easy to refill any lighter with provided "Multi Nozzle". It is suitable for cigarette lighter, blow torch, professional butane torch lighter & so many other lighter.

Type : Refilling  
 Packaging : 250 ml x 72 pcs / box



**AURA AIR FRESHENER**  
 AUTOMATIC REFILL

AURA AIR FRESHENER REFILL is an automatic air freshener refill that is specially designed to neutralize odours and to give a rich, fresh aroma to your surroundings. Aura is CFC free and environmental friendly. It is ideal for use in home, washrooms, lobbies, hospitals, office, hotels and other areas requiring a pleasant and refreshing environment.



 200 Shots per Bottle



Fragrance : Lavender / Aqua / Oud Aroma / Citrus / Vanilla / Jasmine / Rose / Morning Bliss / Raspberry  
 Packaging : 250 ml x 24 pcs / box



## REGULAR

## AURA CLASSY AIR FRESHENER

PREMIUM

The image displays six cans of aura Plassy air freshener, each with a unique color and floral design. The cans are arranged in a row, showing the front and side of each can. The labels on the cans include the brand name 'aura Plassy' and the text 'Air Freshener for plasma'.

## PARADISE BODY SPRAY DEODORANT

SPORT / PREMIUM

## PARADISE BODY SPRAY DEODORANT

The image displays six cans of Paradise Air Freshener arranged in a row. Each can has a black spray nozzle with a blue ring. The cans are labeled with the brand name 'PARADISE' and a specific scent. From left to right, the scents are: Paradise, Paradise, Paradise, Paradise, Paradise, and Paradise. Each can also features a '24H' logo and a '100% NATURAL' claim.

For Women

[www.anchorallied.com](http://www.anchorallied.com)

OTHER PRODUCTS

WATERPROOFING



FLOORING





## SILICONE & ACRYLIC SEALANTS



## FIRE STOP SEALANTS



## POLYURETHANE SEALANTS



## WATER PROOFING COATINGS



## POLYSULPHIDE SEALANTS



## CONTACT ADHESIVE



## SPRAY PAINTS



## PENETRATING OIL



## LUBRICANT



## POLYURETHANE FOAM



## FUEL GAS



## CAMPING GAS



## MDF KIT



## SUPER GLUE



## PVC CEMENT



## WATER STOP SEALANT



## GASKET MAKER



## EPOXY STEEL



## ADHESIVE TAPES



## REFRIGERANT GAS



## AIR FRESHENER



## DEO



## AIR FRESHENER



## ADHESIVES



## INSECTICIDE







EXPORTING GLOBALLY

MORE THAN

84<sup>+</sup>

COUNTRIES



**ANCHOR ALLIED FACTORY L.L.C.**

An ISO 9001:2015 Certified Company

P.O. Box : 21152, Sharjah, U.A.E.

[www.anchorallied.com](http://www.anchorallied.com)



AAFL-CTLG-V06



MFG. OF SILICONE , ACRYLIC & POLYURETHANE SEALANTS, WATER PROOFING COATINGS, SELF-ADHESIVE TAPES & SPRAY PAINTS