

PACKAGING DETAILS



SILICONE SEALANTS

PAGE : 01

S.NO	DESCRIPTION	PCS/CTN	WEIGHT /PIECE	WEIGHT /CARTON	CARTON SIZE	CBM/CTN	CARTON /PALLET	CARTON /20FT	CARTON /40FT HQ	CARTON /TRUCK 12 MTR
	<u>SILICONE SEALANT</u>									
1	S 2200 (240GMS)	24 PC/CTN	240 GMS	6.38	300*200*240	0.0144	176	2000	4100	3520
2	2200 - (Yellow Cartridge)	24 PC/CTN	290 GMS	7.156	300*200*240	0.0144	176	2000	3650	3520
3	G 2100	24 PC/CTN	277 GMS	6.844	300*200*250	0.015	176	2000	3800	3520
4	2500	24 PC/CTN	277 GMS	6.844	300*200*250	0.015	176	2000	3800	3520
5	2540	24 PC/CTN	310 GMS	7.516	300*200*250	0.015	176	2000	3470	3275
6	2540 - CREAM / BEIGE BROWN / GREY	24 PC/CTN	305 GMS	7.516	300*200*250	0.015	176	2000	3465	3325
7	GP - PREMIUM GRADE	24 PC/CTN	310 GMS	7.636	300*200*250	0.015	176	2000	3400	3275
8	NEUTRAL GRADE - 2650	24 PC/CTN	320 GMS	7.876	300*200*250	0.015	176	2000	3300	3175
9	2650 - WEATHER SEALANT (Sausage Pack - 600ml)	20 PC/CTN	600 GMS	12.32	355*200*240	0.01704	60	1700	2110	1200
10	2670 - NEUTRAL CURE	24 PC/CTN	340 GMS	8.356	300*200*250	0.015	176	2000	3100	2990
11	2670 (Sausage Pack-600 ml)	20 PC/CTN	780 GMS	15.915	355*200*240	0.01704	60	1500	1635	1200
12	2800 (All Weather Sealant)	24 PC/CTN	430 GMS	10.516	300*200*250	0.015	176	2000	2475	2375



مصنع انكور الايد.م.م.
ANCHOR ALLIED FACTORY L.L.C.
MFG. OF POLYURETHANE, SILICONE & ACRYLIC SEALANTS, SELF-ADHESIVE TAPES, SPRAY PAINTS AND HOMECARE PRODUCTS.
P.O. Box: 21152, Street: 17, Industrial Area-15, Sharjah, U.A.E. Tel: +971-6-5342091, Fax: +971-6-5342107
Website: www.anchorallied.com E-mail: info@anchorallied.com



SILICONE SEALANTS • WATERPROOFING COATINGS • PU SEALANTS • POLYSULPHIDE SEALANTS • ACRYLIC & DUCT SEALANTS
POLYURETHANE FOAM • SPRAY PAINT • SILVER CLOTH DUCT TAPE • CREPE PAPER MASKING TAPE • ALUMINIUM FOIL TAPE
PE. PROTECTION TAPE • PVC PIPE WRAP TAPE • CONTACT ADHESIVE • EPOXY STEEL • PVC CEMENTS • SUPER GLUE

PACKAGING DETAILS



SILICONE SEALANTS

PAGE : 02

S.NO	DESCRIPTION	PCS/CTN	WEIGHT /PIECE	WEIGHT /CARTON	CARTON SIZE	CBM/CTN	CARTON /PALLET	CARTON /20FT	CARTON /40FT HQ	CARTON /TRUCK 12 MTR
13	2880 (Structural Glazing)	24 PC/CTN	430 GMS	10.516	300*200*250	0.015	176	2000	2475	
14	2880 -Structural Glazing Sealant (Sausage Pack - 600ml)	20 PC/CTN	780 GMS	15.94	355*200*240	0.01704	60	1500	1625	2375 1200
15	2860 – STRUCTURAL GLAZING (Sausage Pack - 600ml)	20 PC/CTN	780 GMS	15.94	355*200*240	0.01704	50	1500	1625	1000
16	HIGH TEMPERATURE SILCONE SEALANT (280GMS) -RED	24 PC/CTN	280 GMS	6.916	300*200*250	0.015	176	2000	3700	3520
17	ACYLIC 47 455GM	24 PC/CTN	455 GMS	11.116	300*200*250	0.015	115	2000	2330	2250
18	DUCT SEALANT - ASMARCYL 52 455GMS	24 PC/CTN	455 GMS	11.116	300*200*250	0.015	115	2000	2330	2250
19	FIRE STOP ACRYLIC SEALANT - ASMACRYL 55	24 PC/CTN	480 GMS	11.716	300*200*250	0.015	115	2000	2215	2125
20	FIRE STOP SEALANT - 280ML	12 PC/CTN	430 GMS	5.286	200*150*250	0.0075	240	3950	4925	4750
21	FIRE STOP SEALANT 580ml (Sausage Pack)	20 PC/CTN	510 GMS	10.52	350*200*250	0.0175	60	1685	2475	1200



مصنع انكور الايدز.م.
ANCHOR ALLIED FACTORY L.L.C.
MFG. OF POLYURETHANE, SILICONE & ACRYLIC SEALANTS, SELF-ADHESIVE TAPES SPRAY PAINTS AND HOMECARE PRODUCTS.
P.O. Box: 21152, Street: 17, Industrial Area-15, Sharjah, U.A.E. Tel: +971-6-5342091, Fax: +971-6-5342107
Website: www.anchorallied.com E-mail: info@anchorallied.com



SILICONE SEALANTS • WATERPROOFING COATINGS • PU SEALANTS • POLYSULPHIDE SEALANTS • ACRYLIC & DUCT SEALANTS
POLYURETHANE FOAM • SPRAY PAINT • SILVER CLOTH DUCT TAPE • CREPE PAPER MASKING TAPE • ALUMINIUM FOIL TAPE
PE. PROTECTION TAPE • PVC PIPE WRAP TAPE • CONTACT ADHESIVE • EPOXY STEEL • PVC CEMENTS • SUPER GLUE

PACKAGING DETAILS



SILICONE SEALANTS

PAGE : 03

S.NO	DESCRIPTION	PCS/CTN	WEIGHT /PIECE	WEIGHT /CARTON	CARTON SIZE	CBM/CTN	CARTON /PALLET	CARTON /20FT	CARTON /40FT HQ	CARTON /TRUCK 12 MTR
22	INTUMESCENT ACRYLIC SEALANT - 280ml	12 PC/CTN	510 GMS	6.29	200*150*250	0.0075	240	3800	4125	4000
23	INTUMESCENT ACRYLIC - 580ML (Sausage Pack)	20 PC/CTN	940 GMS	19.12	350*200*250	0.0175	60	1250	1360	1200
24	RTV GASKET MAKER – 85 gms	144 PCS	85 GMS	16	420*420*482	0.085	36	350	780	720