



# PRODUCT CATALOGUE



مصنع انكور الايد ذ.م.م.  
**ANCHOR ALLIED FACTORY L.L.C.**

[www.anchorallied.com](http://www.anchorallied.com)

## ABOUT US

**"Anchor Allied Factory L.L.C.** was incorporated in Sharjah, U.A.E. in the year 1995. From a small unit, the company has grown to become one of the largest manufacturers of Silicone Sealants, PU Sealants, PU Foam, Spray Paint, Other Aerosols, Adhesive Tapes and other allied products in the whole of Middle East.

During its development, Anchor Allied persistently combined independent innovations and integration of internationally advanced resources to develop the best quality products. The company's in-house R&D department assisting constantly in improving the product quality, which itself has become a benchmark for products of its kind in markets across the globe. The products are manufactured in the most modern plant with global acceptability.

Our goods are exported to more than 65 countries worldwide, mostly to the whole Middle East, Africa, CIS Countries, Indian Subcontinent, Far East, South East Asia & South America. The company also maintains sales offices in Saudi Arabia, Egypt, Ukraine, Latin America and India for efficient customer support in the respective regions."



## PRODUCTS

Silicone Sealant | PU Sealant | Polysulphide Sealant | Acrylic & Duct Sealant  
Waterproofing Coating | Polyurethane Foam | Spray Paint | Lubricating Spray  
Penetrating Oils | Butane gas | Lighter gas | Contact Adhesive | Super Glue  
Steel Epoxy | PVC Cement | Crepe Paper Masking Tape | Aluminium Foil Tape  
P.E Protection Tape | PVC Pipe Wrapping Tape | Silver Cloth Duct Tape

Sanitizer Spray | Disinfectant Sanitizer | Pocket Sanitizer | Clear Surface Sanitizer  
Automatic Dispenser - Sanitizer Spray | Automatic Dispenser - Air freshener  
Domestic Insect Killer | Room Airfreshener | Deodorant | Hair Sheen Spray



SILICONE SEALANT

GENERAL PURPOSE



**S2200** is a single component acetic cure silicone sealant which vulcanizes at room temperature, to produce a flexible elastomeric sealant. It is suitable for all common construction & glazing application. It is easy to apply & offers excellent adhesion to a variety of nonporous substrates such as glass, glazed ceramic tiles & aluminium. It is resistant to ozone, ultra-violet radiation, & temperature extremes.



Color	White / Clear / Black
Packaging	24 pcs / box



**ASMACO 2200** is a single component acetic cure silicone sealant which vulcanizes at room temperature, to produce a flexible elastomeric sealant. It is suitable for all common construction & glazing application. It is easy to apply & offers excellent adhesion to a variety of nonporous substrates such as glass, glazed ceramic tiles & aluminium. It is resistant to ozone, ultra-violet radiation & temperature extremes.



Color	White / Clear / Black / Grey / Beige / Cream / Brown
Packaging	24 pcs / box

SILICONE SEALANT

GENERAL PURPOSE



**G2100** is a single component acetic cure silicone sealant which vulcanizes at room temperature, to produce a flexible elastomeric sealant. It is suitable for all common construction & glazing application. It is easy to apply & offers excellent adhesion to a variety of non-porous substrates such as glass, glazed ceramic tiles & aluminium. It is resistant to ozone, ultra-violet radiation & temperature extremes. Can be applied in all temperatures.



Color	White / Clear / Black
Packaging	24 pcs / box



**ASMACO 2500** is a single component acetic cure silicone sealant which vulcanizes at room temperature, to produce a flexible elastomeric sealant. It is suitable for all common construction & glazing application. It is easy to apply & offers excellent adhesion to a variety of non-porous substrates such as glass, glazed ceramic tiles & aluminium. It is resistant to ozone, ultra-violet radiation & temperature extremes. Can be applied in all temperatures.



Color	Clear / White / Black
Packaging	24 pcs / box

## SILICONE SEALANT

## ANTIFUNGAL



**ASMCO 2540** is a one-part moisture curing silicone suitable for general construction sealing applications & is highly resistant to moisture. It has excellent resistance to ageing, shrinkage, cracking & discolouring. **ASMCO 2540** high performance silicone sealant is ideal for aluminium, glass & standard glazing, curtain wall joining, metal to metal joints & duct work sealing, sealing door & windows frames, sealing green houses, sealing works in air conditioning. The antifungal properties make this product suitable for sanitary applications.



Color	White / Clear / Black / Grey / Beige / Cream / Chocolate Brown
Packaging	280 ml x 24 pcs / box

## SILICONE SEALANT

## ANTIFUNGAL



**ASMCO GP SILICONE SEALANT** Is a high-quality single component acetic cure silicone sealant which vulcanizes at room temperature, to produce a flexible elastomeric sealant. It is suitable for all common construction & glazing application. It is easy to apply & offers excellent adhesion to a variety of non-porous substrates such as glass, glazed ceramic tiles & aluminium. It is resistant to ozone, ultra-violet radiation & temperature extremes. Ideal for cladding & composite panel applications.



Color	White / Clear / Black / Grey / Beige / Cream / Chocolate Brown
Packaging	280 ml x 24 pcs / box

## SILICONE SEALANT

## FAST SEALANT



**ASMCO GP FAST** Is a high quality Good Weatherability single component acetic cure silicone sealant which vulcanizes at room temperature, to produce a flexible elastomeric sealant. It is suitable for auto glass application, cladding, double glazing, bonding, sealing & repairing. It is resistant to ozone, ultra-violet radiation & temperature extremes.



Color	Clear / White / Black
Packaging	280 ml x 24 pcs / box

## SILICONE SEALANT

## GLASS SEALANT



**ASMCO GLASS SEALANT** is a high-quality single component room temperature curing acetoxysilicone sealant designed to meet ISO 11600 25 LM specification. The product gives superior adhesion on glass & glazing surfaces. The product is resistant to Ozone, UV & temperature extremes. Suitable for all indoor & outdoor applications. Ideal for glass fixing, glazing & fish tank assembling.



Color	Clear / White / Black
Packaging	280 ml x 24 pcs / box

## SILICONE SEALANT

## GLAZING / WEATHER SEALANT



**ASMCO 2781** Acetoxysilicone is a one-part, silicone sealant which has good adhesion to a range of non-porous surfaces including glass, aluminium, painted surfaces & composite boards. It offers excellent resistance to ageing, shrinkage, cracking & discolouring. The product meets the requirements of ASTM C 920 & ISO 11600. Suitable for aluminium, glass, Formica & other non-porous construction elements.



Color	Clear / White / Black
Packaging	280 ml x 24 pcs / box

## NEUTRAL SILICONE SEALANT

## FOOD GRADE



**ASMCO 2680 FG** is a single component neutral cure silicone sealant which is particularly suitable for applications where food & potable water contact is required. Product is suitable for indoor & outdoor applications. This is a high bonding, medium modulus sealant & offers durable adhesion to most porous & nonporous substrates including glass, metals, coated & painted metals, plastic wood, concrete etc. The product is resistant to Ozone, UV & temperature extremes. The product is formulated to resist mould & mildew where high humidity & temperature exist.



Color	Clear / White / Black
Packaging	280 ml x 24 pcs / box



## SILICONE SEALANT

## MIRROR SEALANT



**ASMACO MIRROR SEALANT** is a Clear neutral curing, non-corrosive, low modulus, 100% silicone sealant with outstanding adhesion that provides a permanent flexible bond for mirrors to painted surfaces, plaster, metal, wood & plywood.



Premium Grade



100 % Silicone

Color	Clear
Packaging	280 ml x 24 pcs / box

## SILICONE SEALANT

## WEATHER SEALANT



**ASMACO 2650** is a single component neutral curing silicone sealant. It has excellent adhesion to most common building materials like glass, glazed surface, painted wood, aluminium & other metals, masonry, concrete, GRP, UPVC & some plastics. ASMACO 2650 is noncorrosive hence suitable for application where bare metals are used. Excellent resistance to weathering, moisture, ozone etc. Suitable for interior & exterior applications.



Neutral Cure



Weather Resistant



Color	White / Clear / Black
Packaging	24 pcs / box

## SILICONE SEALANT

## ALL WEATHER SEALANT



**ASMACO 2670** is a single part neutral curing silicone weather sealant with un-primed adhesion to most of the porous & non-porous construction materials like concrete masonry, UPVC, glass, EPDM, aluminium, polycarbonate, acrylic plastics, wood etc. The non-staining property of the product makes it suitable for marble & granite applications. The product is tested & certified for ASTM C 920, Type S, Grade NS, Class 50 & ISO 11600 LM 25. This product is suitable for cladding, glazing & curtain wall applications. ASMACO 2670 is a low VOC product that meets green building requirements.



MEETS ASTM C 920 S, Type S, Grade NS Class 50, ISO 11600 LM 25



DCL APPROVED

Color	White / Clear / Black / Grey
Packaging	280 ml x 24 pcs / box & 600 ml x 20 pcs / box

## SILICONE SEALANT

## INSULATION GLASS SEALANT



**ASMACO 2677** is a single component, neutral cure silicone sealant which is particularly suitable for indoor & outdoor applications. This is a high bonding, high modulus sealant & offers durable adhesion to most porous & nonporous substrates including glass, metals, coated & painted metals, plastic wood, concrete etc. The product is resistant to Ozone, UV & temperature extremes. ASMACO 2677 is developed for use as a secondary sealant in a dual-sealed insulating glass unit. Insulating glass sealant can bond the individual components, forming a weather-resistant unit.



Glass Insulation



Weather Resistant

Color	Black
Packaging	280 ml x 24 pcs / box

## SILICONE SEALANT

## CONSTRUCTION JOINT SEALANT



**ASMACO 2800** is a single component, low odour neutral cure Silicone Sealant which is particularly suitable for indoor & outdoor applications. This is high bonding, low modulus sealant & offers durable adhesion to most porous & nonporous substrates including masonry, brick, aluminium, UPVC, polycarbonate, polyacrylate, wood, EPDM, glass & glazed surfaces. The product conforms to ISO 11600 25 LM & is resistant to Ozone, UV & temperature extremes. The product is formulated to resist mould & mildew where high humidity & temperature exist. No primer required for most substrates. 2800 is a low VOC product that meets green building requirements.



UV Resistant

Color	White / Grey / Black
Packaging	280 ml x 24 pcs / box

## SILICONE SEALANT

## STRUCTURAL SEALANT

**ASMACO 2860** Structural Sealant is a single component, low odour neutral cure silicone sealant which is particularly suitable for structural glazing & cladding applications. This is a high bonding sealant & offers a durable adhesion to most porous & non-porous construction materials including glass, metals & most plastics. The product is noncorrosive & is resistant to Ozone, UV & temperature extremes. No surface pre-treatment or primer required for most substrates. ASMACO 2860 complies with the requirement of ASTM C1184-18E1 & Type S



Structural Glazing

Color	Black
Packaging	600 ml X 20 pcs / box

## SILICONE SEALANT

## STRUCTURAL GLAZING SEALANT

## SELF LEVELING SEALANT

## NEUTRAL CURE



**ASMCO 2880** is a single component low odour neutral cure silicone sealant which is particularly suitable for structural glazing & cladding applications. This is a high bonding sealant & offers a durable adhesion to most porous & nonporous construction materials including glass, metals & most plastics. The product is non-corrosive & is resistant to ozone, UV & temperature extremes. 2880 is a low VOC product that meets green building requirements. ASMCO 2880 complies with the requirement of ASTM C1184-18E1 & Type S.



MEETS ASTM C 1184-18E1, Type S



**ASMCO 2890 SL** is a single component, low odour neutral cure Self-levelling Silicone Joint Sealant for concrete & concrete to asphalt pavement joints. This is a high bonding sealant & offers a durable adhesion to most porous & non-porous construction material. The product is noncorrosive & is resistant to Ozone, UV & temperature extremes. ASMCO 2890-SL that cures to an ultra-low modulus silicone rubber upon exposure to atmospheric moisture. The cured silicone rubber remains flexible from -30°C to 185°C. Ideal for Asphaltic paving materials that have low tensile strengths.



Neutral Cure



UV Resistant

Color	Black
Packaging	280 ml x 24 pcs / box & Sausages 600 ml X 20 pcs / box

Color	Grey
Packaging	200 Litre Drum

## RTV SEALANT

## HIGH TEMPERATURE

## ACRYLIC DUCT SEALANT

## ACRYLIC CAULK



**ASMCO HI-TEMP RTV SILICONE** is a single component, non-sag, 100% RTV silicone sealant that cures to tough, rubbery solid at room temperature. This high temperature silicone is formulated to withstand temperatures up to 300°C. It can be used in numerous sealing & bonding applications.



Hi Temp - UP TO 300°C



**ASMCRYL 47** is an acrylic base sealant for joints between construction parts subject to moderate stress. ASMCRYL 47 is ready for use & seals internal or external joints on porous surfaces such as concrete, plaster, asbestos, cementitious material, brickwork, cement, wood. It is not recommended for joints in continuous contact with water. Asmacryl 47 is a Low VOC, over-paintable product which meets green building requirements. Accommodates up to 20% joint movement.



20% Joint Movement Capacity



Color	Grey, Red
Packaging	24 pcs / box

Color	White / Grey
Packaging	24 pcs / box

## SILICONIZED DUCT SEALANT

## SILICONIZED ACRYLIC

## ACRYLIC SEALANT

## B2-FIRE RETARDANT



**ASMCRYL 52** is a single component formulated from high quality acrylic emulsions & special fillers. Hence, the product is easy to apply & efficiently seals joints of AC ventilation & ducts. Seals internal & external joints. Asmacryl 52 can be used for sealing all low movement joints. Asmacryl 52 is asbestos free & will not adversely effect plastic materials or corrode metals. Ideal for use on HVAC ducting application, sealing of duct holes, insulation foam joints, aluminium, MS or galvanized metal ducts etc. Asmacryl 52 is a low VOC & over paintable product & meets the green building requirements.



Antibacterial



**ASMCRYL 55** is a single component gun grade Fire Retardant sealant based on acrylic emulsions, suitably formulated by using special additives & chemicals. The product is easy to apply & seals joints between construction parts subjected to moderate stress. It is ready to use & seals internal & external joints in porous substrates such as concrete, plastics, asbestos, cement, brick work & wood. Asmacryl-55 can be used for sealing all low movement joints & restricts the passage of fire & smoke from room to room & to escape routes. The sealant is water-based & free from chlorine. The product is paintable. Asmacryl 55 is a low VOC product & meets the green building requirements.



Fire Retardant Acrylic



Color	White / Grey
Packaging	24 pcs / box

Color	White / Grey
Packaging	24 pcs / box

## HYBRID SEALANT

## ALL WEATHER SEALANT



**ASMACO 4400** is low modulus All Weather Hybrid Sealant with great extent of initial tack, green strength which cures on exposure to moisture to form a durable elastomeric sealant. It has very good adhesion to most of the construction materials including concrete, natural stones, glass, PVC etc. Free of isocyanates & silicones. Good resistance to UV, water, & weather.



Antibacterial



UV Resistant



DCL APPROVED

Color	White / Grey / Black
Packaging	24 pcs / box

## HYBRID CONSTRUCTION SEALANT

## ALL WEATHER SEALANT



**ASMACO 4450** is medium modulus Construction & Concrete Sealant with properties of medium Modulus, Least Shrinkage, UV Resistant & No bubbling. It has very good adhesion to most of the construction materials including concrete, natural stones, glass, Precast, Fibre Glass, PVC, EPDM etc. Silicone & Isocyanates Free system with good weatherability.



Antibacterial



UV Resistant



DCL APPROVED

Color	White / Grey / Black
Packaging	24 pcs / box

## SILICONE SEALANT

## FIRESTOP



**ASMACO FIRESTOP SILICONE SEALANT** is a single component high performance gun grade Fire-Stop Weather Sealant based on fire resistant Silicone formulation. The product is fire resistant, easy to apply & seals joints between construction parts subjected joint movement. ASMACO firestop silicone sealant helps to protect combustible & non-combustible penetrations for up to 4 hours fire rating. This product can be used for sealing all movement joints up to 50% & restricts the passage of fire & smoke from room to room & to escape routes. Since the sealant is low VOC & confirms to green building requirements. The product is certified as per ASTM C 920 Types S, G & NS, Class 50, use T, NT, M,G & BS 476 Part 20.

Fire Stop Sealant  
Up to 240 min

DCL APPROVED

CIVIL DEFENCE APPROVED



Color	White
Packaging	280ml x 12 pcs / box & Sausages 600 ml X 20 pcs / box

## ACRYLIC SEALANT

## INTUMESCENT SEALANT



**ASMACO INTUMESCENT ACRYLIC SEALANT** is a single component high performance gun grade Intumescent (firestop) sealant based on fire resistant Acrylic formulation. The product is fire resistant, easy to apply & seals joints between construction parts & penetrations. Intumescent acrylic sealant helps to protect combustible & non-combustible penetrations for up to 4 hours fire rating. This product restricts the passage of fire & smoke from room to room & to escape routes. Since the sealant is low VOC, it is user friendly & confirms to green building requirements. The product is certified as per BS 476 Part 20

Fire Retardant  
Acrylic Up to 240 min

DCL APPROVED

CIVIL DEFENCE APPROVED



Color	Red
Packaging	280ml x 12 pcs / box & Sausages 600 ml X 20 pcs / box

## WINDSCREEN SEALANT

## PU 72



**ASMACO PU 72** is an excellent, non-sag, one-component, flexible and high-performance polyurethane adhesive that cures on exposure to atmospheric moisture to form a tough, durable adhesive. As it is non-conductive, suitable for elastic structural bonding (assembly of various materials which are subjected to high thermal and dynamic stress) in the transportation industry. It has a good green strength and initial load bearing capacity.



PU Sealant Wind Screen

Color	Black
Packaging	Alu.Catridges 12 pcs / box, Sausages 20 pcs / box

## BUS TRUCK RAIL SEALANT

## PU 81



**ASMACO PU 81** is a high-quality multipurpose non-sag one component polyurethane sealant suitable for various bonding and sealing applications in transport industry like bus, truck, rail, boats etc. It bonds well to a wide variety of substrates and is suitable for making permanent elastic seals of high adhesive strength. Suitable substrate materials are timber, metals, metal primers and paint coatings and ceramic materials.



PU Sealant



For BUS &amp; Body

Color	White / Grey
Packaging	Alu.Catridges 12 pcs / box, Sausages 20 pcs / box

## GRAB ADHESIVE SEALANT

## INSTANT GRAB



**ASMACO INSTANT GRAB ADHESIVE** is super strong flexible & waterproof adhesive with a quick grab capability, seals & repairs almost everything. It is capable to hold objects in place instantly & cures in 24 -48 hours. Suitable for underwater bonding, sealing & wet area applications. Can be used to stop water leaks without draining. It is mildew, UV & weather resistant. Meets green building requirements. Suitable for: All types of metals, wood, foam, rubber, tiles, glass, stones, concrete, plaster, dry wall, fibre glass, composites, most of the plastics, & much more. The non-corrosive nature of the product makes it suitable for mirror bonding application.



Hybrid Technology



DCL APPROVED

Color	Black / White / Grey
Packaging	12 pcs / box

## HYBRID SEALANT

## ALL IN ONE



**ASMACO ALL IN 1 HIGH-TECH SEALANT** is an easy-to-use, high strength, elastomeric product which can serve as both adhesive and sealant. It is a low odour formulation which free of isocyanates, acids and other harmful chemicals. The product is so versatile that it can be used in many areas like DIY, construction bonding and sealing. The product bonds to almost all surfaces except low energy surfaces e.g., PE, PP, PTFE etc. The product is designed to meet green building regulations.



Hi Tech Sealant



DCL APPROVED

Color	Black / White / Grey
Packaging	12 & 24 pcs / box

## SOLVENT BASE GRAB ADHESIVE

## NO NEED NAILS



**ASMACO N3 KIT** - High Strength, VOC Free, Interior & Exterior Application, Next Generation Advanced Modified Polymer Technology, Super Initial Grab, suitable for various Porous & Non-Porous Surfaces such as bonding mouldings, profiles, frames, skirtings, PVC, gypsum, brick, cement, polystyrene, decorative panels & tiles & Plastics. Quick curing, Nail, screw & dowel free, fixing. Bonding strength 120kgs/sqm. Water based low VOC sealant, Mildew resistant gap filler & Paintable sealant. Suitable For Interior, Reversible Adhesive, Excellent Water & Heat Resistant.



All Purpose Quality Adhesive Sealant

Color	Beige
Packaging	12 pcs / box

## AUTOMOTIVE ADHESIVE SEALANT

## ANCHORSEAL AUTOMATE



**ANCHORSEAL AUTOMATE** Sealant is an one-component, high modulus STP sealant with excellent adhesion to sheet iron, steel. Best suited for most of the bonding & sealing application in automobiles. Short tack free & curing time. Non-sag-exceptional Thixotropic, non-sticky, no shrinkage, improved storage stability, easy to gun, can be easily smoothed, over-paintable, non-corrosive & high- initial load. Increase torsional stiffness of the final assembly. Vibration & sound damping during windscreen bonding. ANCHORSEAL AUTOMATE is a single product that meets almost all automotive applications including panel bonding, sealing, glazing & wind screen fixing.



Wind Screen



For BUS &amp; Body

Color	Black / White / Grey
Packaging	12 pcs / box

## ANCHOR SEAL

## CRYSTAL CLEAR SEALANT



**ANCHOR SEAL** Crystal Clear sealant is a super clear adhesive / sealant based on high-tech polymer technology for general purpose bonding and sealing application virtually on all materials. Application areas: All bonding and sealing applications on porous and non porous surfaces, even on humid surfaces. Specially formulated for glass to glass bonding. Suitable on all common surfaces such as Bricks, concrete, metal, aluminium, lead, zinc, common plastics, wood, MDF, laminated and particle boards, ceramic, glass, mirrors, glazed tiles etc. Suitable for sanitary applications. Not for PE, PP and PTFE. Characteristics: Crystal clear sealant is permanently flexible. Odourless. Non corrosive



Strong Bonding



High Strength

Color	Clear
Packaging	12 pcs / box

## PREMIUM FIX

## ADHESIVE SEALANT



**ASMACO PROFESSIONAL PREMIUM FIX** is mounting adhesive sealant based on next generation polymer technology. It is multi substrate product with large number of application which yields clear and flexible joints used for joining and finishing work in do it yourself type application.

Application: It is used for bonding of building materials for all type of surfaces like concrete, plaster, chipboard, wood, plaster board, glass, metal and plastic. Features: Immediate grab, clear joint, multi surface adhesion applicable to porous and non- porous surfaces, good water resistance.



High Strength



Strong Bonding


Color	Clear
Packaging	12 pcs / box



PREMIUM QUALITY PREMIUM QUALITY PREMIUM QUALITY PREMIUM QUALITY PREMIUM QUALITY PREMIUM QUALITY

**ASMCO PU**

**POLYURETHANE SEALANT**



Color	Grey / Beige / White / Black / Cream
Packaging	600 ml X 20 pcs / box



## UNIVERSAL



Asimach  
UNIVERSAL MULTI FOAM  
TRIPLE EXPANDING

Application and filling of joints, sealing and insulation. Works on concrete, masonry, wood, steel and plastic. No need for primers, solvents, heating or activation.

300%

FORMULATED IN ITALY



**DCI APPROVED**

Type	Hand Grade
Packaging	750 ml x 12 pcs / box

Type	Hand Grade / Gun Grade
Packaging	330 ml / 500 ml / 750 ml x 12 pcs / box



**ASMACO GOLD PU FIRE RETARDANT B1 FOAM** is a quick setting single component polyurethane foam with fire rating properties up to 240 minutes. It provides a fire rated seal around window & door frames. It exhibits excellent adhesion to wood, metals door/window frames, glass, painted surfaces, some plastics, concrete, plasters etc after curing. Due to its closed cell structure, cured foam is resistant to water absorption. Cured foam dries rigid & can be trimmed, shaped & sanded . It has excellent thermal insulation characteristics & can be used for insulating hot /cold water piping, refrigerating systems etc.



Fire Rating  
Up to 240 min



CIVIL  
DEFENCE  
APPROVED



Type	Hand Grade / Gun Grade
Packaging	750 ml x 12 pcs / box



**ASMACO GOLD FIRE RETARDANT B2 FOAM** It's a ready to use, one-component, self-expanding, fire-retardant sealing foam with fire rating properties up to 120 minutes based on 1k Polyurethane technology. It hardens at ambient temperatures to a low-density mass by reacting with atmospheric moisture & on curing it exhibits excellent adhesion to wood, metals door/window frames, glass, painted surfaces, some plastics, concrete, plasters etc. Microcellular structure of the foam reveals a majority closed cell structure. It has excellent thermal insulation characteristics & can be used for insulating hot/cold water piping, refrigerating systems etc.



Fire Rating  
Up to 120 min



CIVIL  
DEFENCE  
APPROVED



Type	Hand Grade / Gun Grade
Packaging	750 ml x 12 pcs / box

POLYURETHANE FOAM GOLD

PREMIUM



**ASMACO GOLD UNIVERSAL MULTIFOAM TRIPLE EXPANDING PU FOAM SEALANT**

One component and ready to use moisture curing polyurethane foam mainly used for sealing of insulation sheets, filling of joints and cavities in walls and ceilings. Closed cell structure, resistant to water absorption. Excellent thermal insulation characteristics and very good acoustic characteristics. Suitable for sealing high volume low movement gaps. CFC free.




CFC FREE



High Yield Foam




Type	Hand Grade / Gun Grade
Packaging	500 ml / 750 ml x 12 pcs / box



POLYURETHANE ADHESIVE FOAM

ETICS / EIFS ADHESIVE



Bonding of thermal insulation panels on facades (ETICS systems - lightweight method) Bonding EPS boards in thermal insulation systems, bonding mineral wool in thermal insulation systems. Compatible with all ETICS (External Contact insulated Systems). Significantly reduce the risk of valve obstruction and increased gas tension, as the product of a long service life and usability is intended to provide both. Due to it's strong and lasting adhesion to polystyrene, it is widely used in construction materials.



Low Yield Adhesive Foam



Type	Gun Grade
Packaging	750 ml x 12 pcs / box





## PURE PU COATING

## ASMACOAT WP 810



**ASMACOAT WP 810** is a liquid applied, single-component moisture-curing polyurethane coating. It is designed to form a seamless, elastomeric waterproofing membrane. When fully cured and forms a permanently flexible waterproof lining to most building surfaces including reinforced concrete, block works, brick works, cement render, plaster board and fibre reinforced cement. The properties like high elasticity, very good crack bridging and impermeability to water vapour make it capable of effectively waterproofing even in most demanding conditions.



Pure PU Coating



200% Elongation



Color	Black
Packaging	20 Litres Drum

## PITCH MODIFIED PU COATING

## ASMACOAT WP 900



**ASMACOAT WP 900** is a liquid applied, coal tar modified single-component moisture curing polyurethane coating. It is designed to form a seamless, elastomeric waterproofing membrane. It has excellent properties like high elasticity, very good crack bridging and impermeability to water vapour which makes it capable of effectively waterproofing even in the most demanding conditions.



600% Elongation



Pitch Modified Coating



Color	Black
Packaging	20 Litres Drum

## ALIPHATIC COATING

## ASMACOAT 936



**ASMACOAT WP 936** is an Aliphatic, one component, liquid applied, moisture curing, polyurethane surface & waterproofing coating. ASMACOAT WP 936 is ultraviolet light stable & will retain its surface gloss from glossiness even after prolonged exposure to sunlight.



Top Coat



Trafficable



Color	White / Black / Grey
Packaging	20 Litres Drum

## POLYSULPHIDE SEALANT

## ANCHORSEAL 963 PG



**ANCHORSEAL 963** is a Two-part polysulphide sealant available in self-levelling pouring grade & gun grade consistency. It is a polysulphide sealant which effectively seals all joints subject to structural movement as well as non-moving joints against ingress of water.



Polysulphide



Gun Grade



Pouring Grade

Color	Black
Packaging	4 litres set x 4 pcs / box & 2.5 litres set x 6 pcs / box



**ASMACOAT WP 600** is a single component, acrylic based coating economical for roofs & walls with outstanding adhesive properties that will provide a thick, high performance, water & weather resistant seal on most surfaces with good flexibility. It has multiple advantages like allows surface to breathe while remaining strongly anchored to the substrate. Provides a seamless coating, good solar reflectivity, excellent mildew & algae resistant film, Low V.O.C., non-flammable. It can be used for applications on

concrete, light weight concrete, roof tiles, wood, galvanized steel, asphalt & asbestos cement. Also in recoating roofs previously coated with asphalt emulsion, acrylic or aluminium coating.



Acrylic Base Waterproofing Coating



DCL APPROVED



Top-Coat Waterproofing



Polyurethane Base



**ASMACOAT WP 5900** is an one-component, modified polyurethane, high elastic water based waterproof coating. It is used in construction sector for waterproofing applications. Easy to use by brush and roller. Highly flexible and excellent UV resistance. Excellent adhesion to different construction materials, solvent free, nontoxic, provides water vapor permeability. Low-cost water-based system meets ASTM D 412, ISO 9932. Seamless waterproofing membrane.

Color	White / Black / Grey
Packaging	20 Kg Drum

Color	White / Black / Grey
Packaging	20 Litres Drum



**ASMACO AQUASHIELD WATER REPELLENT** is a siloxane & silane polymer dispersed in water. It is used as water repellent coating for concrete, cementitious vertical walls & other masonry substrates. It penetrates deeply into the substrates and provides effective water repellent coating and provides excellent UV resistance.

Water repellent for • Clay brick surfaces • Concrete, mortar & parapet walls • Mangalore tiles • Natural and artificial stones • Precast, beams, columns, curbing & retaining walls • Treat both new and existing structures • Porous architectural curtain wall panels.



Water Repellent Coating



**Asmaco AMP Waterproofing** is a specially designed protective Hybrid Polyurethane coating for concrete structures. It is modified with specially selected polymers to form a tough, flexible and durable coating. It is completely free from coal tar and other hazardous ingredients with antifungal properties.

- Excellent mildew and algae resistant.
- Low V O C and non-flammable.
- Will not degrade under UV.
- Forms a highly elastomeric, tough and resilient coating.
- Free from pitch & coal tar.
- High tensile and elongation properties.
- Superior water resistance.
- Environmental friendly.
- Easy application by brush or roller.

Requires no dilution.



Waterproofing

Type	Water Repellent
Packaging	20 kg Bucket

Type	Roofguard
Packaging	20 kg Bucket



**ASMACO PUF 40** is system to produce roof construction insulation spray 2K PU foam in multi layers for wall, roofing, and basements with a density of 40 – 48 Kg/m<sup>3</sup>. On the application it provides quick foam and can be applied for new installations and renovations.



**ANCHORSEAL WATER STOP** is easy to use, rubberized protective coating designed to seal leaks & cracks. Provides a watertight, flexible seal prevents moisture penetration & corrosion. Excellent for chimneys, roof leak, boat, metal, concrete masonry, fiberglass, skylights, gutters, kitchen sink & much more.



Type	SPRAY APPLIED PU FOAM
Packaging	TWO PARTS 220 kg & 250 kg Drum

Color	Black / White / Grey / Terracotta
Packaging	400 ml x 12 pcs / box & 100 ml x 24 pcs / box





ACRYLIC SPRAY PAINT

PROTECTIVE AND DECORATIVE

GRAFFITI SPRAY PAINT

ARTISTIC



**SPRAY PAINTS (COLOURS OF YOUR CHOICE)-** Quick Dry Acrylic Based Spray Paint, gives bright finish, makes surface smooth, good to use both for interior & exterior applications. Highly recommended for use on automobiles, cycles & steel surfaces, wooden furniture, plastic articles, blinds, & other similar objects. Available in various colours. ASMACO SPRAY PAINTS provide good hiding power, coverage & protection against corrosion.

\* With Press & Pull Cap



General Purpose

Color	Assorted
Packaging	12 pcs / box



**ASMACO GRAFFITI SPRAY PAINT** with its exceptional size & manageability experimental initiative is designed for graffiti, sign painting & high precision general decoration, thanks to its low pressure & its valve. Made from acrylic base, with an incredibly fast drying time. Retains its colour when exposed to the elements due to the high quality of its components.

\* With Press & Pull Cap



Graffiti Painting

Color	Assorted
Packaging	12 pcs / box

SPRAY PAINT

HIGH TEMPERATURE

SPRAY PAINT

STYROFOAM



**HIGH TEMP SPRAY PAINT** has a very good thermal resistance ranging from 400°C - 600°C. The paint contains silicone resin along with high quality pigment. Quick drying, smooth finish. Ideal for Interior & exterior application. Most suitable for chimney, barbecues, engines & motorcycles, furnace, stove oven etc. The paint is non fading, non-yellowing, weather resistant & high coverage without running or excessive thickness. The product is CFC Free.

\* With Press & Pull Cap



High Temperature

Color	Matt Black / Silver
Packaging	12 pcs / box



**ASMACO STYROFOAM SPRAY PAINT** is a new product line that creates detail while educating, inspiring & driving innovation into schools, clubs, craft & hobby projects! It is easy to apply & can be used on many kinds of surfaces like styrofoam, foam board, paper, glass, wood, metal, leather, & ABS plastic. It is not suitable for rubber or flexible types of vinyl because it will not dry on these surfaces; it will remain tacky to the touch. It will not adhere to polyethylene or polypropylene. It has super flow & coverage. ASMACO Styrofoam foam spray paint is lead free.

\* With Press & Pull Cap



Styrofoam

Color	Assorted
Packaging	12 pcs / box



**ASMACO GLITTER SPRAY PAINT** offers an intense sparkling finish for any craft or decorative project. Asmaco Glitter paint also provides a full coverage of radiant shimmer for many surfaces including wood, metal, wicker, glass, ceramic, pottery, craft foam, paper, plastic & more. Provides full-coverage durability for indoor decorating & home décor.

- Ideal for scrapbook projects
- Buildable glitter paint offers a full, Multi surface paint resists stains & scratches, shake well before use to mix glitter pigment
- Interior use on accent pieces, holiday decorations & many more
- Formulated to create an intense sparkling finish over a base coat of similar colour



Glitter Paint

Color	12 Color shades are available
Packaging	6 pcs / box



**ASMACO FIXATIVE SPRAY** is a UV-Resistant acrylic clear coat. It provides a permanent, protective coating which protects, art, crafts, & valuable against harmful light rays. It is moisture resistant & smudge proof. It is suitable for photography, artwork, painted surfaces, wood, metal, paper mache, plastic/ceramic, dried silk, flowers, paper, wicker etc. It will improve artwork & protects photos made off with pencil, water paints, oil paints, pastel, chalk, charcoal, crayon & ink. • Long lasting protection, nonfading, none yellowing, weather resistant. CFC Free. • UV Resistant, Acid-free /archival safe

\* With Press &amp; Pull Cap



Protective Coating

Color	Clear
Packaging	100 ml x 6 pcs / box & 400 ml x 12 pcs / box



**ASMACO TUB & TILE CERAMIC SPRAY** is a one-step acrylic spray paint designed to provide excellent adhesion, durability and colour retention in high moisture areas. This smooth, glossy, waterproof finish is suitable for use on tiles, sinks and tubs. Ideal for restoration and coating of bath tubs, washbasins, kitchen sinks. Also usable on wood, metals, plastic, automotive applications etc. Quick drying & smooth finish formula is ideal for Interior and exterior application. Non-fading, non-yellowing, weather resistant and heat resistance up to 100°C & CFC Free.



Ceramic Paint

Color	White
Packaging	12 pcs / box



**ASMACO LINE MARKER SPRAY PAINT** is a high quality fast drying acrylic line marking paint. It will give clean & sharp lines & fit for all applications. Excellent line marking for grass, concrete, wood, tarmac & composites, even you can spray it anywhere and will get great colours, touch dry in minutes. Due to its high solid percentage giving it brighter & opaque finish.

**PERMANENT** : Intended for high-wear surfaces.

**SEMI PERMANENT** : Intended for medium-wear surfaces.

**TEMPORARY** : Natural grass. Eco-friendly to environment.



Line Marker Paint

Color	White / Black / Red / Orange / Yellow / Blue / Green
Packaging	750 ml x 12 pcs / box



**ASMACO SPRAY PAINT PRIMER** for use as filler & as an adhesion promoter between surface & final coat. Coat able with air-drying acrylic, synthetic & nitro-combi lacquers. For metal, wood, ceramics, stone, carton & others. ASMACO spray paint primer is lead free.



Lead Free

Color	White / Black / Red / Red Oxide / Grey
Packaging	400 ml x 12 pcs / box



**ASMACO ADHESIVE SPRAY** is a multipurpose aerosol adhesive. It is fast tacking & has a long tack range when applied to both surfaces. It is translucent adhesive for permanently attaching foils, carpeting, many lightweight foams, paper, plastics, cardboard, felt & cloth to painted or unpainted metals, wood, hardboard & other base materials.



Multi-Purpose Spray Adhesive

Type	* With Press & Pull Cap
Packaging	500 ml x 12 pcs / box



**ZINC RICH COLD GALVANIZING SPRAY**-Quick dry spray with special zinc dust, containing 99% pure zinc. Galvanic protection against thermal & chemical corrosion. Resists salty & other corrosive atmospheres. Gives semi glossy finish & resistance up to 550°C temperature without degrading & allowing it to be used on materials subject to be welded (except argon welding). Excellent finish with high coverage without running or excessive thickness. CFC free.



Cold Galvanizing Spray

Type	* With Press & Pull Cap
Packaging	400 ml x 12 pcs / box



**ASMCO WHITE LITHIUM GREASE SPRAY** is a premium quality, lithium based multipurpose aerosol lubricating paste designed to reduce friction between load bearing, moving metal surfaces & the combination of metal & plastic surfaces heavy-duty lubrication & protection against rust & corrosion are required. It provides long lasting lubrication for all metal-to-metal applications with wide service temperature range (-15 to +150 °C) & will not splatter, melt, run, wash off or freeze.



Lubricating Grease Spray

Type	Multipurpose
Packaging	400 ml x 12 pcs / box



**ASMCO LD+50** is a lubricating & penetrating oil suitable for marine, household, garage & maintenance purpose. It's water repellent formula protects metal surfaces & loosens rusty fittings. ASMCO LD+50 is a silicone free formula & hence paintable after cleaning.



Silicone Free Spray

Type	Penetrating Oil & Anti Rust
Packaging	235 ml x 24 pcs / box & 400 ml x 12 pcs / box



**ASMCO RS 20 - RUST REMOVER / PENETRATING OIL** silicone based, specially formulated solvents spray. Penetrates & stops squeaks. It lubricates springs, hinges, windows, doors, lock tapes, wheels & moving parts. Removes moisture from spark plugs, electrical contacts, switch gears, starter, motor engines, etc. Protects & cleans by dissolving grease, gums, dirt, adhesives & hard substances. Leaves protection on the surface thereby preventing corrosion.



Siliconized Spray

Type	Penetrating Oil & Anti Rust
Packaging	235 ml x 24 pcs / box & 400 ml x 12 pcs / box



**ASMCO RS-20 PRO** is a fast-acting Silicone Free Rust remover & lubricant which penetrates deep into cavities, threads & seams. It breaks the rust that holds stuck parts together. It has been specially formulated to offer quick & easy removal of seized & rusted components like nuts, bolts, threads, locks, chains etc. It cleans, lubricates, stops squeaks & leaves a protective coating against rust invasion. Frees sticky joints. It dissolves grease, tar, adhesive, salt deposit etc. ASMCO RS 20 Pro is suitable for marine, household, garage, industrial & maintenance applications.



Silicone Free Spray

Type	Penetrating Oil & Anti Rust
Packaging	480 ml x 24 pcs / box



**ASMCO ELECTRONIC CONTACT CLEANER** is specially design for the cleaning of sensitive electrical / electronic parts. It is suitable for the removal of light contaminations, dirt, dust carbon, light oils & fingerprints with leaving no residue. Safe for most rubbers, plastics, & coatings.



Electronic Parts Cleaner



Electric Parts Cleaner

Type	Cleaner
Packaging	400 ml x 12 pcs / box





**AURA FURNITURE POLISH** is wax free formulation especially designed for the cleaning & protection of wood furniture. Aura furniture polish gives wood a deep & rich luster that enhances natural wood grain. Recommended for all types of wood surfaces, including antique wood furniture, tables, chairs, office/ bedroom furniture cabinets, panels, & doors.



Furniture Protection

Type	Furniture Polish
Packaging	300 ml x 24 pcs / box



**ASMACO STAINLESS STEEL POLISH CLEANER** is a new product in the line of home care which cleans, shines, polishes, & protects steel surface, chrome, architectural aluminium & other metal surface. It is used for other hard washable surface such as laminated plastics enamel & ceramic.



Excellent Gloss Finish

Type	Polish
Packaging	450 ml x 12 pcs / box



**ASMACO AC CLEANER** Foaming Spray effectively eliminates odours at its source caused by bacteria & mildew in the system. Kills fungus & bacteria, removes bad smell causing contamination. It cleans & deodorize auto HVAC system including vents ducts evaporator core & drain pan & leave a clean fresh scent. Non-toxic, bio-degradable, non-corrosive proven safe formulation.



AC Cleaner

Color	Cleaner
Packaging	500 ml x 12 pcs / box



**ANTIBACTERIAL  
& ANTIFUNGAL**



## BRAKE CLEANER

## CLEANER



**ASMCO BRAKE CLEANER** is a universal cleaner for automotive industry which cleans, degreases & evaporates without leaving residues. It is used primarily for cleaning surfaces in vehicles & everyday life intended for subsequent processing (gluing, painting, coating, sealants, etc.) Brake Cleaner can be used on brakes (drum & disc brakes, brake pads, brake blocks, cylinders, springs & bushings), clutches (clutch linings & components) & on engine parts- extends their service life with regular use.



Auto Brake Cleaner



Type	Cleaner
Packaging	500 ml x 12 pcs / box

## CARBURETOR


## CLEANER



**ASMCO CARBURETOR CLEANER** is highly effective carburetor cleaner which quickly, carefully & effectively cleans throttle & air dampers, diffusers, jets & all other available internal surfaces of carburetors, as well as their external surfaces. It reduces fuel consumption (up to 5%) & exhaust gas toxicity. Applicable for cleaning motorcycle chains, timing chains, clutch parts, oil pumps, gears, crankshafts & other unpainted metal components & engine parts.



Carburetor Cleaner



Type	Cleaner
Packaging	400 ml x 12 pcs / box

## MONTAGE CLEANER

## ENGINE CLEANER



**ASMCO MONTAGE CLEANER** is highly effective cleaner for metal spare parts of a vehicle. It is applicable to brake shoes and discs, parts of the clutch and the transmission, tools etc. It removes dirt, oil, grease, brake fluid, other petrochemicals and burnt technical fluids. The cleaner is suitable for cleaning of bodyworks, oil filters, motorcycle chains, engines, tractors, lawn mowers and door hinges. Spray the cleaner on the dirty parts in their joints and let it drain. The product may damage some paints and plastics.



Engine Cleaner



Type	Cleaner
Packaging	500 ml x 12 pcs / box

## MOTOR STARTER


## CLEANER



**ASMCO MOTOR STARTER SPRAY** is a special aerosol product designed to facilitate the start of diesel (including with pump injectors and common rail system) and gasoline (injection and carburetor) both two-and four - stroke engines of passenger cars, trucks, construction and agricultural machinery, motorcycles, mopeds, ATVs, snowmobiles, chainsaws, gas tools, garden equipment, as well as marine and boat engines of all types, compressor engines, etc. generators. Provides fast and reliable start-up in winter, even in extreme cold, high humidity, wet spark plugs, irregular fuel supply and a dead battery.



Starter



Type	MOTOR STARTER
Packaging	400 ml x 12 pcs / box

## ANTIGRAVEL

## UNDER COAT



**ASMCO ANTI GRAVEL AEROSOL** is specially develop on the base of high polymer rubber and synthetic resin for the protection of automobiles and car body surface from gravel, rust, salt and stones. It can be used for threshold, spoilers, wheel arches, front and rear aprons, door bottoms and other parts. Compatible with all kinds of paints and lacquer. It reduces the noise which is created between the road and wheel.



Oversprayable



Type	Undercoat
Packaging	500 ml x 12 pcs / box

## DASHBOARD WAX SPRAY

## CLEANER



**ASMCO DASHBOARD WAX SPRAY** Ideal Spray Wax for Leather Material It uses an advanced formula. Use spray type wax to polish and protect tyres, dashboards, car seats and door panels. Also, It has the functions of antistatic, keep away from dirt, dust and deterioration. Assures glossy finish on rubber and plastic products.



Wax Spray



Type	Wax Spray
Packaging	450 ml x 12 pcs / box



**WELDFIX** is specially formulated solvent based adhesive used for cementing and joining pipes and pipe fittings made of Rigid PVC (U-PVC) or CPVC. It is medium viscosity penetrating adhesive ideal for waterproof bonding and prevents leakage at extreme pressures. It is safe for drinking water pipes after complete curing. ASMACO WELDFIX meets the requirements of International Standards such as BS and ASTM.



**Super-Fast bonding**



Type	Adhesive
Packaging	118 ml X 24 pcs / box, 237 ml X 24 pcs / box 473 ml X 12 pcs / box, 946 ml X 12 pcs / box



**ASMACO UPVC CEMENT 914** is specially formulated solvent-based adhesive used for cementing and joining pipes and pipe fittings made of Rigid PVC. It is medium viscosity penetrating adhesive ideal for waterproof bonding and prevents leakage at extreme pressures. Product meets the requirements of International Standards such as BS and ASTM.

The characteristics features are - easy to use, safe for Drinking water after full cure & Strong, durable bond



**Fast bonding**



Type	Adhesive
Packaging	118 ml X 24 pcs / box, 237 ml X 24 pcs / box 473 ml X 12 pcs / box, 946 ml X 12 pcs / box



**ASMACO FIX** is high quality specially designed solvent-based adhesive used for cementing & joining pipes & pipe fittings made of Rigid PVC (U-PVC). It is medium viscosity penetrating adhesive ideal for waterproof bonding & prevents leakage at extreme pressures. It is safe for drinking water after complete curing. ASMACOFIX meets the requirements of International Standard such as BS & ASTM. Suitable for use on PVC pipes & fittings up to 12 inches



**High Strength**



**Bonding for Pipes  
Up to 12"**



Type	Adhesive
Packaging	118 ml X 24 pcs / box, 237 ml X 24 pcs / box 473 ml X 12 pcs / box, 946 ml X 12 pcs / box



**WELD FIX P 918 PRIMER** is specially formulated, low VOC emission, non-bodied, fast acting, aggressive primer for use on all classes of PVC & CPVC pipe & fittings. Aggressive action of primer removes contaminants such as surface dirt, grease & grime as well as softens the pipe surface to allow for a fast, secure solvent weld of PVC & CPVC pipe & fittings. The benefit of this priming action is especially noticeable on parts being joined together in cold weather & visible verification that a primer has been used, which is ideal for areas where plumbing code require this proof. It is available in clear, blue & purple colours.



**Better Adhesion**

Type	Primer
Packaging	118 ml X 24 pcs / box, 237 ml X 24 pcs / box 473 ml X 12 pcs / box, 946 ml X 12 pcs / box



**WELD FIX ALL PURPOSE CLEANER** is specially formulated, low VOC emission, non-bodied, fast acting, aggressive cleaner for use on all classes of PVC & CPVC pipe & fittings. Aggressive cleaning action removes contaminants such as surface dirt, grease & grime as well as softens the pipe surface to allow for a fast, secure solvent weld of PVC & CPVC pipe & fittings. It is available in clear colour.



**Surface Cleaner**

Type	Cleaner
Packaging	118 ml X 24 pcs / box, 237 ml X 24 pcs / box 473 ml X 12 pcs / box, 946 ml X 12 pcs / box



**ASMACO UNIVERSAL LUBRICANT** is an industrial, water-soluble lubricant for use in assembling gasketed pipe. It is designed for use with natural or synthetic rubber and plastic gasket seals in the joining of plastic or metal pipe using a push-on joint. Application: It include potable water, drain, waste, vent and sewer systems. It can be applied to wet or dry surfaces. It is non toxic, dose not support bacterial growth and dose not convey taste or odor to fluids. Apply it evenly over the entire surface. Avoid excess application and don't leave dry spots.



**Pipe Lubricant**

Type	Lubricant
Packaging	950 ml Bucket



**ASMACO GOLD SUPER STRONG CONTACT ADHESIVE** is a multi-purpose single component air drying Polychloroprene rubber-based adhesive, formulated for bonding various types of substrates. It has excellent green strength and bonds rapidly due to its fast crystallization rate. This is a high solid, high viscosity contact adhesive and hence it is suitable for bonding porous substrates like foam, carpets, canvas, wood laminates, MDF laminates, etc. Can be used in automotive decoration and repairs, upholstery works, furniture, leather & foot wear industries.



Strong Bonding



High Strength



Type	RUBBER BASED ADHESIVE
Packaging	125 g X 144 pcs / box, 250 g X 24 pcs / box, 600 g X 12 pcs / box, 3 Ltr X 4 pcs / box, 15 kg can



The parts to be bonded must be dry, grease-free and free of dust and dirt. Apply **ASMACO FAST CONTACT ADHESIVE** to the parts to be bonded and allow to dry for 10 to 30 minutes (Finger test: the film of adhesive must feel dry). Place together, dry parts covered with the adhesive and tightly press, squeeze or hammer down to bond them together. The adhesive will immediately form a very strong bond, enabling further work on the bonded parts to be carried out immediately.

Statements and recommendations made herein are based on tests believed to be reliable. However, no guarantee of their accuracy or completeness is made. Unless otherwise provided in written contract, products are sold without warranties or conditions expressed or implied purchaser must make their own tests to determine the suitability of our products for their particular purpose.

Type	Adhesive
Packaging	250 ml, 600 ml, 3 Ltr, 13 & 15 kg



Strong Bonding



High Strength



**ASMACO HEATBOND** is a synthetic solvent based rubber-based adhesive having excellent heat resistance property up to 170°C temperature, quick grab suitable for vertical application. **INSTRUCTIONS FOR USE:** **ASMACO HEATBOND** is used to bond Laminate to Wood, PVC Laminate to Laminate. Surface to be bonded should be dry, clean and leveled. Apply the adhesive first on non-porous surface and then on porous surface, wait 4-6 minutes to bond surfaces and allow to cure 24 hours for full curing and strength. Store under dry condition. Keep the tin away from heat and direct sunlight and naked flame. Wear suitable protective clothing, Rubber gloves and eye protection while handling.



Type	Heatproof Adhesive
Packaging	650 ml, 13 & 15 kg



Strong Bonding



Up to 170°C





**ASMCO PIR PHENOLIC ADHESIVE**  
Easy pre insulated duct adhesive is a multi-purpose single component air drying rubber-based adhesive, suitably formulated for bonding various types of substrates. It has excellent green strength & bonds rapidly due to its fast crystallization rate. This is a high solid, high viscosity contact adhesive & hence it is suitable for bonding porous substrates like foam, carpets, canvas, wood laminates, MDF laminates, etc.



Phenolic Duct Glue

Type	DUCT GLUE
Packaging	750 ml Can, 13 & 15 kg Can



**ASMCO RAPID FIX** is a multi-substrate sprayable adhesive with a strong spray pattern & a variable spray width. Is prepared from synthetic rubber especially developed for Foam & Mattresses industries. The spray adhesive is suitable for permanent bonding of many different combinations of materials. It has fast track development property with high initial green strength. It has superior bonding properties on porous & nonporous substrates.



Ideal For Mattress &amp; Foam

Type	MATTRESS ADHESIVE
Packaging	13 & 15 kg Can



Type	ADHESIVE - PROFESSIONAL
Packaging	1 kg x 8 pcs / box & 20 kg Bucket

**ASMCO GRANITE MARBLE ADHESIVE:** Is a two-component unsaturated polyester resin based quick drying adhesive system specially formulated for fixing marble & natural stone. Also used for gluing repairing & filling up porous surfaces of the marble, travertine, natural stones, ceramic, brick & similar materials. Can be used both vertical & horizontal applications. Rapid cure time (3-5 min. at 25°C), low shrinkage during hardening, Excellent brightness after the use of grinding machines, superior resistance to wear of time, high reactivity & chemically inert & offers extended durability.



Strong Bonding



High Strength



**ASMCO PQ951K** is a moisture curing, strong polyurethane wood adhesive, which is designed as a best suitable adhesive for bonding pre-finished, lamparquet, pin-wheels anhydrite screeds & jointed planks on cementitious screeds, different old wooden floors, ceramic, marble etc. The product is suitable to be used on heated floors.



Quick Bonding



Floor Adhesive

Type	PU BASED ADHESIVE
Packaging	4 Ltr Bucket



**ASMCO PUR ADHESIVE / PROFILE GLUE** is a single part reactive polyurethane-based adhesive which reacts with moisture in the atmosphere to form a strong & durable joint resistant to water & temperature. The adhesive can be applied directly from the container & the curing reaction begins as soon as it encounters moisture. ASMCO PUR ADHESIVE is best suited for all types of wood works, window & door assembly, staircase, plywood, rigid plastic foam, concrete & ceramic.



Quick Bonding

Type	PU BASED ADHESIVE
Packaging	250 ml / 500 ml x 12 pcs / box






AUTOMOTIVE GRADE

HIGH TEMP 80°C



Crepe Paper coated with natural rubber adhesive. Easy tear, UV Resistant Tape. Highly conformable crepe paper to give clean release after application. Ideal use for masking, packing, marking, bundling, splicing & general applications.



Auto Car Painting



Type	Self Adhesive Tape
Packaging	Customized sizes available

CREPE PAPER MASKING TAPE

GENERAL PURPOSE



**CREPE PAPER MASKING TAPE** Crepe Paper coated with natural rubber adhesive. Easy tear, UV Resistant Tape. Highly conformable crepe paper to give clean release after application. Ideal use for masking, packing, marking, bundling, splicing & general applications.



General Purpose

Type	Self Adhesive Tape
Packaging	Customized sizes available

COLOR MASKING TAPE

HIGH TEMP 80°C



Crepe Paper coated with natural rubber adhesive. UV Resistant Tape. High Temperature resistance over long periods for critical Masking applications. Highly conformable crepe paper to give clean release after application. Ideal use for baking / stove masking applications & also auto painting, outdoor painting, masking, packing, marking, bundling, splicing & general applications.

Color	Blue / Green / Orange / Yellow / Brown
Packaging	Customized sizes available

## ALUMINIUM FOIL TAPE

## LONG LASTING



A 25 micron (1.0 mil) high tensile strength aluminium foil backing, combined with a high performance synthetic rubber-resin adhesive. Protected by an easy-release silicone release paper is used to seal & protect in a wide range of industries from window glazing manufacture to sealing plates in the flexo graphic printing process, vapor sealing for fibre glass duct board, sheet metal ducts & FSK systems. Features include moisture & chemical resistance, heat & light reflective, helps to protect plastic components, flame resistance, outdoor performance, resists UV & provides long lasting performance.



## HVAC Application

Type	Self Adhesive Tape
Packaging	Customized sizes available



## FSK ALUMINIUM FOIL TAPE

## FIBER SCRIM KRAFT



Fibre Reinforced Aluminium Foil with a specially formulated rubber-based adhesive interleaved with a release liner designed to meet high strength, tear resistant sealing tape applications. This FSK tape is mainly used to seal & patch FSK duct boards & blankets. It's excellent adhesive system will perform in temperatures ranging from -30°C to 121°C.



## Fibre Reinforced Tape

Type	Self Adhesive Tape
Packaging	Customized sizes available

## ALUMINIUM GLASS TAPE

## GLASS REINFORCED



10 X 10 Mesh Glass Cloth backing with high-performance flame-retardant solvent free acrylic adhesive protected by an easy-release silicone release paper. Mainly used for joining & sealing Alum glass laminated fiberglass blankets, duct boards joints & seams, joining & sealing industrial pipes insulations seams & connections. Alu Glass Tape is a High Temperature resistant & Flame Retardant Tape. It provides excellent reflection of both heat & light. The Low moisture vapor transmission rate makes ASMACO Tape an excellent vapor barrier.



## Temperature Resistant




## Flame Retardant Tape

Type	Self Adhesive Tape
Packaging	Customized sizes available

## ALUMINIUM PET TAPE

## PET FOIL BACKING



**ALU PET TAPE:** A laminated PET-Foil backing (Polyester: 12 Microns / Foil: 7 Microns), combined with a high-performance solvent acrylic adhesive. PET-Foil backing provides excellent reflection of both heat & light. High quality adhesive with strong adhesion & holding power offers permanent sealing, lamination in air conditioning ducting systems, roofing application like flashing, joints & insulations. Low moisture vapor transmission rate offers excellent sealing & patching performance.



## PE Laminated Aluminium Tape

Type	Self Adhesive Tape
Packaging	Customized sizes available

## DUCT TAPE

## INSULATION



PE-Cloth Tape coated with a pressure sensitive rubber adhesive coating combined to provide a quality product having excellent adhesion & strength. Ideal for sealing, thermal insulation & metal duct seams. It is a good choice for bundling, heavy carton packing, general maintenance, pipe wrapping, carpet fixing, air-conditioning ducts seam & joint sealing etc.



## Thermal Insulation

Type	Self Adhesive Tape
Packaging	Customized sizes available

## PVC PIPE WRAPPING TAPE

## UNDERGROUND PROTECTION



Features a stabilized, plasticized PVC film coated with non-corrosive, pressure-sensitive adhesive. It is moisture resistant anti-corrosive, & highly conformable. It has strong adhesions to metals & plastics. It is best suited for underground construction applications.



Underground Pipe Protection

Color	White / Black
Packaging	2" X 60 ft (60 pcs / box) 2" X 80 ft (60 pcs / box) 3" X 60 ft (48 pcs / box)

## ELECTRICAL INSULATION TAPE

## FIRE RETARDANT



PVC pressure sensitive, flame retardant electrical Insulation tape with a highly conformable backing used for insulating, splicing, & connecting, bare wires, for repair work & general industrial maintenance. Provides high dielectric strength & insulation resistance. Compliant to UL standard. Applications include electrical insulation & splicing, connecting bare wires, electrical repair work & general industrial maintenance.



Fire Retardant Tape



Protection & Insulation


Color	Black / White / Red / Green / Yellow / Blue / Yellowgreen
Packaging	19 mm x 10 yards - 500 pcs / box

## BOPP PACKING TAPES

## PACKAGING TAPE



Biaxially oriented polypropylene film coated with pressure sensitive water based acrylic adhesive. Printable & has excellent weather resistance. It is a good choice for bundling & strapping, heavy carton packing & standard packing applications.



Color	Tan / Clear
Packaging	Customized sizes available



## DRYWALL JOINING TAPE

## FIBER GLASS TAPE

## DOUBLE SIDE TAPE

## ADHESIVE TAPE



**DRYWALL JOINING TAPE** is a Self-Sticking 100% fiberglass tape for fast & easy drywall joints. It eliminates pre-plastering & provides strong reinforcement. Mesh will not trap air that causes blisters & bubbles.



**ASMACO DOUBLE SIDED ADHESIVE TAPES** use non-woven tissue as carrier, coated with Rubber Resin adhesive on both sides, & protected with white colour double-sided PE coated silicone release paper. Suitable for general bonding, bag sealing, photos sticking, envelop sealing, shopping bag making, fabric / leather laminating, paper & film flying splicing, fabric positioning during computer embroidering, carpet fixing, foam laminating & die-cutting etc.

Type	Self Adhesive Tape
Packaging	Customized sizes available

Color	White
Packaging	Customized sizes available





**ASMACO CRYSTAL CLEAR** is a 2K quick setting epoxy adhesive automatically dispenses two equal parts with one push. This adhesive is suitable for bonding glass, metal, ceramics, wood, tiles, fibre glass & some plastics. No mess, no spilling & no dried-out tube. Allows 4-5 minutes positioning time for parts.



High Bond Strength



Fast Drying



**EPOXY STEEL** is a two-part ambient curing Epoxy adhesive suitable for general applications & repair works of metal parts. Best alternative to welding. A quick curing adhesive with a short pot life of 4 minutes. ASMACO Epoxy Steel develops it's 70% of strength in one hour. The cured product can be machined using common machining operations. It is resistant to gasoline, antifreeze & almost all solvents.



Superior Strength



4 Minutes Epoxy

Color	Clear
Packaging	12 pcs X 12 Doz / box

Type	Quick curing adhesive
Packaging	2 X 28.5 g tube & 12 pcs X 18 Doz / box



**SILICONE GASKET MAKER** is one component, ready to use sealant designed for form-in-place gasketing where high temperature occurs. ASMACO RTV Silicone Gasket Maker cures to form an elastomeric and resilient silicone rubber gasket. The rubber-like seal formed after curing is highly resistant to weathering & UV exposure, is unaffected to high & low temperature & has excellent adhesion characteristics. Generally used for engine, gear box, motor flange, casing, water pump, oil pump, radiator, differential gear & other engine parts, boilers, water heaters as well as on wood, ceramics, glass, etc.



Engine Gasket



**ASMACO BOND** is a two-part adhesive, cyanoacrylate & an activator spray in aerosol can, that provides quick bonding. ASMACO Bond is best suited for fixing & repairing wooden parts, bonding MDF, wood, chip board, rubber, most of the plastics, leather, ceramic, metals, etc. It is excellent to use in the areas where quick curing of the glue is required. High bond strength, suitable to bond both horizontal & vertical areas, suitable for porous & uneven substrates.



High Bond Strength




Instant Bonding

Color	Black / Red / Blue / Clear / Grey
Packaging	12 pcs X 12 Doz / box

Type	Fast Adhesive
Packaging	200 ml x 24 pcs / box & 300 ml x 25 pcs / box 400 ml x 12 pcs / box & 500 ml x 12 pcs / box



**SUPER GLUE** is one part Cyanoacrylate adhesive suitable for general purpose applications & repair works of metal parts. This is a quick curing adhesive, strength development as fast as 5-30 seconds. It works faster & holds stronger on more surfaces than ordinary instant adhesives. The liquid formula works well on a variety of porous, non-porous surfaces & close-fitting repairs. It dries clear & sets without clamping. ASMACO Super Glue Liquid is resistant to moisture, most chemicals & freezing temperatures.



Type	General Purpose
Packaging	12 pcs x 24 card / box & 144 pcs / pack



High Bond Strength



Fast Drying



## ATTACK INSECT KILLER

## MULTIPURPOSE



**ATTACK®** Special solvent-based formulation, which utilizes powerful pyrethroids to effectively kill & control crawling & flying insects. A combination of professional strength, high power solvents help this spray penetrate insect exoskeletons & instantly begin the delivery of active killing ingredients directly to the insect nervous system. It is effective against wide range of crawling insects such as cockroaches, ants & flying insects.



Protection Against Flying & Crawling Insects

Type	Insect Killer
Packaging	400 ml x 48 pcs / box & 400 ml(Red) x 24 pcs / box 200 ml x 72 pcs / box

## BUTANE GAS

## CAMPING GAS

## LIGHTER GAS

## REFILL BUTANE



**ASMACO BUTANE PORTABLE GAS** can is cooking gas designed to use in portable gas stoves specially designed to be portable & lightweight, used in camping, picnicking, backpacking, or other use in remote locations where an easily transportable means of cooking or heating is needed. ASMACO Butane gas is ideal for portable stoves in diverse situations, such as for outdoor food service, catering & in-field hospitals.



This cartridge is certified by  
MIRTEC SA / EBETAM A E

Π0437

Type	Cooking gas
Packaging	227 g x 24 pcs / box & 227 g x 28 pcs / box



**ASMACO LIGHTER REFILL BUTANE GAS** having high quality & ultra-refined butane gas in aerosol can. Due to its lower pressure, it's very easy to refill any lighter with provided "Multi Nozzle". It is suitable for cigarette lighter, blow torch, professional butane torch lighter & so many other lighter.

Type	Refilling
Packaging	250 g x 72 pcs / box

## TETRON-R134A

## REFRIGERANT GAS



**TETRON-R134A** is a 99.9% pure inert gas used primarily as a "high-temperature" refrigerant for domestic refrigeration & automobile air conditioners. It also used as a propellant for aerosol & a blowing agent for extruded polystyrene foams. Tetron-R134a, is a haloalkane refrigerant with thermodynamic properties similar to R-12 but with less ozone depletion potential & has an excellent safety performance. It is a colourless gas under ordinary temperature & transparent liquid under pressure.



For Car AC, Refrigerator

Type	Non-Flammable
Packaging	1 kg x 15 pcs / box, 340 g x 30 pcs / box & 13.6 kg Cylinder

## AURA AIR FRESHENER

## AUTOMATIC REFILL



**AURA AIR FRESHENER REFILL** is an automatic air freshener refill that is specially designed to neutralize odours and to give a rich, fresh aroma to your surroundings. Aura is CFC free and environmental friendly. It is ideal for use in home, washrooms, lobbies, hospitals, office, hotels and other areas requiring a pleasant and refreshing environment.



200 Shots per Bottle

Fragrance	Lavender / Aqua / Oud Aroma / Citrus / Vanilla / Jasmine / Rose / Morning Bliss / Raspberry
Packaging	250 ml x 24 pcs / box

## AURA AIR FRESHENER

## REGULAR



**AURA AIR FRESHENER** is specially designed to neutralize odours and to give a rich, fresh aroma to your surroundings. Aura is CFC free and environmental friendly. It is ideal for use in home, washrooms, lobbies, hospitals, office, hotels and other areas requiring a pleasant and refreshing environment.



Fragrance	Lemon / Jasmine / Lavender / Rose / Oud / Sandalwood / Potpourri / Strawberry / Ocean Breeze / Fruit / Bakhoor
Packaging	300 ml x 48 pcs / box



Enchanting Fragrances

## AURA AIR FRESHENER

## PREMIUM



**AURA CLASSY AIR FRESHENER** is specially designed to neutralize odours & to give a rich, fresh aroma to your surroundings. Aura is CFC free & environmentally friendly. It is ideal for use in home, washrooms, lobbies, hospitals, office, hotels & other areas requiring a pleasant & refreshing environment.



Fragrance	English Lavender, Green Apple, Cool Air, Berry Berry, Jasmine Bloom, Rose Al Taifi
Packaging	300 ml x 48 pcs / box



Enchanting Fragrances



**PARADISE BODY SPRAY DEODORANT's** unique formula provides all-day natural freshness & protects from body odour. Paradise with skin moisturizer is soft on skin & underarms giving 24hr protection. The long-lasting fragrances stimulates a natural & harmonic state. Safe on skin. Get all day natural freshness & long-lasting protection with fragrances which are appealing to both men & women. Long lasting freshness, reliable deodorant protection that cares for your skin.



UNISEX




Packaging	150 ml x 24 pcs / box
-----------	-----------------------



**PARADISE BODY SPRAY DEODORANT's** unique formula provides all-day natural freshness & protects from body odour. Paradise with skin moisturizer is soft on skin & underarms giving 24hr protection. The long-lasting fragrances stimulates a natural & harmonic state. Safe on skin. Get all day natural freshness & long-lasting protection with fragrances which are appealing to both men & women. Long lasting freshness, reliable deodorant protection that cares for your skin.

Fragrance	Goal, Force, Passion, Legend, Temptation
Packaging	200 ml x 24 pcs / box







**PARADISE OLIVE OIL SHEEN SPRAY** gives your hair extra shine with deep nourishment with Olives. It is non-sticky & conditions your hair. Olive oil is most beneficial for dry and thick hair. It keeps hair moist, strong & tend to weigh down thinner hair. Additional vitamin E supports the scalp & gives your hair a strong base to grow. Suitable for all hair types : Straight, Curly, Wavy hair.



Extra Shine



Goodness Of Olive Oil

Type	Non-Sticky
Packaging	400 ml x 12 pcs / box & 200 ml x 12 pcs / box



**AUTOCARE**  
PRODUCTS



WORKING TOGETHER IS  
**SUCCESS**



## AWARDS



DQA - 2022




SKEA - 2020



DSIA - 2019



SHJSEEN - 2019



SHJSEEN - 2016



SHJSEEN - 2013



PIONEER - 2009





## SILICONE & ACRYLIC SEALANTS



## FIRE STOP SEALANTS



## POLYURETHANE SEALANTS



## WATER PROOFING COATINGS



## POLYSULPHIDE SEALANTS



## CONTACT ADHESIVE



## SPRAY PAINTS



## PENETRATING OIL



## LUBRICANT



## POLYURETHANE FOAM



## FUEL GAS



## MDF KIT



## REFRIGERANT GAS



## SUPER GLUE



## PVC CEMENT



## WATER STOP SEALANT



## GASKET MAKER



## EPOXY STEEL



## ADHESIVE TAPES



## SHEEN SPRAY



## AIR FRESHENER



## DEO



## AIR FRESHENER



## ADHESIVES



## INSECTICIDE





An ISO 9001:2015 Certified Company  
مصنع انكور الايد ذ.م.م.  
**ANCHOR ALLIED FACTORY L.L.C.**

P.O. Box: 21152, Sharjah, U.A.E.

🌐 [www.anchorallied.com](http://www.anchorallied.com) ✉ [info@anchorallied.com](mailto:info@anchorallied.com)

MFG. OF SILICONE , ACRYLIC & POLYURETHANE SEALANTS, WATER PROOFING COATINGS, SELF-ADHESIVE TAPES & SPRAY PAINTS

