Asmaco®

Engineered to Last




PRODUCT

CATALOGUE

STRONG ADHESION | LONG LASTING | PREMIUM QUALITY





ANCHOR ALLIED FACTORY L.L.C.

An ISO 9001:2015 Certified Company

www.anchorallied.com

+971 6 534 2091 | info@anchorallied.com | anchoralliedfactoryllc

ABOUT US

Anchor Allied Factory L.L.C., established in **1995** in Sharjah, U.A.E., Anchor Allied Factory L.L.C. has evolved from a small manufacturing unit into a leading name in the Middle East's industrial and construction chemical sector.

Our extensive product portfolio includes Silicone Sealants, PU Sealants, PU Foam, Spray Paints, Aerosol Products, and Adhesive Tapes, as well as Two-part Spray-Applied PU Foam for insulation, Waterproof Coatings, Epoxy resin-based products, Repair Mortars, Floor coatings, Self-levelling Epoxy Flooring, Epoxy Screeds, and a wide range of Allied industrial solutions.

Driven by innovation and supported by a dedicated in-house R&D team, Anchor Allied integrates advanced global technologies to ensure top-tier product quality. Its state-of-the-art manufacturing facility complies with international standards, making its products benchmarks in global markets.

With exports to over **85+** countries and a strong presence across the Middle East, Africa, Asia, CIS, Europe, South America and USA, the company also operates regional offices in Saudi Arabia, Egypt, Ukraine, Latin America, India, and the USA, ensuring efficient service and dedicated local support for its global customer base.

جائـــزة دبـــي للجـــودة
DUBAI QUALITY AWARD

الشارقة ش
shjseen
جائـــزة الشـــارقة للتميـــز
Sharjah Excellence Award

TÜVRheinland
CERTIFIED
Management System
ISO 9001:2015
www.tuv.com
ID 9105058229

ecolabel
ENVIRONMENTAL SUSTAINABILITY

PRODUCTS

Silicone Sealant | PU Sealant | Polysulphide Sealant | Hybrid Sealant | Acrylic & Duct Sealant
Polyurethane Foam | Spray Paint | Lubricating Spray
Penetrating Oils | Butane Gas | Lighter Gas | Contact Adhesive | Super Glue
Steel Epoxy | PVC Cement

Crepe Paper Masking Tape | Aluminium Foil Tape
P.E Protection Tape | PVC Pipe Wrapping Tape | Silver Cloth Duct Tape

Waterproofing Coating | Epoxy Flooring

Paint Removers | Stainless Steel | Furniture Polish | Auto Care Products
Automatic Dispenser - Sanitizer Spray | Automatic Dispenser - Air Freshener
Domestic Insect Killer | Room Air Freshener | Deodorant

SEALANTS

Silicone

Highly flexible and weather-resistant
Ideal for glass, metal, and ceramic surfaces
Used in bathrooms, kitchens, and windows.

Polyurethane

Strong adhesion and high abrasion resistance
Often used in construction and automotive applications.

Acrylic

Easy to apply and paintable
Best for indoor use and low-movement joints.

Hybrid

High Adhesion, Flexible & Elastic,Weather & UV Resistant, Paintable, Solvent-Free, Non-Bubbling Cure, Low VOC.







S2200

S2200 is a versatile single-component acetic cure silicone sealant designed to cure when exposed to moisture in the air at room temperature, forming a flexible elastomeric seal. Ideal for various construction and glazing applications, it boasts ease of application and superior adhesion to nonporous surfaces like glass, glazed ceramic tiles, and aluminum. Additionally, it demonstrates resilience against temperature fluctuations, making it a reliable choice for diverse sealing needs.

UV Resistant | ecolabel ENVIRONMENTAL SUSTAINABILITY | LOW VOC | PRODUCT CONFORMITY DCL APPROVED

Color : White / Clear / Black
Packaging : 240 g x 24 pcs / box



ASMACO 2200

ASMACO 2200 is a single-component acetic cure silicone sealant crafted to cure in response to ambient air moisture, creating a flexible elastomeric seal. It is engineered for a wide array of construction and glazing tasks, boasting effortless application and superior adhesion to nonporous surfaces like glass, glazed ceramic tiles, and aluminum. Its robust composition ensures resilience to temperature fluctuations, making it a dependable choice for diverse sealing needs.

UV Resistant | ecolabel ENVIRONMENTAL SUSTAINABILITY | LOW VOC | PRODUCT CONFORMITY DCL APPROVED

Color : White / Clear / Black / Grey / Beige / Cream / Brown
Packaging : 280 g x 24 pcs / box



G2100

G2100 is a versatile single-component acetic cure silicone sealant that cures when exposed to moisture in the air at room temperature, forming a flexible elastomeric seal. It is ideal for a wide range of construction and glazing applications, offering excellent adhesion to nonporous substrates like glass, glazed ceramic tiles, and aluminum. With its ease of application and suitability for all temperatures, G2100 is a reliable choice for various projects.

UV Resistant | Antifungal | ecolabel ENVIRONMENTAL SUSTAINABILITY | LOW VOC

Color : White / Clear / Black
Packaging : 280 g x 24 pcs / box



ASMACO 2500

ASMACO 2500 is a high-performance, single-component acetic cure silicone sealant designed for construction and glazing applications. Upon exposure to moisture, it forms a flexible elastomeric seal, offering excellent adhesion to nonporous substrates such as glass, ceramic tiles, and aluminum, it ensures long-lasting durability in various environmental conditions.

PRODUCT CONFORMITY DCL APPROVED

UV Resistant | MEETS ASTM C 920 S | ecolabel ENVIRONMENTAL SUSTAINABILITY | LOW VOC

Color : White / Clear / Black
Packaging : 280 g x 24 pcs / box



ASMACO 2540
ANTIFUNGAL

LOW VOC

ASMACO 2540 represents the pinnacle of silicone sealant technology. This single-component, acetic-cure silicone sealant transforms upon exposure to moisture in the air, forming a highly flexible elastomeric seal. This remarkable product finds its place in a wide range of construction and glazing applications, making it a top choice for professionals and DIY enthusiasts alike. You can trust it to withstand the elements, as it is resistant to ozone, ultraviolet radiation, and temperature fluctuations.

Antifungal | Permanently Flexible | ecolabel ENVIRONMENTAL SUSTAINABILITY | PRODUCT CONFORMITY DCL APPROVED

Color : White / Clear / Black / Grey / Beige / Brown / Cream / Chocolate Brown
Packaging : 280 ml x 24 pcs / box, 85 g x 12 pcs x 12 doz / box



ASMACO GP
ANTIFUNGAL

ASMACO GP is a versatile one-part acetoxy silicone sealant suitable for a wide range of applications. Its ready-to-use nature eliminates the need for mixing, and the acetoxy curing mechanism ensures a quick and strong seal. This silicone sealant is known for its flexibility, durability, and resistance to environmental factors, making it ideal for sealing joints and gaps in construction and household settings.

PRODUCT CONFORMITY DCL APPROVED

Premium Grade | For Cladding & Composite Panels | ecolabel ENVIRONMENTAL SUSTAINABILITY | LOW VOC

Color :White / Clear / Black / Grey / Beige / Brown / Cream / Chocolate Brown
Packaging : 280 ml x 24 pcs / box



ASMACO GP FAST

ASMACO GP FAST Sealant is a premium single-component sealant, utilizing high-grade acetic cure silicone technology. Upon exposure to ambient moisture at room temperature, it forms a flexible elastomeric seal suitable for a wide array of construction and glazing applications. With its user-friendly application and superior adhesion to nonporous surfaces such as glass, glazed ceramic tiles, and aluminum, ASMACO GP FAST ensures reliable performance.

ecolabel ENVIRONMENTAL SUSTAINABILITY

LOW VOC

PRODUCT CONFORMITY

DCL APPROVED

Auto Glass Fixing

Double Glazing

For Cladding & Composite Panels

Color : White / Clear / Black
Packaging : 280 ml x 24 pcs / box



ASMACO GLASS

GLASS SEALANT

ASMACO GLASS is a high-quality, single-component acetic cure silicone sealant designed for construction and glazing applications. It cures with moisture at room temperature to form a flexible, durable seal. The sealant bonds well to nonporous surfaces like glass, glazed ceramic, and aluminum, and offers resistance to ozone, UV rays, and extreme temperatures. It's ideal for use in aquariums and cladding, providing easy application and strong adhesion.

ecolabel ENVIRONMENTAL SUSTAINABILITY

LOW VOC

Glass Fixing

Glazing

Fish Tank Assembling

PRODUCT CONFORMITY

DCL APPROVED

Color : White / Clear / Black
Packaging : 280 ml x 24 pcs / box



ASMACO 2781

GLAZING / WEATHER SEALANT

ASMACO 2781 is a high-performance, single-component silicone sealant that cures with moisture at room temperature, forming a flexible and durable seal. It bonds well to nonporous surfaces like glass, ceramic tiles, and aluminum, making it ideal for construction and glazing. Resistant to UV rays, ozone, and extreme temperatures, it is also suitable for sanitary and cladding applications, offering easy application and long-lasting adhesion.

MEETS ASTM C 920

ISO 11600 Standard

ecolabel ENVIRONMENTAL SUSTAINABILITY

Color : White / Clear / Black
Packaging : 280 ml x 24 pcs / box



ASMACO 2680 FG

FOOD GRADE

ASMACO 2680 FG is a single-component, neutral-cure silicone sealant designed for applications requiring contact with food and potable water. It is ideal for both indoor and outdoor use, offering high bonding strength and medium flexibility. The sealant adheres to a wide range of porous and non-porous substrates, including glass, metals, coated and painted metals, plastics, wood, and concrete. It is waterproof and resistant to ozone, UV, temperature extremes, mold, and mildew, making it suitable for environments with high humidity and moisture. This product ensures durable and long-lasting performance in challenging conditions.


Food Grade Application

ecolabel ENVIRONMENTAL SUSTAINABILITY

PRODUCT CONFORMITY

DCL APPROVED

Color : White / Clear / Black
Packaging : 280 ml x 24 pcs / box



ASMACO MIRROR

NEUTRAL-CURE

ASMACO MIRROR silicone sealant is a high-performance, neutral-cure adhesive specifically designed for bonding mirrors to various surfaces. It ensures that mirrors are securely fixed without damaging the reflective backing of the mirror.

- Bonding mirrors to surfaces such as concrete, plaster, tiles, wood, or metal in residential and commercial environments.
- Sealing joints between mirrors and other construction elements like walls, tiles, and frames for a seamless, aesthetic finish.
- Installing mirrors in bathrooms, gyms, elevators, salons, or commercial buildings, ensuring secure attachment even in moisture-prone areas.

Premium Grade

100 % Silicone

ecolabel ENVIRONMENTAL SUSTAINABILITY

Color : Clear
Packaging : 280 ml x 24 pcs / box



ASMACO 2650

NEUTRAL-CURE

ASMACO 2650 is a versatile, single-component silicone sealant with a neutral curing process, ideal for a range of applications. Its user-friendly design ensures a quick, reliable seal, while its flexibility and durability provide strong resistance to environmental factors. This makes it an excellent choice for sealing joints and gaps in both construction and household projects.

PRODUCT CONFORMITY

DCL APPROVED

Neutral Cure

Weather Resistant

ecolabel ENVIRONMENTAL SUSTAINABILITY

LOW VOC

Color : White / Clear / Black
Packaging : 280 ml x 24 pcs / box



ASMACO 2670
ALL WEATHER SEALANT

ASMACO 2670 is designed for use as a weather seal sealant in applications. A single component neutral curing low modulus silicone sealant with good mechanical resistance and adhesion to most porous and non-porous substrates. It has excellent weathering characteristics and will not stain most common substrates. It has a high degree of joint movement accommodation, anticipated such as in structurally glazed curtain wall or aluminum cladding. It can also be used as a premium grade sealant in general applications such as expansion joints and external perimeter joints in concrete, block work & brick works.



MEETS ASTM C 920 S, Type S, Grade NS Class 50, ISO 11600 LM 25

LOW VOC

DCL APPROVED

Color : White / Clear / Black / Grey
Packaging : 280 ml x 24 pcs / box & 600 ml x 20 pcs / box



ASMACO 2677
NEUTRAL-CURE

ASMACO 2677 is a single-component, neutral-cure silicone sealant designed for both indoor and outdoor applications. It provides high bonding strength and durable adhesion to a wide range of porous and non-porous substrates, including glass, metals, coated and painted metals, plastic, wood, and concrete. it is ideal as a secondary sealant for dual-sealed insulating glass units, ensuring a strong bond and weather-resistant performance.

Glass Insulation

Weather Resistant

Color : Black
Packaging : 280 g x 24 pcs / box



ASMACO 2800
CONSTRUCTION JOINT SEALANT

ASMACO 2800 is a single-component, low-odor, neutral-cure silicone sealant that works well for both indoor and outdoor applications. It is known for its high bonding strength and low modulus, offering long-lasting adhesion across various porous and non-porous materials such as masonry, brick, aluminium, U-PVC, polycarbonates, polyacrylate, wood, glass, and glazed surfaces.
Asmaco 2800 provides excellent resistance to environmental factors such as ozone, UV rays, additionally, it is designed to inhibit mold and mildew growth, making it ideal for areas with high humidity and temperature fluctuations.

UV Resistant

Color : White / Grey / Black
Packaging : 280 ml x 24 pcs / box

ASMACO 2860
STRUCTURAL SEALANT

ASMACO 2860 is a single-component, low-odor neutral-cure silicone sealant specifically designed for structural glazing and cladding applications. This high-bonding sealant provides durable adhesion to a wide range of construction materials, including both porous and non-porous surfaces such as glass, metals, and most plastics. The product is non-corrosive and exhibits excellent resistance to ozone, UV exposure, and temperature extremes, ensuring long-lasting performance in various environmental conditions.



Structural Glazing

DCL APPROVED

Color : Black
Packaging : 600 ml X 20 pcs / box



ASMACO 2880
STRUCTURAL GLAZING

ASMACO 2880 is a single-component, low-odor, neutral-cure silicone sealant designed for structural glazing and cladding applications. This high-bonding sealant provides durable adhesion to a wide range of construction materials, both porous and non-porous, including glass, metals, and most plastics. The product is non-corrosive and highly resistant to ozone, UV rays, and temperature extremes, ensuring lasting performance in diverse environmental conditions.



MEETS ASTM C 1184-18E1, Type S

DCL APPROVED

Color : Black
Packaging : 280 ml x 24 pcs / box & 600 ml x 20 pcs / box

ASMACO 2890 SL
SELF LEVELING, NEUTRAL CURE



ASMACO 2890 SL is a single-component, low-odour, neutral-cure, self-levelling liquid silicone sealant designed for sealing concrete and concrete-to-asphalt pavement joints. It provides strong adhesion to both porous and non-porous materials and offers long-lasting performance in extreme conditions. The product is non-corrosive and resistant to ozone, UV, and a wide range of temperatures. Upon exposure to atmospheric moisture, Asmaco 2890-SL cures to form an ultra-low modulus, flexible silicone rubber that can withstand extreme temperatures (-30°C to 185°C). The sealant's ultra-low modulus formulation is essential for minimizing strain on asphaltic substrates, which typically have low tensile strength.

Neutral Cure

UV Resistant

Color : Grey
Packaging : 200 Litre Drum

ASMACO HI-TEMP RTV SILICONE

HIGH TEMPERATURE UP TO 300°C



ASMACO HI-TEMP RTV Silicone is a high-performance, single-component, non-sagging, 100% RTV (Room Temperature Vulcanizing) silicone sealant. It cures at room temperature when exposed to moisture in the air, forming a durable, rubbery solid. Engineered for high-temperature environments, it withstands continuous temperatures up to 300°C, making it well-suited for a range of demanding sealing and bonding applications. This versatile silicone adheres to many surfaces, ensuring strong bonds and seals in areas where heat resistance, flexibility, and durability are critical. Its non-corrosive, high-temperature formula makes it ideal for automotive, industrial, and general-purpose applications requiring reliable performance under extreme conditions.

Hi Temp UP TO 300°C

ecolabel ENVIRONMENTAL SUSTAINABILITY

PRODUCT CONFORMITY DCL APPROVED

Color : Grey / Red
Packaging : 280 ml x 24 pcs

ASMACRYL 55

Complies with EN 1363-1:2020 & EN 1366-4:2021



ASMACRYL-55 is a single-component gun-grade sealant, formulated with fire-resistant acrylic emulsions. Designed to be partially . flexible, it serves the specific purpose of fire sealing applications. This sealant is meticulously crafted with special additives and chemicals, ensuring fire resistance, ease of application, and effective joint sealing between construction parts under moderate stress. ASMACRYL-55 expands efficiently, providing a reliable seal against fire, smoke, and gas. Its properties above +120°C make it an ideal choice for achieving up to 2 hours of fire-resistant sealing in filled joints.

Fire Rating Up to 120 min

LOW VOC

CIVIL DEFENCE APPROVED

ESL

PRODUCT CONFORMITY DCL APPROVED

Color : White / Grey
Packaging : 280 ml x 24 pcs

ASMACO FIRESTOP SEALANT

Complies with UL 723, EN 1363-1:2020 & EN 1366-4:2021



ASMACO FIRESTOP SILICONE SEALANT is a reliable, fire-rated, low modulus sealant with neutral curing and strong adhesion to various construction materials, including stone, steel, masonry, and wood, without priming. Ideal for weather-sealing facades, fire-rated expansion joints, and secure sealing of pipes and cables in fire-rated walls, it provides durable fire protection in critical applications.

Fire Stop Up to 240 min

LOW VOC

CIVIL DEFENCE APPROVED

ESL

PRODUCT CONFORMITY DCL APPROVED

Color : White
Packaging : 280 ml x 12 pcs / box & 600 ml x 20 pcs / box

ASMACO INTUMESCENT ACRYLIC SEALANT

Complies with UL 723, EN 1363-1:2020 & EN 1366-4:2021



ASMACO INTUMESCENT ACRYLIC SEALANT is a one-part, fire-rated intumescent acrylic sealant designed for the internal perimeter pointing of fire-rated door and window frames. The sealant is fire-resistant, easy to apply, and effectively seals joints between construction parts subjected to moderate stress. The intumescent property allows it to expand when exposed to fire, making it an efficient fire-stop sealant.

Fire Retardant Acrylic Up to 240 min

LOW VOC

CIVIL DEFENCE APPROVED

ESL

PRODUCT CONFORMITY DCL APPROVED

Color : Red
Packaging : 280 ml x 12 pcs / box & 600 ml x 20 pcs / box

ASMACRYL 47



ASMACRYL 47 stands as a versatile acrylic sealant designed for indoor applications. It undergoes curing upon exposure to the atmosphere, creating a flexible seal without requiring a primer on surfaces like concrete, stone, marble, and aluminium. This adaptable sealant excels on porous surfaces such as brick, concrete, and wood, making it well-suited for tasks like gap filling in concrete & concrete blocks. With its efficacy in filling cracks and joints, ASMACRYL 47 offers a reliable solution. The flexibility of the cured sealant allows it to accommodate surface movement, ensuring a durable and long-lasting sealing outcome across various applications.

20% Joint Movement Capacity

ecolabel ENVIRONMENTAL SUSTAINABILITY

LOW VOC

PRODUCT CONFORMITY DCL APPROVED

Color : White / Black / Grey
Packaging : 280 ml x 24 pcs / box , 5 kg & 20 kg Bucket

ASMACRYL 52

DUCT SEALANT



ASMACRYL-52 is a single-component gun-grade sealant formulated with acrylic emulsions and special ingredients to enable easy application and efficient sealing of joints between construction components under moderate stress levels. It is designed for immediate use and adopt at sealing both internal and external joints in porous substrates like concrete, asbestos, cement, brickwork, and wood. Additionally, it exhibits compatibility with galvanized sheet steel (both PVC coated and bare), stainless steel, or aluminum sheets. ASMACRYL-52 is particularly well-suited for effectively sealing low movement joints.

Antibacterial

ecolabel ENVIRONMENTAL SUSTAINABILITY

LOW VOC

PRODUCT CONFORMITY DCL APPROVED

Color : White / Grey
Packaging : 280 ml x 24 pcs



ASMACO INSTANT GRAB ADHESIVE

ASMACO INSTANT GRAB is a high-strength, waterproof adhesive and sealant that offers quick and reliable bonding, sealing, and repair capabilities. Its instant grab feature secures objects in place without additional support, with a curing time of 24-48 hours and full strength achieved in 7 days. The unique I-Tech Sealant formulation allows for excellent performance, even underwater, making it ideal for sealing water leaks without the need to drain the area. This product is perfect for a wide range of applications.

Hybrid Technology | ecolabel ENVIRONMENTAL SUSTAINABILITY | LOW VOC | PRODUCT CONFORMITY DCL APPROVED

Color : White / Grey / Black
Packaging : 280 ml x 12 pcs / box



ASMACO ALL IN ONE

HIGH TECH SEALANT

ASMACO ALL-IN-1 High-Tech Sealant is a versatile, elastomeric product that functions as both a powerful adhesive and waterproof sealant, ideal for construction, automotive, and home repair applications. This high-strength sealant is easy to apply and adheres well to various surfaces, curing within 24 to 48 hours and reaching full bonding strength in 7 days. Designed for durability, it forms a resilient, flexible barrier that resists moisture, temperature changes, and environmental stress, ensuring lasting performance across a wide range of uses.

Hi Tech Sealant | ecolabel ENVIRONMENTAL SUSTAINABILITY | LOW VOC | PRODUCT CONFORMITY DCL APPROVED

Color : White / Grey / Black
Packaging : 280 ml x 24 pcs / box



ASMACO N3 KIT

NO NEED NAILS

ASMACO N3 KIT – No Need Nails is a versatile, solvent-based high-strength adhesive designed for bonding a wide range of materials in both interior and exterior applications. This adhesive provides strong, reliable adhesion to almost any substrate, making it an ideal choice for demanding construction and renovation projects.

All Purpose Quality Adhesive | LOW VOC

Color : Beige
Packaging : 280 ml x 12 pcs / box



ASMACO ANCHORSEAL AUTOMATE

ADHESIVE SEALANT

ANCHORSEAL AUTOMATE adhesive is a single-component, high-modulus sealant that utilizes advanced silane-terminated polymer technology. Upon exposure to moisture, it cures to form a strong, flexible rubber with excellent initial tack, impressive green strength, and a rapid drive-away time, making it ideal for applications requiring durability and efficiency.

Wind Screen | For BUS & Body

Color : White / Grey / Black
Packaging : 280 ml x 12 pcs / box



ASMACO CRYSTAL CLEAR CLASSIC FIX

ASMACO CRYSTAL CLEAR CLASSIC FIX is a high-quality, one-component MS hybrid sealant and adhesive made with advanced MS Polymer Technology. This transparent, multipurpose adhesive offers strong initial grab and is ideal for bonding and sealing a wide range of construction materials. It performs reliably in hot and tropical climates, making it suitable for various indoor and outdoor applications.

LOW VOC

100% Clear | High Strength | ecolabel ENVIRONMENTAL SUSTAINABILITY | PRODUCT CONFORMITY DCL APPROVED

Color : Clear
Packaging : 280 ml x 12 pcs / box



ASMACO ANCHORSEAL CRYSTAL CLEAR

ASMACO ANCHORSEAL CRYSTAL CLEAR. This is a one-component multipurpose adhesive based on high-tech polymer technology, specially designed for bonding and sealing applications across various fields. It creates a flexible and colorless joint, making it suitable for a wide range of assembly and finishing tasks in both construction and DIY applications.

Strong Bonding | High Strength

Color : Clear
Packaging : 280 ml x 12 pcs / box



ASMACO PU 72

WIND SCREEN & GLASS FIXING ADHESIVE

ASMACO PU 72 is a top-tier, non-sagging, single-component polyurethane adhesive designed for high-performance applications. It boasts excellent flexibility and cures when exposed to atmospheric moisture, resulting in a tough and durable bond suitable for various materials. This adhesive is non-conductive, making it particularly suitable for bonding glass that incorporates radio antennas or additional electrical equipment. Its reliable adhesion ensures compatibility with sensitive electronic components, making it ideal for automotive, marine, and construction uses where strength and durability are essential.



PU Sealant Wind Screen

Color : Black
Packaging : Alu.Cartridge 12pcs / box, Sausage 20 pcs/box



ASMACO PU 81

HEAVY DUTY APPLICATION BUSSES & TRUCKS

ASMACO PU 81 sealant is a high-performance polyurethane-based sealant designed for heavy-duty industrial applications, particularly in transportation sectors such as buses, trucks, and rail systems. Its formulation ensures strong adhesion to metals, fiberglass, and certain plastics, delivering a flexible and durable seal that withstands extreme weather, UV exposure, vibrations, and dynamic loads. Fast-curing and paintable once set, ASMACO PU 81 maintains elasticity, allowing for joint movement without cracking, making it ideal for sealing body panels, joints, and structural components in high-stress environments where reliability and long-lasting performance are essential.

PU Sealant

For BUS & Body, Truck, Rail

Color : White / Grey
Packaging : Alu.Cartridge 12pcs / box, Sausage 20 pcs/box



ASMACO PU 85

AUTOMOTIVE

ASMACO PU 85 is a next-generation, high-performance polyurethane-based sealant developed for structural bonding and sealing applications across automotive, transportation, construction, and marine sectors.
Engineered with superior adhesion, durability, and flexibility, ASMACO PU 85 ensures long-lasting performance under extreme conditions, including heavy vibration, weather fluctuations, UV exposure, and dynamic mechanical stress.

ecolabel
ENVIRONMENTAL SUSTAINABILITY



Color : White / Grey / Black
Packaging : 280 ml x 24 pcs / box , 600 ml x 20 pcs / box



ASMACO ANCHORSEAL WATER STOP

ANCHORSEAL WATER STOP is easy to use, rubberized protective coating designed to seal leaks & cracks. Provides a watertight, flexible seal prevents moisture penetration & corrosion. Excellent for chimneys, roof leak, boat, metal, concrete masonry, fiberglass, skylights, gutters, kitchen sink & much more.




Color : Black / White / Grey / Terracotta
Packaging : 400 ml x 12 pcs / box & 100 ml x 24 pcs / box

ASMACO PU 90

CAULKING , CONSTRUCTION JOINT, EXPANSION JOINT

ASMACO PU 90 is a high-performance, single-component polyurethane sealant that cures upon exposure to atmospheric humidity. Engineered for flexible and durable sealing, it is suitable for both indoor and outdoor applications, providing dependable joint sealing and weatherproofing against harsh environmental factors. Additionally, ASMACO PU 90 forms an acoustically efficient barrier, reducing sound transmission through sealed joints, making it ideal for use in noise-sensitive environments.



Construction Joint Sealant

DCL APPROVED

Color : Grey / Beige / White / Black / Cream
Packaging : 600 ml x 20 pcs / box

ASMACO PU 90 SP

CONSTRUCTION JOINT, EXPANSION JOINTS

ASMACO PU 90 SP stands as a top-tier, high-performance sealant, boasting advanced polyurethane technology. This premium-grade, moisture- cured, 1-component formulation is characterized by exceptional elasticity and durability. With its non-sag property, it allows easy application on vertical surfaces while maintaining robust sealing capabilities. Versatile across a range of applications, this elastomeric sealant sets a superior standard for reliable and enduring sealing solutions. Notably, it cures upon exposure to atmospheric humidity, enhancing its convenience and effectiveness in various environmental conditions.



Construction Joint Sealant

DCL APPROVED

Color : Grey / Beige / White / Black / Cream
Packaging : 600 ml x 20 pcs / box

ASMACO ANCHORSEAL 963 PG & GG

POLYSULPHIDE SEALANT

ANCHORSEAL 963 PG & GG are two-part Polysulphide Sealant which cures once the two components are mixed to give a flexible rubber seal. It has good adhesion to concrete and many other common building substrates.



DCL APPROVED

Pouring Grade

Gun Grade

Color : Black
Packaging : 4 litres set x 4 pcs / box & 2.5 litres set x 6 pcs / box



ASMACO ANCHOR PRIME P1

PRIMING SYSTEM

ANCHOR PRIME P1 is a low viscosity one component solvent based priming system for concrete joints prior to the installation of ANCHORSEAL 963 joint sealants.

- ANCHOR PRIME P1 is used to prime prepared concrete joint edges prior to the installation of ANCHORSEAL 963 PG/GG Pouring Grade / Gun Grade polysulphide joint sealants.
- If the joints are to be immersed or subject to long term moisture, then consult technical department of ANCHOR ALLIED FACTORY for special priming recommendations.
- Fast drying - enables sealant work to progress • Single component - no mixing required.

Fast Drying

Color : Clear
Packaging : 500 ml Tin

POLYURETHANE FOAM

Flexible PU FOAM

Commonly used in furniture, mattresses, automotive seating, and packaging. Provides excellent comfort, resilience, and support.

Rigid PU FOAM

Used for thermal insulation in appliances, buildings, and cold chain logistics.
Offers high thermal resistance (low thermal conductivity).

Sprayable PU FOAM

Applied as an expanding spray for sealing and insulating walls, roofs, and gaps. Acts as both insulation and air barrier.






TROOPER UNIVERSAL MULTI FOAM

PROFESSIONAL

One component moisture curing PU foam for insulating, mounting, filling and fixing. Excellent adhesion to concrete, brickwork, plaster, stone, wood and several synthetic material, such as polystyrene, PU foam, polyester and PVC. Resistant to heat, water and several chemicals. Not UV resistant. CFC and HCFC free.



INVERT CAN FOR APPLICATION

CFC FREE

High Expansion Foam


Type : Hand Grade / Gun Grade
Packaging : 750 ml x 12 pcs / box



G2100 UNIVERSAL PU FOAM

SINGLE COMPONENT

G2100 UNIVERSAL MULTIFOAM is a single component, Economy grade, moisture-curing & self-expanding aerosol Polyurethane Foam for sealing of insulation sheets, filling of joints & cavities in walls & ceilings. Closed cell structure, resistant to water absorption. Excellent thermal insulation characteristics & very good acoustic characteristics. Suitable for sealing high volume low movement gaps.



INVERT CAN FOR APPLICATION

CFC FREE

DCL APPROVED


Type : Hand Grade
Packaging : 750 ml x 12 pcs / box



ASMACO MULTIPURPOSE UNIVERSAL PU FOAM

TRIPLE EXPANDING

ASMACO MULTIPURPOSE UNIVERSAL PU FOAM : One component & ready to use moisture curing polyurethane foam mainly used for sealing of insulation sheets, filling of joints & cavities in walls & ceilings. Closed cell structure, resistant to water absorption. Excellent thermal insulation characteristics & very good acoustic characteristics. Suitable for sealing high volume low movement gaps.



INVERT CAN FOR APPLICATION



Triple Expanding Foam

CFC FREE

DCL APPROVED

Type : Hand Grade / Gun Grade
Packaging : 330 ml / 500 ml / 750 ml x 12 pcs / box



ASMACO GOLD UNIVERSAL MULTIFOAM

ASMACO GOLD UNIVERSAL MULTI FOAM is a single-component, moisture-curing, self-expanding aerosol polyurethane foam. It is designed for easy dispensing through the included straw gun. The foam is environmentally friendly, as it does not contain harmful gases like CFC and HCFC that damage the ozone layer.
Filling of Penetrations in Walls : •Suitable for sealing around pipes, cables, and other wall penetrations. Insulating Electrical Outlets and Water Pipes:•Prevents heat and sound transfer through openings. Multi-Purpose Adhesion and Fixation.



CFC FREE

High Yield Foam

DCL APPROVED

Type : Hand Grade / Gun Grade
Packaging : 750 ml x 12 pcs / box



ASMACO PU ADHESIVE FOAM T-60 SECONDS FAST SETTING

ASMACO PU ADHESIVE FOAM 60 Seconds is a multi-purpose adhesive foam, which adheres firmly to most materials. Initial Adhesion starts after 60 seconds. Note that the drying effect of adhesive foam is related to the air humidity and temperature. In dry conditions, drying is slower and it can be enhanced by light water spray in surfaces. It is a professional, single component, moisture curing, and self-expanding aerosol polyurethane adhesive for bonding polystyrene panels with internal and external insulation, for sealing joints in insulation and adhesive and insulated wall panels. For fixing of light weight accessories like key hanger, decoration pieces, for fixing of photo frames and wherever fast curing needed.

Multi-Purpose Adhesive Foam


Type : Gun Grade
Packaging : 750 ml x 12 pcs / box



ASMACO PU ADHESIVE FOAM

ETICS / EIFS ADHESIVE

ASMACO PU ADHESIVE FOAM - Bonding of thermal insulation panels on facades (ETICS systems - lightweight method) Bonding EPS boards in thermal insulation systems, bonding mineral wool in thermal insulation systems. Compatible with all ETICS (External Contact insulated Systems). Significantly reduce the risk of valve obstruction and increased gas tension, as the product of a long service life and usability is intended to provide both. Due to it's strong and lasting adhesion to polystyrene, it is widely used in construction materials.



INVERT CAN FOR APPLICATION

Low Yield Adhesive Foam

Type : Gun Grade
Packaging : 750 ml x 12 pcs / box

ASMACO GOLD UNIVERSAL MULTIFOAM FIRE RETARDANT B1

COMPLIES UL 723, EN 1363-1:2020 , EN 1366-4:2021

ASMACO GOLD UNIVERSAL MULTIFOAM FIRE RETARDANT B1 is a high-performance, single-component, moisture-curing, self-expanding polyurethane foam specifically developed for fire-resistant sealing, bonding, and insulation applications. It provides excellent adhesion to a wide range of construction substrates and is suitable for use in fire-rated systems where enhanced fire protection is required. The foam expands upon application to effectively fill and seal gaps, joints, and penetrations, ensuring thermal insulation, acoustic performance, and fire compartmentation.

Tested to internationally recognized standards including UL 723, EN 1363-1:2020, and EN 1366-4, the product demonstrates reliable performance in both reaction-to-fire and fire-resistance applications, meeting stringent global safety requirements. With a fire resistance rating of up to 240 minutes (4 hours) (depending on joint configuration and installation conditions), the B1 category foam is ideal for use in fire-rated doors, windows, service penetrations, and compartmentation systems, ensuring compliance with international fire safety standards.



ESL

DCL PRODUCT CONFORMITY
DCL APPROVED

CIVIL DEFENCE APPROVED

CLASSIFIED UL
R41900

Fire Rating
Up to 240 min

LOW VOC

INVERT CAN
FOR APPLICATION



Type : Hand Grade / Gun Grade, Packaging : 750 ml x 12 pcs / box

ASMACO GOLD UNIVERSAL MULTIFOAM FIRE RETARDANT B2

COMPLIES UL 723, EN 1363-1:2020 , EN 1366-4:2021

ASMACO GOLD UNIVERSAL MULTIFOAM FIRE RETARDANT B2 is a high-performance, single-component, moisture-curing, self-expanding polyurethane foam designed for superior bonding and insulation. This premium aerosol foam adheres effectively to a wide range of construction materials, making it ideal for general building applications. Its moisture-resistant and expanding properties enable efficient filling, sealing, and insulation of gaps and joints, including roof tiles, wall cavities, drilled openings, and areas around doors and window frames. The product is tested and compliant with UL 723, which evaluates surface burning characteristics such as flame spread and smoke development. In addition, it meets European standards EN 1363-1:2020 (general requirements for fire resistance testing) and EN 1366-4 (fire resistance of linear joint seals). Together, these UL and EN standards confirm the product's fire performance, ensuring reliable behavior in both reaction-to-fire and fire-resistance applications across international specifications.



ESL

DCL PRODUCT CONFORMITY
DCL APPROVED

CIVIL DEFENCE APPROVED

CLASSIFIED UL
R41900

Fire Rating
Up to 120 min

LOW VOC

INVERT CAN
FOR APPLICATION



Type : Hand Grade / Gun Grade, Packaging : 750 ml x 12 pcs / box

AEROSOL PRODUCTS

Spray Paint

Spray paint delivers a smooth, even coat of color or finish on various surfaces through an aerosol spray. Ideal for DIY, automotive, industrial, and artistic applications.



Lubricant Spray

Lubricant sprays reduce friction, protect metal surfaces, and enhance the performance of mechanical parts. Suitable for home, industrial, and automotive maintenance.

Rust Remover Spray

Rust remover sprays are formulated to dissolve and eliminate rust from metal surfaces, restoring functionality and appearance. Ideal for automotive, tools, and industrial use.





ASMACO SPRAY PAINT ACRYLIC
PROTECTIVE & DECORATIVE

ASMACO BRIGHT GOLD & CHROME SILVER SPRAY PAINT is a premium-quality acrylic-based metallic aerosol spray paint formulated to produce a brilliant, uniform GOLD or SILVER decorative finish with excellent surface appearance and lasting visual appeal. The fast-drying formulation delivers a smooth, even coating with outstanding hiding power, strong adhesion, and consistent metallic brilliance on a wide range of properly prepared substrates. The cured coating provides a durable finish with good resistance to weathering, fading, and normal handling, making it suitable for both interior and exterior decorative coating systems. The precision aerosol delivery system ensures easy application, uniform film formation, and a professional-quality finish while maintaining excellent colour retention and long-term decorative performance.

General Purpose | With Press & Pull Cap | LEAD FREE | Actuator Cleaning

Color : Assorted
Packaging : 400 ml x 12 pcs / box



ASMACO HIGH TEMPERATURE SPRAY PAINT

ASMACO HIGH TEMPERATURE SPRAY PAINT a heat-resistant protective spray coating formulated with silicone resin and high-quality pigments. The coating delivers excellent thermal stability, durability, and color retention under prolonged heat exposure, withstanding temperatures ranging from 400°C to 600°C. It is specifically designed to protect metal surfaces exposed to elevated operating temperatures while providing strong adhesion and long-lasting protective performance.

High Temperature | CFC FREE | With Press & Pull Cap | Actuator Cleaning

Color : 12 Color shades are available
Packaging : 400 ml x 12 pcs / box



ASMACO SPRAY PAINT STYROFOAM

ASMACO STYROFOAM SPRAY PAINT is a new product line that creates detail while educating, inspiring & driving innovation into schools, clubs, craft & hobby projects! It is easy to apply & can be used on many kinds of surfaces like styrofoam, foam board, paper, glass, wood, metal, leather, & ABS plastic. It is not suitable for rubber or flexible types of vinyl because it will not dry on these surfaces; it will remain tacky to the touch. It will not adhere to polyethylene or polypropylene. It has super flow & coverage. ASMACO Styrofoam foam spray paint is lead free.

Styrofoam | With Press & Pull Cap | LEAD FREE | Actuator Cleaning

Color : Assorted
Packaging : 400 ml x 12 pcs / box



ASMACO SPRAY PAINT GLITTER SPARKLING

ASMACO GLITTER SPRAY PAINT delivers an intense sparkling finish for craft and decorative projects. It provides radiant coverage on wood, metal, glass, ceramic, paper, plastic, craft foam, wicker and more.

- Ideal for crafts, scrapbook projects and home decor
- Buildable glitter finish with good coverage
- Resists stains and scratches
- Suitable for interior decorative applications
- Best applied over a similar-colour base coat
- Shake well before use to mix glitter pigments

Glitter Paint | With Press & Pull Cap | Actuator Cleaning

Color : 12 Color shades are available
Packaging : 400 ml x 12 pcs / box



ASMACO SPRAY PAINT PRIMER

ASMACO SPRAY PAINT PRIMER for use as filler & as an adhesion promoter between surface & final coat. Coat able with air-drying acrylic, synthetic & nitro-combi lacquers. For metal, wood, ceramics, stone, carton & others. ASMACO spray paint primer is lead free.

With Press & Pull Cap | LEAD FREE | Actuator Cleaning

Color : White / Black / Red / Red Oxide / Grey
Packaging : 400 ml x 12 pcs / box



ASMACO FIXATIVE SPRAY

UV-CLEAR COAT PROTECTIVE

ASMACO FIXATIVE SPRAY is a UV-Resistant acrylic clear coat. It provides a permanent, protective coating which protects, art, crafts, & valuable against harmful light rays. It is moisture resistant & smudge proof. It is suitable for photography, artwork, painted surfaces, wood, metal, paper mache, plastic/ceramic, dried silk, flowers, paper, wicker etc. It will improve artwork & protects photos made off with pencil, water paints, oil paints, pastel, chalk, charcoal, crayon & ink. • Long lasting protection, nonfading, none yellowing, weather resistant. CFC Free. • UV Resistant, Acid-free /archival safe

Protective Coating | CFC FREE | With Press & Pull Cap | Actuator Cleaning

Color : Clear
Packaging : 100 ml x 6 pcs / box & 400 ml x 12 pcs / box



ASMACO ADHESIVE SPRAY

MULTI-PURPOSE

ASMACO ADHESIVE SPRAY is a multipurpose aerosol adhesive. It is fast tacking & has a long tack range when applied to both surfaces. It is translucent adhesive for permanently attaching foils, carpeting, many lightweight foams, paper, plastics, cardboard, felt & cloth to painted or unpainted metals, wood, hardboard & other base materials.

Multi-Purpose Spray Adhesive | With Press & Pull Cap | Actuator Cleaning

Type : Adhesive
Packaging : 500 ml x 12 pcs / box



ASMACO TUB & TILE CERAMIC SPRAY CERAMIC RESTORATION

ASMACO TUB & TILE CERAMIC SPRAY is a one-step acrylic spray paint designed to provide excellent adhesion, durability and colour retention in high moisture areas. This smooth, glossy, waterproof finish is suitable for use on tiles, sinks and tubs. Ideal for restoration and coating of bath tubs, washbasins, kitchen sinks. Also usable on wood, metals, plastic, automotive applications etc. Quick drying & smooth finish formula is ideal for Interior and exterior application. Non-fading, non-yellowing, weather resistant and heat resistance up to 100°C & CFC Free.

Ceramic Paint | CFC FREE | With Press & Pull Cap | Actuator Cleaning

Color : White
Packaging : 400 ml x 12 pcs / box



ASMACO CRACKLE EFFECT SPRAY

FOR PROFESSIONAL USE

ASMACO CRACKLE EFFECT SPRAY PAINT is a professional-grade, specialty aerosol designed to instantly transform ordinary surfaces into deeply textured, antique works of art. By engineered shrinking during the rapid drying cycle, these high-performance splits and breaks apart to reveal the underlying base color, providing a highly organic and dramatic faux-weathered aesthetic with zero manual fracturing or hand-glazing required

High Durability & Fast Adhesion | With Press & Pull Cap | Actuator Cleaning

Color : Assorted
Packaging : 400 ml x 12 pcs / box



ASMACO HAMMERTONE SPRAY

HAMMERED FINISH

HAMMERTONE EFFECT SPRAY PAINT offers a hammered finish with a high level of protection lasting for years that can be applied in a matter of minutes. Hammered Paint is part of the extensive range of topcoat paints which brought to you in a spray can for quick and easy application. It is used as protective and decorative coating due to its antirust and hammer effect properties. Hammered finish paint as it is commonly referred to as, is a special coating with a surface that looks like hammered metal once it is dry.

With Press & Pull Cap | Actuator Cleaning

Color : Silver, Green, Blue, Brown, Grey, Purple
Packaging : 500 ml x 12 pcs / box



ASMACO MARBLE EFFECT SPRAY

NATURAL MARBLE FINISH

ASMACO Marble Effect Spray Paint is a premium, fast-drying decorative solvent-based acrylic coating. It features a specialized flat-jet calligraphy valve system that expels highly flexible, interconnected paint filaments rather than fine mist. This mechanism creates an open, net-like structure organic veining of authentic marble, granite, or stone while leaving the underlying base coat visible.

With Press & Pull Cap | Actuator Cleaning

Color : Assorted
Packaging : 400 ml x 12 pcs / box



ASMACO LD 50 RUST REMOVER

SILICONE FREE PENETRATING OIL

ASMACO LD+50 is a lubricating & penetrating oil suitable for marine, household, garage & maintenance purpose. It's water repellent formula protects metal surfaces & loosens rusty fittings. ASMACO LD+50 is a silicone free formula & hence paintable after cleaning.

Silicone Free Spray

Color : Clear
Packaging : 235 ml x 24 pcs / box & 400 ml x 12 pcs / box



ASMACO RS 20 PENETRATING OIL SILICONIZED

ASMACO RS 20 - RUST REMOVER / PENETRATING OIL silicone based, specially formulated solvents spray. Penetrates & stops squeaks. It lubricates springs, hinges, windows, doors, lock tapes, wheels & moving parts. Removes moisture from spark plugs, electrical contacts, switch gears, starter, motor engines, etc. Protects & cleans by dissolving grease, gums, dirt, adhesives & hard substances. Leaves protection on the surface thereby preventing corrosion.

Siliconized Spray

Color : Clear
Packaging : 235 ml x 24 pcs / box & 400 ml x 12 pcs / box




ASMACO RS 20 PRO PENETRATING OIL SILICONE FREE

ASMACO RS-20 PRO is a fast-acting Silicone Free Rust remover & lubricant which penetrates deep into cavities, threads & seams. It breaks the rust that holds stuck parts together. It has been specially formulated to offer quick & easy removal of seized & rusted components like nuts, bolts, threads, locks, chains etc. It cleans, lubricates, stops squeaks & leaves a protective coating against rust invasion. Frees sticky joints. It dissolves grease, tar, adhesive, salt deposit etc. ASMACO RS 20 Pro is suitable for marine, household, garage, industrial & maintenance applications.

Silicone Free Spray

Color : Clear
Packaging : 480 ml x 24 pcs / box





ASMACO ELECTRONIC CONTACT CLEANER

ASMACO ELECTRONIC CONTACT CLEANER is specially design for the cleaning of sensitive electrical /electronic parts. It is suitable for the removal of light contaminations, dirt, dust carbon, light oils & fingerprints with leaving no residue. Safe for most rubbers, plastics, & coatings.

Electronic Parts Cleaner **Electric Parts Cleaner**

Color : Clear
Packaging : 400 ml x 12 pcs / box



ASMACO ANTI-CORROSIVE SPRAY

ANTI-CORROSION


ASMACO Anti-Corrosive Spray is a high-quality industrial maintenance product that provides long-lasting protection against rust and corrosion on metal surfaces. Its advanced formula creates a protective barrier that prevents moisture, salt, chemicals, and other corrosive elements from damaging metal structures, machinery, and equipment. This easy-to-apply spray is perfect for a wide range of industrial applications, from preserving the appearance of metal structures to protecting equipment in harsh environments. Anti-Corrosive spray is primarily used for corrosion and rust prevention.

Color : Clear
Packaging : 300 ml x 12 pcs / box

ASMACO ZINC RICH PAINT
ASMACO ZINC SPRAY
COLD GALVANIZING SPRAY & PAINT

ASMACO Zinc Rich Cold Galvanizing Spray & Paint is a quick-drying protective coating formulated with 99% pure zinc for galvanic protection against thermal, chemical and atmospheric corrosion. It resists salty and corrosive environments, provides excellent coverage with a smooth semi-gloss finish, and withstands temperatures up to 550°C. CFC-free.





Color : Silver
Packaging : 400 ml x 12 pcs / box, Paint - 750 ml, 1kg, 2.5 kg, 5 Litre

Cold Galvanizing Spray

With Press & Pull Cap

Actuator Cleaning



ASMACO STAINLESS STEEL POLISH
PROTECTS SURFACE

ASMACO STAINLESS STEEL POLISH CLEANER is a new product in the line of home care which cleans, shines, polishes, & protects steel surface, chrome, architectural aluminium & other metal surface. It is used for other hard washable surface such as laminated plastics enamel & ceramic.

Excellent Gloss Finish

With Press & Pull Cap

Color : Clear
Packaging : 450 ml x 12 pcs / box



AURA FURNITURE POLISH
WAX FREE NON-ABRASIVE FORMULA

AURA FURNITURE POLISH is wax free formulation especially designed for the cleaning & protection of wood furniture. Aura furniture polish gives wood a deep & rich luster that enhances natural wood grain. Recommended for all types of wood surfaces, including antique wood furniture, tables, chairs, office/bedroom furniture cabinets, panels, & doors.

Furniture Protection

Color : Clear
Packaging : 300 ml x 24 pcs / box



ASMACO AIR DUSTER SPRAY
DUST & LINT REMOVER

ASMACO Air Duster is a dry, high-pressure aerosol spray that removes dust, dirt and loose contaminants from electrical equipment, electronic components and hard-to-reach areas where wet cleaning is unsuitable.

Benefits: High-pressure discharge, precise extension-tube application, instant action, fast evaporation, and can be used inverted as a freezer spray or chewing gum remover.

Cleans & Protects

With Press & Pull Cap

Color : Clear
Packaging : 400 ml x 12 pcs / box



ASMACO AC CLEANER
FOAMING SPRAY

ASMACO AC CLEANER Foaming Spray effectively eliminates odours at its source caused by bacteria & mildew in the system. Kills fungus & bacterias, removes bad smell causing contamination. It cleans & deodorize auto HVAC system including vents ducts evaporator core & drain pan & leave a clean fresh scent. Non-toxic, bio-degradable, non-corrosive proven safe formulation.

Antibacterial

Type : Cleaner
Packaging : 500 ml x 12 pcs / box



ASMACO PAINT REMOVER GEL & SPRAY ALL - PURPOSE

ASMACO PAINT REMOVER GEL is a heavy-duty, high-performance coating removal formulation designed to effectively strip old paint and surface coatings from a variety of compatible substrates. Its gel-based consistency allows for better cling and extended contact time on vertical and uneven surfaces, ensuring efficient penetration and breakdown of coating layers without excessive runoff. The product is engineered to soften and lift multiple types of coatings, making them easier to remove during surface preparation activities. After application, the treated surface can be cleaned and rinsed with water or a suitable solvent, leaving it ready for further finishing, repair, or recoating processes.

ASMACO PAINT REMOVER SPRAY is a specially formulated coating removal product supplied in an aerosol can for convenient and controlled application. It is designed to remove existing paint and surface coatings from compatible substrates by breaking down the bond between the coating and the surface. The product can be applied directly to coated surfaces and, after the stripping process, the treated area can be cleaned with water or a suitable solvent and allowed to dry before subsequent surface treatment, repair, or recoating operations.



Type : Paint Remover
Packaging : 400 ml x 12 pcs / box, 1 litre x 6 pcs / box, 1 gallon x 4 pcs / box



ASMACO WHITE LITHIUM GREASE SPRAY LUBRICANT

ASMACO WHITE LITHIUM GREASE SPRAY is a premium quality, lithium based multipurpose aerosol lubricating paste designed to reduce friction between load bearing, moving metal surfaces & the combination of metal & plastic surfaces heavy-duty lubrication & protection against rust & corrosion are required. It provides long lasting lubrication for all metal-to-metal applications with wide service temperature range (- 15 to +150 °C) & will not splatter, melt, run, wash off or freeze.

Lubricating Grease Spray

Color : Clear
Packaging : 400 ml x 12 pcs / box



ASMACO PLASTIC SPRAY PROTECTION

ASMACO PLASTIC SPRAY PAINT is specially designed to renew the appearance of indoor and outdoor plastics. No primer is required. These sprays are ideal for use on polypropylene, polystyrene, resin, PVC, fiberglass, and vinyl plastics such as chairs, garbage bin, tables, and planters. It is suitable for car bumpers, other accessories of automobiles. PROPERTIES: • No sanding or primer required • Bonds easily most of the plastic PVC, Resin, and many more • Resistant to temperature changes. • Excellent weather ability, strong hiding power, fast drying. •For interior and exterior applications.

High Durability & Fast Adhesion

Type : For Plastic
Packaging : 400 ml x 12 pcs / box



ASMACO CHAIN CLEANER DEGREASING SPRAY

ASMACO CHAIN CLEANER SPRAY is a high-pressure, powerful degreasing spray designed to remove oil, grease, dirt, and contaminants from chains and drivetrain components without leaving residue. It helps prepare chains for waxing or relubrication and supports longer drivetrain life through regular cleaning.

APPLICATIONS: • Metals • Chains & Sprockets • Chain Links • O-Ring Chains • Chainsaws • Farm Equipment • Construction Equipment • Heavy Machinery

Effective & Strong

Color : Clear
Packaging : 250 ml x 12 pcs / box



ASMACO CHAIN LUBE SPRAY PREMIUM QUALITY

ASMACO CHAIN LUBE SPRAY is a premium quality high performance penetrating oil that penetrates and lubricates all types of moving parts that have become difficult to operate due to increased friction from wear, corrosion or the buildup of sludge and grime. Its special formula does not contain wax, which leaves a sticky residue that can build up insidechain links and the drivetrain. Contains corrosion- inhibitors for optimal chain protection.

APPLICATIONS: • Metals •Chains & Sprockets • Chain links • O-Ring Chains • Chainsaws • Farm Equipment • Construction Equipment • Heavy Machinery.

Penetrates & Lubricates

Color : Clear
Packaging : 250 ml x 12 pcs / box



ASMACO WHEEL CLEANER

SHINES LONG-LASTING

ASMACO WHEEL CLEANER AND POLISH SPRAY is especially used for alloying wheel rim. It is used for the cleaning of dirt, dust, and stains safely as it doesn't contain any material that makes the wheel rim frayed. Asmaco Wheel cleaner & Polish protects your wheel from dirt and deposit and makes the rim shine bright as new.
PROPERTIES: Doesn't include any material that makes wheel rim frayed. Using it periodically makes wheel rim bright and brilliant as new, while protecting against dirt and deposit. Especially use for alloying wheel rim. Clean up dirt, stains and filth which were taken from car braking.

Shines Long-Lasting

Type : Clean & Polish
Packaging : 500 ml x 12 pcs / box



ASMACO MONTAGE CLEANER

ENGINE, PARTS CLEANER

ASMACO MONTAGE CLEANER is highly effective cleaner for metal spare parts of a vehicle. It is applicable to brake shoes and discs, parts of the clutch and the transmission, tools etc. It removes dirt, oil, grease, brake fluid, other petrochemicals and burnt technical fluids. The cleaner is suitable for cleaning of bodyworks, oil filters, motorcycle chains, engines, tractors, lawn mowers and door hinges. Spray the cleaner on the dirty parts in their joints and let it drain. The product may damage some paints and plastics.



Engine Cleaner

Type : Cleaner
Packaging : 500 ml x 12 pcs / box



ASMACO ULTRA ENGINE DEGREASER

ASMACO ULTRA DEGREASER FOAM SPRAY - professional tool for regular cleaning of the engine compartment from oil stains, technical fluids and road dust, to normalize the heat transfer process, protect against rust. The composition is absolutely safe for plastic, rubber and other materials of the engine compartment. Effectively removes dirt even from vertical surfaces. APPLICATION: Shake the bottle thoroughly before use. Apply the composition liberally and leave for 15 minutes to act and then rinse with water. Recommended for automotive, marine, agricultural and industrial engines.

Effective & Strong

Type : Foam Spray
Packaging : 500 ml x 12 pcs / box




ASMACO MOTOR STARTER SPRAY

STARTER

ASMACO MOTOR STARTER SPRAY is a special aerosol product designed to facilitate the start of diesel (including with pump injectors and common rail system) and gasoline (injection and carburetor) both two-and four - stroke engines of passenger cars, trucks, construction and agricultural machinery, motorcycles, mopeds, ATVs, snowmobiles, chainsaws, gas tools, garden equipment, as well as marine and boat engines of all types, compressor engines, etc. generators. Provides fast and reliable start-up in winter, even in extreme cold, high humidity, wet spark plugs, irregular fuel supply and a dead battery.

Starter



Type : Motor Starter
Packaging : 400 ml x 12 pcs / box



ASMACO ANTIGRAVEL

UNDER COAT

ASMACO ANTI GRAVEL AEROSOL is specially developed on the base of high polymer rubber and synthetic resin for the protection of automobiles and car body surface from gravel, rust, salt and stones. It can be used for threshold, spoilers, wheel arches, front and rear aprons, door bottoms and other parts. Compatible with all kinds of paints and lacquer. It reduces the noise which is created between the road and wheel.

Oversprayable

Actuator Cleaning



Type : Undercoat
Packaging : 500 ml x 12 pcs / box



ASMACO TIRE SHINE SPRAY

WET SHINE

ASMACO TIRE SHINE SPRAY- Spray for giving a "wet" shine to car tires. PROPERTIES: Does not demand preliminary preparation; Forms a water and dirt-repellent film; Stops cracking and prevents aging of wheels; Visually renews tires, giving them a rich "wet" black colour. For best results: let stand 15 minutes. Re apply for maximum shine.



Extreme Shines

Type : Protects
Packaging : 500 ml x 12 pcs / box



ASMACO MULTI-PURPOSE FOAM CLEANER

MULTI-PURPOSE

ASMACO Multi-purpose Foam Cleaner uses its thick foaming action to lift dirt off even tough-to clean surfaces. It is safe for environment, biodegradable, free of phosphates and formaldehyde and contains no corrosive or caustic substances. ASMACO Multi-purpose Foam Cleaner works great on fabric upholstery, vinyl, floor mats, and carpets. While multi-Purpose Foam Cleaner is excellent in the garage, it can also be used to clean dirt and grime from surfaces in the home like painted walls, tiles and floors.

Color : Clear
Packaging : 500 ml x 12 pcs / box



ASMACO HELMET CLEANER

INTERIOR CLEANER

ASMACO HELMET CLEANER foaming safely and easily loosens and removes dirt, grime and bungs from helmet interior and exterior.
BENEFICIAL FOR : • To keep helmet pleasant and fresh • Anti-bacterial • Anti-fungal • Hair and skin friendly • To remove sweaty smell • For all helmet • Quick drying formula



Quick Drying

Type : Cleaner
Packaging : 250 ml x 12 pcs / box




ASMACO BRAKE CLEANER

NON CHLORINATED

ASMACO BRAKE CLEANER is a universal cleaner for automotive industry which cleans, degreases & evaporates without leaving residues. It is used primarily for cleaning surfaces in vehicles & everyday life intended for subsequent processing (gluing, painting, coating, sealants, etc.) Brake Cleaner can be used on brakes (drum & disc brakes, brake pads, brake blocks, cylinders, springs & bushings), clutches (clutch linings & components) & on engine parts– extends their service life with regular use.

Auto Brake Cleaner

With Press & Pull Cap



Color : Clear
Packaging : 500 ml x 12 pcs / box



ASMACO CARBURETOR CLEANER

NON CHLORINATED

ASMACO CARBURETOR CLEANER is highly effective carburettor cleaner which quickly, carefully & effectively cleans throttle & air dampers, diffusers, jets & all other available internal surfaces of carburettors, as well as their external surfaces. It reduces fuel consumption (up to 5%) & exhaust gas toxicity. Applicable for cleaning motorcycle chains, timing chains, clutch parts, oil pumps, gears, crankshafts & other unpainted metal components & engine parts.

Non Chlorinated

With Press & Pull Cap



Color : Clear
Packaging : 400 ml x 12 pcs / box



ASMACO DASHBOARD WAX SPRAY

ASMACO DASHBOARD WAX SPRAY Ideal Spray Wax for Leather Material It uses an advanced formula. Use spray type wax to polish and protect tyres, dashboards, car seats and door panels. Also, It has the functions of antistatic, keep away from dirt, dust and deterioration. Assures glossy finish on rubber and plastic products.

Wax Spray

Type : Cleaner
Packaging : 450 ml x 12 pcs / box



ASMACO SILICONE SPRAY

RUSTPROOF

ASMACO SILICONE SPRAY is a combination of high grade silicone and antifriction agent based on organosilicon compound, having water repellent and sliding properties which prevents its adhesion to plastics, mould, metals, and tools. It is recommended for use where the use of lubricants containing petroleum products and fats is undesirable. PROPERTIES: Forms a solid transparent polymer layer of silicone molecules on the treated surface, which gives the surface excellent water dust repellent and antistatic properties. It reduces friction, prevents cracking, freezing, non-staining and non-corrosive. Protects surfaces against UV exposure and restores their shine. Restores the elasticity of rubber and plastic parts and protects them from drying and cracking.

Waterproof

Type : Non-Corrosive
Packaging : 400 ml x 12 pcs / box

ADHESIVE

Contact Adhesive

Bonds on contact—no clamping required, Resistant to heat, moisture, and aging, Excellent for bonding large surface areas, Available in brush-on or spray formats.

CPVC Cement

Chemically fuses CPVC materials for leak-proof joints, Withstands high temperatures and pressure, Fast-setting with high bond strength

UPVC Cement

Forms a strong, waterproof bond, Suitable for pressure and non-pressure systems, Non-flammable, low VOC options available Conforms to ASTM D2564 and other international standards



ASMACO CONTACT ADHESIVE
RUBBER BASED ADHESIVE

ASMACO CONTACT ADHESIVE GOLD is a fast-drying, single-component adhesive with strong initial bonding, good flexibility, and resistance to heat and moisture.
Ideal for automotive repairs, upholstery, furniture, leather and footwear, as well as metal and plastic bonding.

DCL APPROVED

Packaging : 125 g x 144 pcs / box, 250 g x 24 pcs / box
600 g x 12 pcs / box , 3 Ltr x 4 pcs / box, 13&15 kg can





ASMACO 777 CONTACT ADHESIVE
MULTI-PURPOSE

Asmaco CA 777 is a premium, rubber-based multipurpose adhesive designed for strong, durable bonding on materials like laminates, leather, rexine, rubber, foam & other multiple substrates . It offers excellent resistance to moisture, vibration, and heat, while leaving no residue and emitting low odour. Easy to apply by brush, roller, or spray for quick and clean results.

Strong Bonding High Strength

Packaging : 650 g x 12 pcs / box



ASMACO 777 CONTACT ADHESIVE SPRAY

is a versatile, fast-tacking spray adhesive that can also serve as a primer to enhance adhesion during the installation of vapor and wind barrier tapes. When applied to both surfaces, it offers a long tack time and forms a translucent adhesive layer that ensures immediate and exceptionally strong initial bonding.

Strong Bonding High Strength Actuator Cleaning

Type : Spray Adhesive
Packaging : 500 ml x 12 pcs / box



ASMACO HEATBOND
HEATPROOF ADHESIVE

ASMACO Heat Bond Rubber Adhesive is a solvent-based synthetic rubber adhesive with excellent heat resistance up to 170°C. It offers quick grab, strong initial hold, and reduced spring back, making it ideal for curved surfaces and vertical applications. It provides reliable bonding performance even in high-temperature conditions. Its fast initial tack helps improve application speed and ease of use.

Up to 170°C Strong Bonding

Type : Premium Adhesive
Packaging : 650 ml x 12 pcs / box , 13 & 15 kg Can



ASMACO FAST CONTACT ADHESIVE
AIR DRYING ADHESIVE

ASMACO FAST CONTACT ADHESIVE is a versatile, fast-bonding synthetic rubber adhesive with strong initial tack, good flexibility, and resistance to heat and moisture.

Suitable for automotive repairs, upholstery, furniture, leather and footwear, DIY projects, metal and plastic bonding, household repairs, and industrial maintenance.

Strong Bonding High Strength

Packaging : 250 ml X 24 pcs / box , 600 ml x 12 pcs / box , 3 Ltr, 13 & 15 kg Can



ASMACO
CARPET ADHESIVE XE
LOW ODOUR FORMULATION

Carpet Adhesive XE is a premium solvent based adhesive specially formulated for carpet bonding with high degree of tack and excellent bonding strength.

Application areas: Ideal for carpet bonding. Multiple applications such as rubber, cork, leather, fiberglass, carpet tiles on chipboard & concrete.

Type : Premium Adhesive
Packaging : 500 ml x 24 pcs / box & 750 ml x 12 pcs / box




ASMACO
CARPET ADHESIVE
LOW ODOUR FORMULATION

ASMACO CARPET ADHESIVE appears to be a versatile and reliable solution for bonding carpets to various substrates. Its fast-drying time, excellent bonding properties, and resistance to heat and moisture make it suitable for a range of applications. Always follow the manufacturer's instructions and recommendations for the best results when using this adhesive.

Strong Bonding

Type : Premium Adhesive
Packaging : 500 ml x 24 pcs / box & 750 ml x 12 pcs / box



ASMACO
CONTACT ADHESIVE CL5
STRONG BONDING

ASMACO CL 5 is a high-performance, synthetic rubber spray adhesive ideal for automotive industry as a high-performance trim adhesive. It dries to a tough, flexible film with excellent resistance to heat and aging, forming a strong, permanent bond between materials such as painted steel, plywood, chipboard, polyurethane foam, muslin, foam rubber, felt, supported PVC sheets, fabrics, and leather.

Packaging : 20 Kg Can



ASMACO RAPID FIX
MATTRESS ADHESIVE

ASMACO RAPID FIX is a multi-substrate sprayable adhesive with a strong spray pattern & a variable spray width. Is prepared from synthetic rubber especially developed for Foam & Mattresses industries. The spray adhesive is suitable for permanent bonding of many different combinations of materials. It has fast track development property with high initial green strength. It has superior bonding properties on porous & nonporous substrates. changes. • Excellent weather ability, strong hiding power, fast drying. •For interior and exterior applications.

Ideal For Mattress & Foam

Type : Rubber Adhesive
Packaging : 12 & 15 kg Can



ASMACO BITUFIX

ASMACO BITUFIX is a high-performance, solvent - based single - component adhesive with excellent heat resistance, fast bonding, and strong tack. It is specially designed for bonding bituminous sheets to concrete and bitumen surfaces, and is also suitable for materials such as fiber boards, felt, laminates, rubber, leather, cork, foam, wood, metals, stone, and plastic.

Type : Rubber Based Adhesive
Packaging : 13 & 15 kg Can



ASMACO FAST SETTING PUR GLUE
LEATHER & RUBBER ADHESIVE

ASMACO SHOE ADHESIVE is a high-quality polyurethane adhesive that has been specifically formulated for the purposes of manufacturing and repairing shoes, leather goods, and related products. This adhesive is versatile and can effectively bond a wide range of materials, including leather, PVC, PU, TR, and synthetic rubber soles to their respective uppers and other components. It boasts several advantageous features.

Type : Adhesive
Packaging : 15 kg Can



ASMACO PIR / PHENOLIC ADHESIVE DUCT WORK GLUE

ASMACO PIR PHENOLIC ADHESIVE Easy pre insulated duct adhesive is a multi-purpose single component air drying rubber-based adhesive, suitably formulated for bonding various types of substrates. It has excellent green strength & bonds rapidly due to its fast crystallization rate. This is a high solid, high viscosity contact adhesive & hence it is suitable for bonding porous substrates like foam, carpets, canvas, wood laminates, MDF laminates, etc.

Phenolic Duct Adhesive

Type : Adhesive
Packaging : 750 ml x 12 pcs / box, 13 & 15 kg Can



ASMACO GRANITE MARBLE ADHESIVE PROFESSIONAL

ASMACO GRANITE MARBLE ADHESIVE: Is a two-component unsaturated polyester resin based quick drying adhesive system specially formulated for fixing marble & natural stone. Also used for gluing repairing & filling up porous surfaces of the marble, travertine, natural stones, ceramic, brick & similar materials. Can be used both vertical & horizontal applications. Rapid cure time (3-5 min. at 25°C), low shrinkage during hardening, Excellent brightness after the use of grinding machines , superior resistance to wear of time , high reactivity & chemically inert & offers extended durability.

Type : Adhesive
Packaging : 750 ml & 1 kg Can x 8 pcs / box & 20 kg Bucket



ASMACO SYNTHETIC RESIN ADHESIVE WATER-BASED

ASMACO SYNTHETIC RESIN ADHESIVE is a high-quality, water-based adhesive formulated for woodworking and handicraft applications. It is specifically designed to provide strong and reliable bonding for wood, paper products, and related joinery materials.

- Excellent bond strength
- High initial tack and strong final adhesion
- Good resistance to creep under load
- VOC compliant
- Solvent-free and non-flammable
- Eco-friendly and non-hazardous
- Odor-free formulation

Packaging : 500 Gram x 24 / Box, 1 Kg x 12 pcs / Box,
3.5 Kg Pail x 4 pcs / Box , 5 Kg Pail x 4 pcs/Box, 20 Kg Pail



ASMACO PUR ADHESIVE / PROFILE GLUE
JOINING ADHESIVE

ASMACO PUR ADHESIVE / PROFILE GLUE is a single part reactive polyurethane-based adhesive which reacts with moisture in the atmosphere to form a strong & durable joint resistant to water & temperature. The adhesive can be applied directly from the container & the curing reaction begins as soon as it encounters moisture. ASMACO PUR ADHESIVE is best suited for all types of wood works, window & door assembly, staircase, plywood, rigid plastic foam, concrete & ceramic.

Quick Bonding

Type : PU Based Adhesive
Packaging : 250 ml / 500 ml x 12 pcs / box



ASMACO ALL PURPOSE PIPE LUBRICANT
FOR ASSEMBLY OF PIPE JOINTS

ASMACO ALL PURPOSE PIPE LUBRICANT is an industrial, water-soluble lubricant for use in assembling gasketed pipe. It is designed for use with natural or synthetic rubber and plastic gasket seals in the joining of plastic or metal pipe using a push-on joint. Application: It include potable water, drain, waste, vent and sewer systems. It can be applied to wet or dry surfaces. It is non toxic, does not support bacterial growth and dose not convey taste or odor to fluids. Apply it evenly over the entire surface. Avoid excess application and don't leave dry spots.

Pipe Lubricant

DCL PRODUCT CONFORMITY
DCL APPROVED

Type: Lubricant
Packaging : 950 ml Bucket




ASMACO THREAD JOINT FILL
AIR - HARDENING SEALANT


ASMACO THREAD JOINT FILL is a fast-acting thread sealant and lubricant for pipes, fittings, and threaded connections. It helps prevent leaks, loosening, galling, and corrosion while allowing easy assembly and disassembly.

Easy to use, non-drip, effective up to 5000 psi, and resistant to temperatures from -54°C to +204°C.

Thread Joint Fill

Color : Beige, Type: Paste
Packaging : 500 g 12 pcs / box & 1000 g x 6 pcs / box





ASMACO UPVC CEMENTS P914

SOLVENT BASED ADHESIVE


ASMACO UPVC CEMENT 914 is specially formulated solvent-based adhesive used for cementing and joining pipes and pipe fittings made of Rigid PVC . It is medium viscosity penetrating adhesive ideal for waterproof bonding and prevents leakage at extreme pressures. Product meets the requirements of International Standards such as BS and ASTM. The characteristics features are - easy to use , safe for Drinking water after full cure & Strong, durable bond.

Fast bonding

LOW VOC

PRODUCT CONFORMITY
DCL APPROVED

Packaging : 118 ml X 24 pcs / box, 237 ml X 24 pcs / box
473 ml X 12 pcs / box, 946 ml X 12 pcs / box





WELDFIX UPVC P917 & CPVC C914 CEMENTS

SOLVENT BASED ADHESIVE

WELDFIX PVC CEMENT is specially formulated solvent based adhesive used for cementing and joining pipes and pipe fittings made of Rigid PVC (U-PVC) or CPVC. It is medium viscosity penetrating adhesive ideal for waterproof bonding and prevents leakage at extreme pressures. It is safe for drinking water pipes after complete curing. ASMACO WELDFIX meets the requirements of International Standards such as BS and ASTM.


Super-Fast bonding

LOW VOC

PRODUCT CONFORMITY
DCL APPROVED

Packaging : 118 ml X 24 pcs / box, 237 ml X 24 pcs / box
473 ml X 12 pcs / box, 946 ml X 12 pcs / box





ASMACO FIX UPVC CEMENTS P917 SOLVENT BASED ADHESIVE

ASMACO FIX is high quality specially designed solvent-based adhesive used for cementing & joining pipes & pipe fittings made of Rigid PVC (U-PVC). It is medium viscosity penetrating adhesive ideal for waterproof bonding & prevents leakage at extreme pressures. It is safe for drinking water after complete curing. ASMACOFIX meets the requirements of International Standard such as BS & ASTM. Suitable for use on PVC pipes & fittings up to 12 inches

High Strength

LOW VOC

Bonding for Pipes Up to 12”

PRODUCT CONFORMITY
DCL APPROVED

Packaging : 118 ml X 24 pcs / box, 237 ml X 24 pcs / box
473 ml X 12 pcs / box, 946 ml X 12 pcs / box



ASMACO S2200 PVC PIPE ADHESIVE CONDUIT PIPE GLUE

Asmaco S 2200 is a solvent-based adhesive, specifically formulated for cementing and joining applications of pipes and pipe fittings made of Rigid PVC (U-PVC) in conduit and DWV electrical applications. With its medium viscosity, this adhesive penetrates efficiently, facilitating waterproof bonding and effectively preventing leakage even under high pressures.

Fast bonding

Type : Solvent Based Adhesive
Packaging : 473 ml x 12 pcs / box





WELDFIX PVC CLEANER

ALL PURPOSE

WELD FIX ALL PURPOSE CLEANER is specially formulated, low VOC emission, non-bodied, fast acting, aggressive cleaner for use on all classes of PVC & CPVC pipe & fittings. Aggressive cleaning action removes contaminants such as surface dirt, grease & grime as well as softens the pipe surface to allow for a fast, secure solvent weld of PVC & CPVC pipe & fittings. It is available in clear colour.

Surface Cleaner

Packaging : 118 ml X 24 pcs / box, 237 ml X 24 pcs / box
473 ml X 12 pcs / box, 946 ml X 12 pcs / box



WELDFIX PVC PRIMER

SOLVENT BASED PRIMER

WELD FIX P 918 PRIMER is specially formulated, low VOC emission, non-bodied, fast acting, aggressive primer for use on all classes of PVC & CPVC pipe & fittings. Aggressive action of primer removes contaminants such as surface dirt, grease & grime as well as softens the pipe surface to allow for a fast, secure solvent weld of PVC & CPVC pipe & fittings. The benefit of this priming action is especially noticeable on parts being joined together in cold weather & visible verification that a primer has been used, which is ideal for areas where plumbing code require this proof. It is available in clear, blue & purple colours.

Better Adhesion

Packaging : 118 ml X 24 pcs / box, 237 ml X 24 pcs / box
473 ml X 12 pcs / box, 946 ml X 12 pcs / box

ASMACO MASKING TAPE
GENERAL PURPOSE

CREPE PAPER MASKING TAPE Crepe Paper coated with natural rubber adhesive. Easy tear, UV Resistant Tape. Highly conformable crepe paper to give clean release after application. Ideal use for masking, packing, marking, bundling, splicing & general applications.





Type : Self Adhesive Tape
Packaging : Customized sizes available

General Purpose Auto Car Painting



ASMACO TEMPERATURE GRADE YELLOW MASKING TAPE

ASMACO TEMPERATURE GRADE YELLOW MASKING TAPE is a premium-quality crepe paper masking tape coated with a specially formulated pressure-sensitive adhesive, designed to deliver reliable adhesion and clean removal in elevated temperature applications. It provides excellent conformability to curves and irregular surfaces, ensuring sharp paint lines and precise masking with minimal paint bleed. The tape offers consistent holding power while resisting heat, moisture, and common paint solvents, and removes cleanly without leaving adhesive residue or damaging most properly prepared surfaces. Its yellow colour backing allows easy identification of masking zones or process stages, making it an ideal choice for professional painting, coating, and finishing operations.



Auto Car Painting

Type : Self Adhesive Tape
Packaging : Customized sizes available



ASMACO TEMPERATURE GRADE COLOUR MASKING TAPE

ASMACO TEMPERATURE GRADE COLOUR MASKING TAPE is a premium-quality crepe paper masking tape coated with a specially formulated pressure-sensitive adhesive, designed to deliver reliable adhesion and clean removal in elevated temperature applications. It provides excellent conformability to curves and irregular surfaces, ensuring sharp paint lines and precise masking with minimal paint bleed. The tape offers consistent holding power while resisting heat, moisture, and common paint solvents, and removes cleanly without leaving adhesive residue or damaging most properly prepared surfaces. Its colour-coded backing allows easy identification of masking zones or process stages.

Type : Self Adhesive Tape
Packaging : Customized sizes available



ASMACO CARPET TAPE
DOUBLE SIDE CLOTH WEATHER RESISTANT

DOUBLE-SIDE CLOTH CARPET TAPE adopts cotton cloth carrier, coated with white or transparent rubber resin adhesive, and protected with brown color silicone glassine paper. Double side cloth carpet tape is suitable for fabric positioning during computer embroidering, carpet fixing etc.

Type : Weather Resistant
Packaging : 48 mm x 15 mtr x 24 pcs / box



ASMACO ALU PET TAPE

LONG LASTING

ASMACO ALU PET TAPE is a laminated pressure-sensitive adhesive tape consisting of an aluminum foil layer bonded to a polyester (PET) film backing and coated with a high-performance adhesive. The composite construction combines the metallic characteristics of aluminum with the mechanical strength and dimensional stability of PET, resulting in a flexible, lightweight, and durable tape. The tape has been tested for Surface Burning Characteristics of Building Materials in accordance with ASTM E84-26a, achieving a Flame Spread Index (FSI) of 0 and a Smoke Developed Index (SDI) of 5.

HVAC Application

Type : Self Adhesive Tape
Packaging : Customized sizes available




ASMACO ALU GLASS TAPE

GLASS REINFORCED

ASMACO ALU GLASS TAPE is a premium reinforced aluminium foil tape comprising an aluminium foil layer laminated to a glass cloth backing and coated with a high-performance flame-retardant solvent acrylic adhesive, protected by an easy-release silicone release paper. The reinforced construction provides exceptional mechanical strength, durability, and dimensional stability while ensuring secure, long-lasting adhesion. The combination of aluminium foil and glass cloth reinforcement offers excellent resistance to tearing, puncturing, and handling damage, making the tape suitable for demanding insulation environments.

Temperature Resistant **Flame Retardant Tape**

Type : Self Adhesive Tape
Packaging : Customized sizes available



ASMACO ALUMINIUM FOIL TAPE

ASMACO Aluminum Foil Tape is a high-quality pressure-sensitive tape made with soft aluminum foil backing coated with a strong acrylic adhesive. The tape offers excellent adhesion, conformability, and resistance to moisture, chemicals, and weathering. It is designed for HVAC, insulation, and general-purpose sealing applications.

PE Laminated Aluminium Tape

Type : Self Adhesive Tape
Packaging : Customized sizes available




ASMACO FSK ALUMINIUM FOIL TAPE FIBER SCRIM KRAFT

ASMACO FSK ALUMINIUM TAPE is a high-performance pressure-sensitive sealing tape consisting of an Aluminium foil laminated with fiberglass Scrim (FSK) and Kraft paper backing, coated with a strong acrylic or solvent-based adhesive. It is designed for sealing, joining, repairing, and protecting insulation systems while providing excellent resistance to moisture, heat, and aging. The tape offers high tensile strength, dimensional stability, and reliable adhesion to a wide range of substrates.

Fibre Reinforced Tape

Type : Self Adhesive Tape
Packaging : Customized sizes available



ASMACO GOLD DUCT TAPE

INSULATION

ASMACO GOLD DUCT TAPE is a durable thermal composite tape made from a combination of polyethylene and gauze fiber, reinforced for added strength and flexibility. It is coated with high-viscosity natural rubber adhesive, ensuring good initial tack and reliable adhesion on various surfaces. Ideal for general-purpose and non-critical applications, this tape offers dependable performance in sealing, bundling, and temporary repairs.

Thermal Insulation

Type : Self Adhesive Tape, Grey & Other Colours
Packaging : Customized sizes available




ASMACO BOPP PACKAGING TAPE

PACKAGING

ASMACO BOPP PACKAGING TAPE is a premium-quality, pressure-sensitive packaging tape manufactured from a biaxially oriented polypropylene (BOPP) film coated with a high-performance water-based acrylic adhesive. It is designed to provide strong and reliable adhesion, excellent tensile strength, and consistent unwinding characteristics for general packaging and sealing applications. The tape offers good resistance to ageing, moisture, and normal handling conditions, ensuring durable and dependable sealing performance during storage, transportation, and distribution. It is suitable for both manual application using handheld dispensers and automated carton sealing machines, delivering clean application and a professional finish.

Type : Tan / Clear, Packaging : Customized sizes available





ASMACO PROTECTION TAPE

LOW TACK

PROTECTION TAPE PE Film with, pressure sensitive rubber adhesive. Ideal for surface protection of coated and uncoated surfaces from abrasion, smearing or scaling.

- Low tack and evenly spread adhesive
- Protect against scratch, dirt & damage
- UV Resistant • Clean release after use
- Able to stand extreme temperature
- Usable on multiple surfaces
- High elongation and tear resistant



Type : Blue / Black / Black & White
Packaging : Jumbo Roll : 1.0 x 1000M & Slit Roll in various customized sizes, 1250 x 55 yds, 1250 x 65 yds

UV Resistant

ASMACO PVC PIPE WRAPPING TAPE

UNDERGROUND PROTECTION

ASMACO PVC PIPE WRAPPING TAPE This product is made of soft polyvinyl chloride (PVC) film and coated with a high-quality rubber pressure-sensitive adhesive. Commonly referred to as identification tape, floor marking tape, landmark tape, or warning tape, it is widely used for safety markings and visual guidance.
The tape features excellent waterproof, moisture-proof, weather-resistant, anti-corrosion, and anti-static properties. Its flexibility and adhesion make it suitable for both indoor and outdoor applications, especially in demanding industrial environments.



Underground Pipe Protection

Color : White , Black
Packaging : 2" X 60 ft (60 pcs / box) 2" X 80 ft (60 pcs / box)
3" X 60 ft (48 pcs / box)



ASMACO ELECTRICAL INSULATION TAPE

FIRE RETARDANT

ASMACO ELECTRICAL INSULATION TAPE is a premium-quality polyvinyl chloride (PVC) electrical insulating tape coated with a high-performance pressure-sensitive rubber-based adhesive. It is designed to provide reliable electrical insulation, mechanical protection, and secure bundling of wires and cables in low-voltage electrical applications.
Its durable PVC backing provides good resistance to abrasion. The tape is available in a range of standard colours for insulation, identification, phase marking, and cable management in accordance with common electrical installation practices.

Fire Retardant Tape

Protection & Insulation

Type : Black / White / Red / Green / Yellow / Blue / Yellowgreen
Packaging : 19 mm x 10 yards - 500 pcs / box



ASMACO ECO GRADE DOUBLE SIDE TISSUE TAPE

ADHESIVE TAPE

ASMACO ECO GRADE DOUBLE SIDE TISSUE TAPE is an economical, pressure-sensitive double-sided adhesive tape comprising a lightweight tissue paper carrier coated on both sides with a high-tack acrylic adhesive and protected by an easy-release liner. It is designed to provide clean, reliable, and instant bonding between a wide variety of lightweight materials while maintaining good dimensional stability and ease of handling. The conformable tissue carrier allows excellent surface contact on smooth and slightly irregular substrates, enabling neat and discreet bonding without visible fasteners. The tape offers consistent unwinding, easy die-cutting and converting, and dependable indoor bonding performance, making it suitable for general-purpose assembly and mounting requirements.

Color : White
Packaging : Customized sizes available



ASMACO FIBERGLASS MESH SELF ADHESIVE TAPE

FOR FIBER GLASS


ASMACO FIBERGLASS MESH SELF ADHESIVE TAPE is a premium-quality, self-adhesive reinforcing tape manufactured from woven fiberglass mesh and coated with a pressure-sensitive acrylic adhesive. It is designed to provide reliable reinforcement, dimensional stability, and excellent resistance to cracking in joint treatment and repair systems. The open-weave mesh construction promotes effective penetration and mechanical interlocking with joint compounds, plasters, and repair fillers, resulting in enhanced bond strength and long-term durability. The self-adhesive backing enables quick positioning and easy application without the need for pre-bedding, It is easy to cut, handle, and apply, providing clean, efficient, and professional installation.

Type : Self Adhesive Tape
Packaging : Customized sizes available



ASMACO RTV HIGH TEMP GASKET MAKER RTV SEALANT

SILICONE GASKET MAKER is one component, ready to use sealant designed for form-in-place gasketing where high temperature occurs. ASMACO RTV Silicone Gasket Maker cures to form an elastomeric and resilient silicone rubber gasket. The rubber-like seal formed after curing is highly resistant to weathering & UV exposure, is unaffected to high & low temperature & has excellent adhesion characteristics. Generally used for engine, gear box, motor flange, casing, water pump, oil pump, radiator, differential gear & other engine parts, boilers, water heaters as well as on wood, ceramics, glass, etc.



Engine Gasket

Color : Black / Red / Blue / Clear / Grey
Packaging : 85 g X 12 pcs X 12 Doz / box



ASMACO CRYSTAL CLEAR
EPOXY ADHESIVE

ASMACO CRYSTAL CLEAR is a 2K quick setting epoxy adhesive automatically dispenses two equal parts with one push. This adhesive is suitable for bonding glass, metal, ceramics, wood, tiles, fibre glass & some plastics. No mess, no spilling & no dried-out tube. Allows 4-5 minutes positioning time for parts.



ASMACO EPOXY STEEL
EPOXY ADHESIVE

EPOXY STEEL is a two-part ambient curing Epoxy adhesive suitable for general applications & repair works of metal parts. Best alternative to welding. A quick curing adhesive with a short pot life of 4 minutes. ASMACO Epoxy Steel develops it's 70% of strength in one hour. The cured product can be machined using common machining operations. It is resistant to gasoline, antifreeze & almost all solvents.

High Bond Strength Fast Drying

Type : Clear
Packaging : 12 pcs X 12 Doz / box

Superior Strength 4 Minutes Epoxy


Type : Quick curing adhesive
Packaging : 2 X 28.5 g tube & 12 pcs X 18 Doz / box

ASMACO SUPER GLUE
INSTANT ADHESIVE

SUPER GLUE is one part Cyanoacrylate adhesive suitable for general purpose applications & repair works of metal parts. This is a quick curing adhesive, strength development as fast as 5-30 seconds. It works faster & holds stronger on more surfaces than ordinary instant adhesives. The liquid formula works well on a variety of porous, non-porous surfaces & close-fitting repairs. It dries clear & sets without clamping. ASMACO Super Glue Liquid is resistant to moisture, most chemicals & freezing temperatures.



High Bond Strength Fast Drying





Type : General Purpose
Packaging : Standard Pack 3 g Tube - 288 pcs / box, Single Pack 3 g Tube - 12 pcs / box, 20 g Bottle - 24 pcs / box



ASMACO BOND FAST ADHESIVE

MDF KIT

ASMACO BOND is a two-part adhesive, cyanoacrylate & an activator spray in aerosol can, that provides quick bonding. ASMACO Bond is best suited for fixing & repairing wooden parts, bonding MDF, wood, chip board, rubber, most of the plastics, leather, ceramic, metals, etc. It is excellent to use in the areas where quick curing of the glue is required. High bond strength, suitable to bond both horizontal & vertical areas, suitable for porous & uneven substrates.

High Bond Strength

Instant Bonding

Packaging : 200 ml x 24 pcs / box & 300 ml x 25 pcs / box
400 ml x 12 pcs / box & 500 ml x 12 pcs / box









ASMACO STICKER & LABEL REMOVER

ASMACO Sticker & Label Remover is a powerful degumming formula designed to quickly remove paper labels, stickers, price tags, product labels and adhesive residues. Suitable for glass, metal, wood, foil and many plastic surfaces. It helps reduce scraping, makes removal cleaner and easier, and minimizes adhesive build-up on packing lines. Solvent-soluble and water-insoluble.

Degumming Function

With Press & Pull Cap



Type : Remover
Packaging : 450 ml x 12 pcs / box



ASMACO UNIVERSAL VARNISH

ACRYLIC

UNIVERSAL ACRYLIC VARNISH : Dries quickly to form a water and weather resistant coat. For exterior and interior use. It has high coverage and resistance to fading. It contains special components that provide resistance of the coating to mechanical stress and abrasion. It has excellent adhesion to the applied surface and enhanced weather ability.
APPLICATION AREA: Suitable for a variety of uses. It is designed to create a protective and decorative coating of metal, aluminium, wood, plastic and previously painted surfaces.



Color : Clear
Packaging : 400 ml x 12 pcs / box

ASMACO SUPER GLUE APPLICATIONS



ASMACO & ANCHOR BUTANE GAS
CAMPING , COOKING

ASMACO BUTANE PORTABLE GAS can is cooking gas designed to use in portable gas stoves specially designed to be portable & lightweight, used in camping, picnicking, backpacking, or other use in remote locations where an easily transportable means of cooking or heating is needed. ASMACO Butane gas is ideal for portable stoves in diverse situations, such as for outdoor food service, catering & in-field hospitals.



This cartridge is certified by MIRTEC SA / EBETAM A E

0437

Type : Cooking Gas
Packaging : 227 g x 28 pcs / box

ASMACO CAMPING GAS
BUTANE PROPANE MIX

Extremely flammable gas. Keep out of reach of children. Keep away from heat, sparks, flames and ignition sources. No smoking. Store in a cool, dry, well-ventilated place away from direct sunlight and temperatures above 50°C.

Use only with compatible direct-pressure butane appliances complying with EN 521. Cartridge complies with EN 417. Change cartridges only in a well-ventilated area away from ignition sources. Ensure the cartridge is empty before disposal. Do not puncture, pierce or incinerate, even after use.

Type : Purified Liquefying Petroleum Gas
Packaging : 100 g, 230 g, 450 g Cylinder





ASMACO & ANCHOR LIGHTER GAS REFILL BUTANE

ASMACO & ANCHOR LIGHTER REFILL BUTANE GAS having high quality & ultra-refined butane gas in aerosol can. Due to its lower pressure, it's very easy to refill any lighter with provided ''Multi Nozzle''. It is suitable for cigarette lighter, blow torch, professional butane torch lighter & so many other lighter.

Type : Refilling
Packaging : 250 ml x 72 pcs / box



ASMACO MULTI GAS
DISPOSABLE GAS

ASMACO Multigas is disposable gas in aerosol CAN with safety valve. It can be easily connected and disconnected. Due to its ideal composition, it will work at very cold or hot weather conditions and will give temperature up to 1900°C.It is suitable for indoor and outdoor application for professional plumbing, aircon and jewelry welding

Type : Industrial Welding Gas
Packaging : 600 ml x 24 pcs / box

ASMACO ATTACK INSECT KILLER
MULTI-PURPOSE

Attack Powerful Multipurpose Pesticide Spray formulated for killing both crawling and flying household insects.

DIRECTIONS FOR USE :
To Kill flying insects like mosquitoes and flies people should be removed from the room. Spray short burst in the air keeping a distance of 1mtr, from the wall or fabrics. Keep the room closed for about 15 mins. To kill crawling insects spray from about 30 cms directly on the surface where insects normally hide or crawl. Spray till the surface is damp avoid contact before film dries.

Protection Against Flying & Crawling Insects





Packaging : 400 ml x 48 pcs / box

AURA AIR FRESHENER
AUTOMATIC REFILL

AURA AIR FRESHENER REFILL is an automatic air freshener refill that is specially designed to neutralize odours and to give a rich, fresh aroma to your surroundings. Aura is CFC free and environmental friendly. It is ideal for use in home, washrooms, lobbies, hospitals, office, hotels and other areas requiring a pleasant and refreshing environment.



200 Shots per Bottle



Fragrance : Lavender / Aqua / Oud Aroma / Citrus / Vanilla / Jasmine / Rose / Morning Bliss / Raspberry
Packaging : 250 ml x 24 pcs / box

AURA AIR FRESHENER
REGULAR

AURA AIR FRESHENER is specially designed to neutralize odours and to give a rich, fresh aroma to your surroundings. Aura is CFC free and environmental friendly. It is ideal for use in home, washrooms, lobbies, hospitals, office, hotels and other areas requiring a pleasant and refreshing environment.




Fragrance : Lemon / Jasmine / Lavender / Rose / Oud / Sandalwood / Potpourri / Strawberry / Ocean Breeze / Fruit / Bakhoor
Packaging : 300 ml x 48 pcs / box

OTHER PRODUCTS

WATERPROOFING
























FLOORING

























SILICONE & ACRYLIC SEALANTS



FIRE STOP SEALANTS



POLYURETHANE SEALANTS



WATER PROOFING COATINGS



POLYSULPHIDE SEALANTS



CONTACT ADHESIVE



SPRAY PAINTS



PENETRATING OIL



LUBRICANT



POLYURETHANE FOAM



FUEL GAS



CAMPING GAS



MDF KIT



SUPER GLUE



PVC CEMENT



WATER STOP SEALANT



GASKET MAKER



EPOXY STEEL



ADHESIVE TAPES



REFRIGERANT GAS



AIR FRESHENER



DEO



AIR FRESHENER



AUTOMATIC DISPENSER

ADHESIVES



INSECTICIDE



ASHICO

Engineered to Last

FOR THE
WORLD
THAT BUILDS



85+
COUNTRIES
GLOBAL EXPORT
PRESENCE

MFG. OF SILICONE, ACRYLIC & POLYURETHANE SEALANTS, WATER PROOFING COATINGS, SELF-ADHESIVE TAPES & SPRAY PAINTS

ANCHOR ALLIED FACTORY L.L.C.
An ISO 9001:2015 Certified Company
www.anchorallied.com